



Certificate of Analysis










COMPLIANCE FOR RETAIL

Sample: DA30125002-006
Harvest/Lot ID: 6271 9556 9764 5287
Batch#: 8050 7335 2182 0026
Cultivation Facility:
Processing Facility : Tampa Processing
Distributor Facility :
Source Facility : Tampa Cultivation
Seed to Sale# 6271 9556 9764 5287
Batch Date: 06/30/22
Sample Size Received: 6 units
Total Amount: 1336 units
Retail Product Size: 11.25 gram
Ordered : 01/24/23
Sampled : 01/24/23
Completed: 01/27/23
Sampling Method: SOP.T.20.010

Jan 27, 2023 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US


PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 4.294% Total THC/Container : 483.075 mg		Total CBD 0.021% Total CBD/Container : 2.363 mg		Total Cannabinoids 4.802% Total Cannabinoids/Container : 540.225 mg
--	---	---	---	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	4.293	0.002	0.021	ND	0.08	0.163	0.004	0.161	0.032	ND	0.046
mg/unit	482.962	0.225	2.362	ND	9	18.337	0.45	18.112	3.6	ND	5.175
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by: 3112, 585, 1440, 2023 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA055142POT Instrument Used : DA-LC-007 Running on : 01/25/23 12:11:59 Dilution : 400 Reagent : 012423.R25; 071222.01; 012423.R23 Consumables : 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB14270 Pipette : N/A	Weight: 2.9511g	Extraction date: 01/25/23 12:01:31	Extracted by: 1665,3112
Reviewed On : 01/26/23 11:49:50 Batch Date : 01/25/23 09:12:24			
Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.			



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30125002-006
Harvest/Lot ID: 6271 9556 9764 5287

Batch# : 8050 7335 2182 **Sample Size Received :** 6 units
 0026 **Total Amount :** 1336 units
Sampled : 01/24/23 **Completed :** 01/27/23 **Expires:** 01/27/24
Ordered : 01/24/23 **Sample Method :** SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	8.212	0.073		ALPHA-HUMULENE	0.007	ND	ND	
TOTAL TERPENEOL	0.007	ND	ND		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	ND	ND		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	ND	ND		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	<2.25	<0.02		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-BISABOLOL	0.007	ND	ND	
3-CARENE	0.007	ND	ND		Analyzed by: 2076, 3379, 585, 1440, 2023 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA055170TER Instrument Used : DA-GCMS-005 Running on : 01/25/23 15:34:35 Dilution : 10 Reagent : 050322.54 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	2.925	0.026		Extracted by: 2076 Reviewed On : 01/26/23 11:49:53 Batch Date : 01/25/23 10:16:27				
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	4.95	0.044						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	<2.25	<0.02						
FARNESENE	0	0.337	0.003						
Total (%)			0.073						



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30125002-006
 Harvest/Lot ID: 6271 9556 9764 5287

 Batch# : 8050 7335 2182 Sample Size Received : 6 units
 0026 Total Amount : 1336 units
 Sampled : 01/24/23 Completed : 01/27/23 Expires: 01/27/24
 Ordered : 01/24/23 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	1.5	PASS	ND						
FENHEXAMID	0.01	ppm	3	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	2	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	2	PASS	ND						
FLUDIOXONIL	0.01	ppm	3	PASS	ND						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.01	ppm	2	PASS	ND						
METALAXYL	0.01	ppm	3	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

Analyzed by: 3379, 585, 1665, 1440 Weight: 0.2349g Extraction date: 01/25/23 14:17:02 Extracted by: 3379
 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)
 Analytical Batch : DA055162PES Reviewed On : 01/26/23 13:14:20
 Instrument Used : DA-LCMS-003 (PES) Batch Date : 01/25/23 10:03:46
 Running on : 01/25/23 14:14:16
 Dilution : 250
 Reagent : 012323.R41; 012323.R42; 012423.R21; 012523.R05; 040521.11
 Consumables : 6676024-02
 Pipette : DA-093; DA-094; DA-219
 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 1665, 1440 Weight: 0.2349g Extraction date: 01/25/23 14:17:02 Extracted by: 3379
 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)
 Analytical Batch : DA055165VOL Reviewed On : 01/26/23 13:22:24
 Instrument Used : DA-GCMS-006 Batch Date : 01/25/23 10:07:02
 Running on : N/A
 Dilution : 250
 Reagent : 012323.R42; 040521.11; 011723.R20; 011723.R29
 Consumables : 6676024-02; 14725401
 Pipette : DA-080; DA-146
 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30125002-006

Harvest/Lot ID: 6271 9556 9764 5287

Batch# : 8050 7335 2182
 0026

Sampled : 01/24/23

Ordered : 01/24/23

Sample Size Received : 6 units

Total Amount : 1336 units

Completed : 01/27/23 **Expires:** 01/27/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440, 2023

Weight:
 0.02g

Extraction date:
 01/26/23 13:34:53

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA05519950L

Instrument Used : DA-GCMS-002

Running on : 01/26/23 13:45:20

Reviewed On : 01/26/23 15:27:28

Batch Date : 01/25/23 13:30:51

Dilution : 1

Reagent : 030420.09

Consumables : R2017.120; G201.120

Pipette : DA-306 10uL Syringe 35031

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30125002-006

Harvest/Lot ID: 6271 9556 9764 5287

 Batch# : 8050 7335 2182
 0026

 Sampled : 01/24/23
 Ordered : 01/24/23

Sample Size Received : 6 units

Total Amount : 1336 units

Completed : 01/27/23 Expires: 01/27/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 3702, 3621, 585, 1440 Weight: 1.2g Extraction date: 01/25/23 12:05:43 Extracted by: 3702 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055150MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 01/25/23 12:21:04 Dilution : N/A Reagent : 122122.R81; 091422.02; 100722.13 Consumables : 500124 Pipette : N/A					

Analyzed by: 3702, 3390, 585, 1440 Weight: 1.2g Extraction date: 01/25/23 12:03:54 Extracted by: 3702,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA055176TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 01/25/23 12:21:14 Dilution : 10 Reagent : 110822.21 Consumables : 008109 Pipette : N/A					
--	--	--	--	--	--

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 2023, 1440 Weight: 0.2349g Extraction date: 01/25/23 14:17:02 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055164MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 01/25/23 14:14:29 Dilution : 250 Reagent : 012323.R41; 012323.R42; 012423.R21; 012523.R05; 040521.11 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219					
Reviewed On : 01/26/23 15:22:22 Batch Date : 01/25/23 10:06:59					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440, 2023 Weight: 0.4103g Extraction date: 01/25/23 10:51:11 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA055153HEA Instrument Used : DA-ICPMS-003 Running on : 01/25/23 16:47:17 Dilution : 50 Reagent : 012523.R01; 121922.R11; 123022.R14; 012023.R08; 012023.R05; 012023.R06; 012023.R07; 012323.R43; 011923.R10; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30125002-006

Harvest/Lot ID: 6271 9556 9764 5287

Batch# : 8050 7335 2182
 0026

Sampled : 01/24/23

Ordered : 01/24/23

Sample Size Received : 6 units

Total Amount : 1336 units

Completed : 01/27/23 **Expires:** 01/27/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA055183FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : N/A

Reviewed On : 01/26/23 15:37:21

Batch Date : 01/25/23 11:56:25

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.464	TESTED	

Analyzed by: 3807, 2926, 585, 1440	Weight: 2.307g	Extraction date: 01/25/23 13:40:43	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA055172WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 01/25/23 10:21:05

Reviewed On : 01/25/23 15:31:04

Batch Date : 01/25/23 10:18:53

Dilution : N/A

Reagent : 100522.08

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.