



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA30126006-004  
**Harvest/Lot ID:** 8926 7561 9207 8479  
**Batch#:** 8926 7561 9207 8479  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility:** Tampa Processing  
**Distributor Facility:**  
**Source Facility:** Tampa Cultivation  
**Seed to Sale#** 1541 1814 3984 4724  
**Batch Date:** 10/05/22  
**Sample Size Received:** 15.5 gram  
**Total Amount:** 2899 units  
**Retail Product Size:** 0.5 gram  
**Ordered:** 01/25/23  
**Sampled:** 01/25/23  
**Completed:** 01/30/23  
**Sampling Method:** SOP.T.20.010

Jan 30, 2023 | FLUENT  
 82 NE 26th street  
 Miami, FL, 33137, US


**PASSED**

Pages 1 of 6

**PRODUCT IMAGE**

**SAFETY RESULTS**

Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals Solvents  
**PASSED**

Filth  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**NOT TESTED**

Terpenes  
**TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**86.554%**

Total THC/Container : 432.77 mg


**Total CBD**
**0.263%**

Total CBD/Container : 1.315 mg


**Total Cannabinoids**
**92.047%**

Total Cannabinoids/Container : 460.235 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.485	0.079	0.263	ND	0.5	2.103	0.057	0.993	0.565	ND	1.002
mg/unit	432.425	0.395	1.315	ND	2.5	10.515	0.285	4.965	2.825	ND	5.01
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 3605, 1440

Weight:  
0.1018g

Extraction date:  
01/26/23 11:47:48

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA055221POT  
 Instrument Used : DA-LC-007  
 Running on : 01/26/23 11:50:34

Reviewed On : 01/27/23 08:05:49  
 Batch Date : 01/26/23 09:11:01

Dilution : 400  
 Reagent : 012423.R25; 071222.01; 012423.R23  
 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30126006-004  
**Harvest/Lot ID:** 8926 7561 9207 8479

**Batch# :** 8926 7561 9207  
**Sample Size Received :** 15.5 gram  
**Total Amount :** 2899 units  
**Completed :** 01/30/23 **Expires:** 01/30/24  
**Ordered :** 01/25/23 **Sample Method :** SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	9.3	1.86		ALPHA-HUMULENE	0.007	0.19	0.038	
TOTAL TERPINEOL	0.007	0.24	0.048		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.265	0.053		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.1	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.1	<0.02	
BETA-PINENE	0.007	0.335	0.067		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.455	0.091		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	<0.1	<0.02		ALPHA-BISABOLOL	0.007	1.405	0.281	
3-CARENE	0.007	ND	ND		Analyzed by: 3379, S&S, 1440      Weight: 0.8308g      Extraction date: 01/26/23 13:35:27      Extracted by: 3379				
ALPHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
LIMONENE	0.007	1.75	0.35		Analytical Batch : DA055243TER				
EUCALYPTOL	0.007	ND	ND		Instrument Used : DA-GCMS-Q05				
OCIMENE	0.007	ND	ND		Running on : 01/26/23 15:25:28				
GAMMA-TERPINENE	0.007	ND	ND		Dilution : 10				
SABINENE HYDRATE	0.007	ND	ND		Reagent : 050322.54				
TERPINOLENE	0.007	<0.1	<0.02		Consumables : 210414634; MKCN9995; CE123; R1KB45277				
FENCHONE	0.007	ND	ND		Pipette : N/A				
LINALOOL	0.007	0.695	0.139		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
FENCHYL ALCOHOL	0.007	0.365	0.073						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	<0.1	<0.02						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	<0.1	<0.02						
NEROL	0.007	<0.1	<0.02						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.1	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	3.6	0.72						
FARNESENE	0	<0.009	<0.0018						
Total (%)			1.86						



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30126006-004

Harvest/Lot ID: 8926 7561 9207 8479

Batch# : 8926 7561 9207 8479

Sampled : 01/25/23

Ordered : 01/25/23

Sample Size Received : 15.5 gram

Total Amount : 2899 units

Completed : 01/30/23 Expires: 01/30/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 3379, 1440	Weight: 0.2303g	Extraction date: 01/26/23 15:19:14	Extracted by: 585,450		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA055231PES				Reviewed On : 01/27/23 11:22:49	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 01/26/23 09:26:34	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Running on : 01/26/23 15:58:21					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 012323.R41; 012323.R42; 012423.R21; 012523.R05; 040521.11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2303g	Extraction date: 01/26/23 15:19:14	Extracted by: 585,450		
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA055235VOL				Reviewed On : 01/27/23 10:52:11	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006				Batch Date : 01/26/23 09:28:07	
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Running on : N/A					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	0.2	PASS	ND	Reagent : 012323.R42; 040521.11; 011723.R20; 011723.R29					
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02; 14725401					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30126006-004

**Harvest/Lot ID:** 8926 7561 9207 8479

**Batch# :** 8926 7561 9207 8479

**Sampled :** 01/25/23

**Ordered :** 01/25/23

**Sample Size Received :** 15.5 gram

**Total Amount :** 2899 units

**Completed :** 01/30/23 **Expires:** 01/30/24

**Sample Method :** SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

**Analyzed by:**  
 850, 53, 1440, 585

**Weight:**  
 0.0281g

**Extraction date:**  
 01/27/23 17:23:32

**Extracted by:**  
 850

**Analysis Method :** SOP.T.40.041.FL

**Analytical Batch :** DA055313SOL

**Instrument Used :** DA-GCMS-002

**Running on :** 01/30/23 15:27:56

**Reviewed On :** 01/30/23 15:56:54

**Batch Date :** 01/27/23 15:45:48

**Dilution :** 1

**Reagent :** 030420.09

**Consumables :** 27296; KF140

**Pipette :** DA-306 10uL Syringe 35031

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30126006-004

Harvest/Lot ID: 8926 7561 9207 8479

Batch# : 8926 7561 9207 8479

Sampled : 01/25/23

Ordered : 01/25/23

Sample Size Received : 15.5 gram

Total Amount : 2899 units

Completed : 01/30/23 Expires: 01/30/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3336, 3621, 585, 1440 Weight: 0.917g Extraction date: 01/26/23 11:11:15 Extracted by: 3336, 3390

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA055220MIC

Instrument Used : DA-265 Gene-UP RTPCR

Running on : 01/26/23 11:16:11

Dilution : N/A

Reagent : 010423.25; 100722.13; 012623.R62

Consumables : 500124

Pipette : N/A

Analyzed by: 3390, 3621, 585, 1440 Weight: 0.917g Extraction date: 01/26/23 11:11:15 Extracted by: 3336, 3390

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA055273TYM

Instrument Used : Incubator (25-27C) DA-097

Running on : 01/26/23 18:16:39

Dilution : 10

Reagent : 110822.21

Consumables : 008109

Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 585, 3379, 1440 Weight: 0.2303g Extraction date: 01/26/23 15:19:14 Extracted by: 585, 450

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA055234MYC

Instrument Used : DA-LCMS-003 (MYC)

Running on : 01/26/23 15:58:31

Dilution : 250

Reagent : 012323.R41; 012323.R42; 012423.R21; 012523.R05; 040521.11

Consumables : 6676024-02

Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Heavy Metals

**PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.4127g Extraction date: 01/26/23 11:38:29 Extracted by: 3619, 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA055242HEA

Instrument Used : DA-ICPMS-003

Running on : 01/26/23 14:35:24

Dilution : 50

Reagent : 012523.R01; 121922.R11; 123022.R14; 012023.R08; 012023.R05; 012023.R06; 012023.R07; 012323.R43; 011923.R10; 100622.35

Consumables : 179436; 210508058; 210803-059

Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30126006-004

**Harvest/Lot ID:** 8926 7561 9207 8479

**Batch# :** 8926 7561 9207 8479

**Sampled :** 01/25/23

**Ordered :** 01/25/23

**Sample Size Received :** 15.5 gram

**Total Amount :** 2899 units

**Completed :** 01/30/23 **Expires:** 01/30/24

**Sample Method :** SOP.T.20.010

Page 6 of 6


**Filth/Foreign Material**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.5	%	ND	<b>PASS</b>	1

<b>Analyzed by:</b> 1879, 1440	<b>Weight:</b> NA	<b>Extraction date:</b> N/A	<b>Extracted by:</b> N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

**Analysis Method :** SOP.T.40.090

**Analytical Batch :** DA055271FIL

**Instrument Used :** Filth/Foreign Material Microscope

**Running on :** 01/27/23 18:40:59

**Reviewed On :** 01/27/23 18:53:30

**Batch Date :** 01/26/23 17:09:46

**Dilution :** N/A

**Reagent :** N/A

**Consumables :** N/A

**Pipette :** N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.1	aw	0.482	<b>PASS</b>	0.85

<b>Analyzed by:</b> 2926, 585, 1440	<b>Weight:</b> 0.178g	<b>Extraction date:</b> 01/26/23 14:27:40	<b>Extracted by:</b> 2926
--	--------------------------	--	------------------------------

**Analysis Method :** SOP.T.40.019

**Analytical Batch :** DA055249WAT

**Instrument Used :** DA-028 Rotronic HygroPalm

**Running on :** 01/26/23 14:24:17

**Reviewed On :** 01/26/23 15:55:32

**Batch Date :** 01/26/23 11:21:18

**Dilution :** N/A

**Reagent :** 100522.08

**Consumables :** PS-14

**Pipette :** N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.