



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30124007-004
Harvest/Lot ID: HYB-GB-110122-C0066
Batch#: 5336 5336 3751 5756
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 2990 5998 4564 6989
Batch Date: 10/05/22
Sample Size Received: 31.5 gram
Total Amount: 839 gram
Retail Product Size: 3.5 gram
Ordered: 01/23/23
Sampled: 01/23/23
Completed: 01/26/23
Sampling Method: SOP.T.20.010

Jan 26, 2023 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US


PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
NOT TESTED**

**Filth
PASSED**

**Water Activity
PASSED**

**Moisture
PASSED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
21.24%

Total THC/Container : 743.4 mg


Total CBD
0.079%

Total CBD/Container : 2.765 mg


Total Cannabinoids
25.083%

Total Cannabinoids/Container : 877.905 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.724	23.394	ND	0.091	0.098	0.103	0.543	0.019	ND	ND	0.111
mg/g	7.24	233.94	ND	0.91	0.98	1.03	5.43	0.19	ND	ND	1.11
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 3112, 1440

Weight:
0.1971g

Extraction date:
01/24/23 10:23:20

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA055102POT
 Instrument Used : DA-LC-002 (Flower)
 Running on : 01/24/23 10:28:57

Reviewed On : 01/25/23 13:53:35
 Batch Date : 01/24/23 09:06:46

Dilution : 400
 Reagent : 011123.R36; 121321.34; 010323.R15
 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30124007-004
Harvest/Lot ID: HYB-GB-110122-C0066

Batch# : 5336 5336 3751
Sample Size Received : 31.5 gram
Total Amount : 839 gram
Completed : 01/26/23 Expires: 01/26/24
Ordered : 01/23/23
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/g	%	Result (%)	Terpenes	LOD (%)	mg/g	%	Result (%)
TOTAL TERPENES	0.007	12.78	1.278		ALPHA-HUMULENE	0.007	1.21	0.121	
TOTAL TERPINEOL	0.007	0.45	0.045		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.82	0.082		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	<0.2	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	0.78	0.078		GUAJOL	0.007	ND	ND	
BETA-MYRCENE	0.007	<0.2	<0.02		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-BISABOLOL	0.007	0.53	0.053	
3-CARENE	0.007	ND	ND		Analyzed by: 2076, 585, 1440 Weight: 0.9155g Extraction date: 01/24/23 14:19:50 Extracted by: 2076 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA055096TER Reviewed On : 01/26/23 11:34:48 Instrument Used : DA-GCMS-004 Batch Date : 01/24/23 08:36:51 Running on : 01/25/23 09:01:42 Dilution : 10 Reagent : 050322.54 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	3.37	0.337						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	0.2	0.02						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	1.02	0.102						
FENCHYL ALCOHOL	0.007	0.61	0.061						
ISOPULEGOL	0.007	ND	ND						
CAMPOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	3.43	0.343						
FARNESENE	0	0.36	0.036						
Total (%)				1.278					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30124007-004
 Harvest/Lot ID: HYB-GB-110122-C0066

 Batch# : 5336 5336 3751
 Sample Size Received : 31.5 gram
 Total Amount : 839 gram
 Completed : 01/26/23 Expires: 01/26/24
 Ordered : 01/23/23
 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	1.5	PASS	ND						
FENHEXAMID	0.01	ppm	3	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	2	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	2	PASS	ND						
FLUDIOXONIL	0.01	ppm	3	PASS	ND						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.01	ppm	2	PASS	ND						
METALAXYL	0.01	ppm	3	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

Analyzed by: 3379, 53, 585, 1440
Weight: 1.0869g
Extraction date: 01/24/23 12:27:47
Extracted by: 3379
Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)
Analytical Batch: DA055112PES
Instrument Used: DA-LCMS-003 (PES)
Running on: 01/24/23 12:34:55
Reviewed On: 01/25/23 14:49:34
Batch Date: 01/24/23 09:49:31

Dilution: 250
Reagent: 012323.R41; 012323.R42; 122722.R21; 011823.R01; 040521.11
Consumables: 6676024-02
Pipette: DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 3379, 1440, 585
Weight: 1.0869g
Extraction date: 01/24/23 12:27:47
Extracted by: 3379
Analysis Method: SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL
Analytical Batch: DA055114VOL
Instrument Used: DA-GCMS-006
Running on: N/A
Reviewed On: 01/25/23 13:01:23
Batch Date: 01/24/23 09:50:59

Dilution: 250
Reagent: 012323.R42; 040521.11; 011723.R20; 011723.R29
Consumables: 6676024-02; 14725401
Pipette: DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30124007-004
 Harvest/Lot ID: HYB-GB-110122-C0066

 Batch# : 5336 5336 3751
 5756
 Sampled : 01/23/23
 Ordered : 01/23/23
 Sample Size Received : 31.5 gram
 Total Amount : 839 gram
 Completed : 01/26/23 Expires: 01/26/24
 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	1000	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						3379, 53, 585, 1440		1.0869g		01/24/23 12:27:47	
Analyzed by:		Weight:	Extraction date:	Extracted by:							Extracted by:
3336, 3390, 585, 1440		0.9164g	01/24/23 11:44:31	3390,3336							3379
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),					
Analytical Batch : DA055087MIC						SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Instrument Used : DA-265 Gene-UP RTPCR						Analytical Batch : DA055113MYC					
Running on : 01/24/23 11:45:03						Instrument Used : DA-LCMS-003 (MYC)					
						Running on : 01/24/23 12:35:17					
Dilution : N/A						Dilution : 250					
Reagent : 122122.R81; 091422.02; 100722.13						Reagent : 012323.R41; 012323.R42; 122722.R21; 011823.R01; 040521.11					
Consumables : 500124						Consumables : 6676024-02					
Pipette : N/A						Pipette : DA-093; DA-094; DA-219					

Analyzed by:	Weight:	Extraction date:	Extracted by:
3336, 585, 1440	1.0916g	01/24/23 11:49:25	3390,3336
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			
Analytical Batch : DA055107TYM			
Instrument Used : Incubator (25-27C) DA-097			
Running on : 01/24/23 11:50:07			
Dilution : 1000			
Reagent : 110822.09			
Consumables : 004103			
Pipette : N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440, 585	Weight: 0.454g	Extraction date: 01/24/23 09:49:51	Extracted by: 3619		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA055101HEA		Reviewed On : 01/25/23 12:08:28			
Instrument Used : DA-ICPMS-003		Batch Date : 01/24/23 09:03:15			
Running on : N/A					
Dilution : 50					
Reagent : 122822.R42; 121922.R11; 123022.R14; 012023.R08; 012023.R05; 012023.R06; 012023.R07; 012323.R43; 011923.R10; 100622.35					
Consumables : 179436; 210508058; 210803-059					
Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30124007-004
Harvest/Lot ID: HYB-GB-110122-C0066

Batch# : 5336 5336 3751
Sample Size Received : 31.5 gram
Total Amount : 839 gram
Completed : 01/26/23 **Expires:** 01/26/24
Ordered : 01/23/23 **Sample Method :** SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
--	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA055185FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : N/A

Reviewed On : 01/26/23 14:41:25
Batch Date : 01/25/23 11:57:39

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.394	PASS	0.65

Analyzed by: 3807, 2926, 585, 1440	Weight: 0.715g	Extraction date: 01/24/23 11:51:25	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA055115WAT
Instrument Used : DA-028 Rotronic HygroPalm
Running on : 01/24/23 10:07:40

Reviewed On : 01/25/23 15:12:23
Batch Date : 01/24/23 09:55:44

Dilution : N/A
Reagent : 100522.08
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.