

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes



Matrix: Derivative

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30128002-004

Harvest/Lot ID: 4513 9594 7724 1836

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Distributor Facility:

Batch#: 4513 9594 7724 1836

Source Facility: Tampa Processing

Seed to Sale# 6775 8598 7291 0565

Batch Date: 10/04/22 Sample Size Received: 16 gram

Total Amount: 1455 units

Retail Product Size: 1.0 gram **Ordered**: 01/27/23

> Sampled: 01/27/23 Completed: 01/31/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

PRODUCT IMAGE

82 NE 26th street Miami, FL, 33137, US

SAFETY RESULTS







Heavy Metals PASSED



Microbials



Mycotoxins Residuals Solvents PASSED



Filth



Water Activity PASSED



Moisture NOT TESTED





Cannabinoid

Jan 31, 2023 | FLUENT

PASSED



Total THC 87.85%

Total THC/Container: 878.5 mg



Total CBD

Total CBD/Container: 2.69 mg



Total Cannabinoids

Total Cannabinoids/Container: 932.1 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.734	0.133	0.269	ND	0.393	1.807	0.085	1.545	0.56	ND	0.684
mg/unit	877.34	1.33	2.69	ND	3.93	18.07	0.85	15.45	5.6	ND	6.84
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3112, 1665, 585	5, 1440			Weight: 0.1033g		xtraction date: 1/30/23 09:06:12			Extrac 1665,	ted by: 3112	

Analysis Method: SOP.T.40.031. SOP.T.30.031

Analytical Batch: DA055375POT Instrument Used: DA-LC-007 Running on: 01/30/23 09:35:37

Reviewed On: 01/30/23 14:24:55 Batch Date: 01/29/23 21:21:12

Reagent: 071222.01

Consumables: 239146: 280670723: CE0123: 61633-125C6-125E: R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/31/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266

Sample : DA30128002-004 Harvest/Lot ID: 4513 9594 7724 1836

Batch#: 4513 9594 7724

Sampled: 01/27/23 Ordered: 01/27/23

Sample Size Received: 16 gram Total Amount: 1455 units Completed: 01/31/23 Expires: 01/31/24

Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD	mg/uni	it %	Result (%)		Terpenes		LOD	mg/unit	%	Result (%)	
TOTAL TERPENES	(%) 0.007	13.37	1.337			ALPHA-HUMULENE		(%) 0.007	0.54	0.054		
OTAL TERPENES OTAL TERPINEOL	0.007	0.23	0.023			VALENCENE VALENCENE			ND	0.054 ND		
LPHA-PINENE	0.007	0.23	0.023			CIS-NEROLIDOL		0.007	ND ND	ND		
AMPHENE	0.007	ND				TRANS-NEROLIDOL		0.007	0.67	0.067		
ABINENE	0.007	0.61	ND 0.061			CARYOPHYLLENE OXIDE		0.007	< 0.2	< 0.067		
ETA-PINENE	0.007	0.52	0.052			GUAIOL		0.007	ND	<0.02 ND		
ETA-PINENE ETA-MYRCENE	0.007	0.52	0.052		-	CEDROL		0.007	ND ND	ND		
LPHA-PHELLANDRENE	0.007	0.31	0.091			ALPHA-BISABOLOL		0.007		0.045		
CARENE								0.007				
-CAKENE LPHA-TERPINENE	0.007	ND	ND			Analyzed by: 3379, 53, 1440	Weight: 0.9961q		01/30/23 13:1		Extra 3379	cted by:
MONENE	0.007	0.44	0.044				-		01/30/23 13.1	4.13	33/9	
MONENE ICALYPTOL	0.007	0.89	0.089			Analysis Method: SOP.T.30.06 Analytical Batch: DA055363TE		FL	Revie	wed On · 0	1/31/23 14:48:20	
	0.007	ND	ND			Instrument Used: DA-GCMS-00)5				29/23 10:41:25	
IMENE	0.007	1.08	0.108			Running on: 01/30/23 13:16:3	1					
MMA-TERPINENE	0.007	0.37	0.037			Dilution: 10						
ABINENE HYDRATE	0.007	ND	ND			Reagent: 050322.54 Consumables: 210414634: MK	CN000E, CE122, B1VB	45277				
RPINOLENE	0.007	4.22	0.422			Pipette: N/A	.CN9995; CE123; K1KB	45277				
NCHONE	0.007	ND	ND			Terpenoid testing is performed util	izing Gas Chromatography	v Mass Speci	trometry			
NALOOL	0.007	<0.2	< 0.02									
NCHYL ALCOHOL	0.007	0.62	0.062									
OPULEGOL	0.007	ND	ND									
AMPHOR	0.007	ND	ND		_							
OBORNEOL	0.007	<0.2	< 0.02									
DRNEOL	0.013	ND	ND									
EXAHYDROTHYMOL	0.007	< 0.2	< 0.02									
EROL	0.007	ND	ND									
JLEGONE	0.007	0.4	0.04									
ERANIOL	0.007	ND	ND									
ERANYL ACETATE	0.007	ND	ND									
	0.007	ND	ND									
LPHA-CEDRENE												
LPHA-CEDRENE ETA-CARYOPHYLLENE	0.007	0.48	0.048									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/31/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266

DAVIE, FL, 33314, US

Sample : DA30128002-004 Harvest/Lot ID: 4513 9594 7724 1836

Batch#: 4513 9594 7724

Sampled: 01/27/23 Ordered: 01/27/23

Sample Size Received: 16 gram Total Amount: 1455 units Completed: 01/31/23 Expires: 01/31/24 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN		0.01	mag	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND				1.1.		PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1		
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
IFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
IFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND			0.01	/ · / / /	0.3	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN			ppm			
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBI	ENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND					0.5		
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 53, 1440	Weight: 0.2734g		on date: 3 14:03:58		Extracte 585	d by:
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T				(Davie) SOP		Gainecvill
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	.50.101.1 L (Gaines)	1110), 301.1	.50.102.1 L	(Davie), Joi	.1.40.101.11 (Califesviii
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA05	5382PES		Reviewed	On:01/31/2	23 11:19:07	
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LO		Batch Date : 01/30/23 09:26:2			09:26:26	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on: 01/30/23 1	3:21:58					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250	′ /	/	/ \	/ \	1 \ 1	
IPRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 012323.R41;		3.R36; 0124	423.R14; 01	L2423.R21; 0	12523.R05; 0	40521.11
LONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6676024 Pipette : DA-093; DA-09						
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural ag		lizina Liquia	Chromator	ranhy Trinlo-	Ouadrupole Ma	cc
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordan			Cilioinalog	grapity triple-	Quadi upole Ma	133
1AZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:		action dat	e:	Extract	ed by:
/IDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 53, 1440, 585	0.2734g		0/23 14:03		585	,,,
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T	.30.151.FL (Gaines)	rille), SOP.T	.30.151A.F	L (Davie), SO	P.T.40.151.FL	
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA05				n:01/31/23 1		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-G	CMS-001	Ва	atch Date :	01/30/23 09	:28:27	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Running on : N/A						
ETHOMYL	0.01	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 012623.R36;	040521 11: 011722	D20: 0117	22 020			
IEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6676024		nzu; U11/2	13.RZ9			
IYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080: DA-14						
IICLODGIANIL	0.01	Phili	0.1	. 755	.40		-					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/31/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US

Sample : DA30128002-004 Harvest/Lot ID: 4513 9594 7724 1836

Batch#: 4513 9594 7724

Sampled: 01/27/23 Ordered: 01/27/23

Sample Size Received: 16 gram Total Amount: 1455 units Completed: 01/31/23 Expires: 01/31/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
FOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 53, 1440, 585	Weight: 0.0267g	Extraction (//	Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch: DA055395SOL Instrument Used : DA-GCMS-002 Running on: 01/31/23 11:15:22

Reagent: 030420.09
Consumables: 426108; KF140
Pipette: DA-306 10uL Syringe 35031

Reviewed On: 01/31/23 12:19:38 Batch Date: 01/30/23 09:56:30

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/31/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30128002-004 Harvest/Lot ID: 4513 9594 7724 1836

Batch#: 4513 9594 7724

Sampled: 01/27/23 Ordered: 01/27/23

Sample Size Received: 16 gram Total Amount: 1455 units Completed: 01/31/23 Expires: 01/31/24 Sample Method: SOP.T.20.010

Page 5 of 6

Units

ppm

ppm

ppm

mag

ppm

Result

ND

ND

ND

ND

Reviewed On: 01/31/23 11:16:29

Batch Date: 01/30/23 09:28:22

LOD

0.002

0.002

0.002

0.002

0.002

Extraction date 01/30/23 14:03:58

Reagent: 012323.R41; 012623.R35; 012623.R36; 012423.R14; 012423.R21; 012523.R05; 040521.11

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),



Microbial

PASSED



AFLATOXIN B2

AFLATOXIN B1

OCHRATOXIN A

AFLATOXIN G1

AFLATOXIN G2

Analyzed by: 585, 53, 1440

Dilution: 250

Analyte

Mycotoxins

Weight: 0.2734g

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA055383MYC

Instrument Used: DA-LCMS-003 (MYC) Running on: 01/30/23 13:22:08

Consumables : 6676024-02

Pipette: DA-093; DA-094; DA-219

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

585

Extracted by:

Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ESCHERICHIA COLI SHIGELLA SPP	· >		Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	
Analyzed by: 3621, 3336, 585, 1440	Weight: 0.892a	Extraction date: 01/28/23 13:32:36		Extracted by:		
3021, 3330, 303, 1440	0.0920	U1/20/23 1.	3.34.30	3621		

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA055335MIC Reviewed On : 01/31/23 15:14:50

Instrument Used: DA-265 Gene-UP RTPCR

Running on: 01/28/23 16:15:18

Dilution : N/A

Analyzed by:

Reagent: 012623.R62; 010423.25; 111822.05

Consumables: 500124	
Pipette : N/A	

3621, 3390, 585, 1440	0.829g	01/28/23 13:40:36	3621
Analysis Method : SOP.T.40.	208 (Gainesville), SOP.T.40.209.FL	
Analytical Batch : DA055338	RTYM	Reviewed On : 0	1/31/23 15:15:4

Weight:

Instrument Used : Incubator (25-27C) DA-097 Running on : 01/28/23 16:20:00

:46 Batch Date: 01/28/23 10:16:12

Extracted by:

Batch Date: 01/28/23 09:43:48

Dilution: 10

Reagent: 110822.21; 013123.R21

Consumables : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Extraction date:

Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOA	D METALS	0.11	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2	
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.05	ppm	ND	PASS	0.5
Analyzed by: Weight: 0.4907g		Extraction 01/30/23 0		Extracted 1022.361		

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA055369HEA Instrument Used : DA-ICPMS-003 Running on: 01/30/23 14:31:03

Reviewed On: 01/31/23 15:16:11 Batch Date: 01/29/23 11:29:18

Reagent: 012523.R01; 121922.R11; 123022.R14; 012723.R21; 012023.R05; 012723.R19;

012723.R20; 012323.R43; 011923.R10; 100622.35 Consumables: 179436: 210508058: 210803-059

Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/31/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative

Page 6 of 6



PASSED

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30128002-004 Harvest/Lot ID: 4513 9594 7724 1836

Batch#: 4513 9594 7724

Sampled: 01/27/23 Ordered: 01/27/23

Sample Size Received: 16 gram Total Amount: 1455 units Completed: 01/31/23 Expires: 01/31/24 Sample Method: SOP.T.20.010

Filth/Foreign **Material**

PASSED

Analyte Units **Action Level** Filth and Foreign Material PASS 0.5 % ND Analyzed by: Weight: **Extraction date:** Extracted by: 1879, 1440

Analysis Method: SOP.T.40.090 Analytical Batch: DA055364FIL

Instrument Used: Filth/Foreign Material Microscope

Running on: 01/29/23 21:20:58

Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Reviewed On: 01/29/23 21:39:08

Batch Date: 01/29/23 10:43:13

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.568	PASS	0.85

Extraction date: Extracted by: Analyzed by: 3807, 585, 1440 0.654g 01/30/23 07:50:27

Analysis Method: SOP.T.40.019 Analytical Batch : DA055347WAT

Instrument Used: DA-028 Rotronic Hygropalm

Running on: N/A Dilution: N/A

Reviewed On: 01/30/23 14:22:41 Batch Date: 01/28/23 13:49:52

Reagent: 100522.08 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/31/23