



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30128010-002
Harvest/Lot ID: ID-CAC-011723-A093
Batch#: 4587 2191 2690 9578
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 5817 3904 0028 4613
Batch Date: 01/12/23
Sample Size Received: 115.5 gram
Total Amount: 9118 units
Retail Product Size: 3.5 gram
Ordered: 01/28/23
Sampled: 01/28/23
Completed: 02/01/23
Sampling Method: SOP.T.20.010

Feb 01, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filth
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
20.335%

Total THC/Container : 711.725 mg


Total CBD
0.051%

Total CBD/Container : 1.785 mg


Total Cannabinoids
24.234%

Total Cannabinoids/Container : 848.19 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.371	22.765	<0.01	0.059	0.041	0.102	0.84	0.011	<0.01	<0.01	0.045
mg/unit	12.985	796.775	<0.35	2.065	1.435	3.57	29.4	0.385	<0.35	<0.35	1.575
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
1665, 3605, 3112, 1440

Weight:
0.2094g

Extraction date:
01/30/23 09:21:39

Extracted by:
3112,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA055373POT
Instrument Used : DA-LC-002
Running on : 01/30/23 09:34:42

Reviewed On : 01/31/23 23:26:09
Batch Date : 01/29/23 21:16:56

Dilution : 400
Reagent : 070621.18
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Revision: #1

This revision supersedes any and all previous versions of this document.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature

02/01/23

Signed On



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30128010-002

Harvest/Lot ID: ID-CAC-011723-A093

Batch# : 4587 2191 2690 9578

Sampled : 01/28/23

Ordered : 01/28/23

Sample Size Received : 115.5 gram

Total Amount : 9118 units

Completed : 02/01/23 **Expires:** 02/01/24

Sample Method : SOP.T.20.010

Page 2 of 5



Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30128010-002
Harvest/Lot ID: ID-CAC-011723-A093

Batch# : 4587 2191 2690
Sample Size Received : 115.5 gram
Total Amount : 9118 units
Completed : 02/01/23 **Expires:** 02/01/24
Ordered : 01/28/23 **Sample Method :** SOP.T.20.010

Page 3 of 5

<div>  Pesticides </div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 53, 1440 Weight: 0.8433g Extraction date: 01/30/23 14:06:07 Extracted by: 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA055388PES Reviewed On : 01/31/23 15:24:40 Instrument Used : DA-LCMS-003 (PES) Batch Date : 01/30/23 09:31:38 Running on : 01/30/23 13:21:48					
DIAZINON	0.01	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 012323.R41; 012623.R35; 012623.R36; 012423.R14; 012423.R21; 012523.R05; 040521.11 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440, 53 Weight: 0.8433g Extraction date: 01/30/23 14:06:07 Extracted by: 585 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA055390VOL Reviewed On : 01/31/23 15:17:12 Instrument Used : DA-GCMS-006 Batch Date : 01/30/23 09:32:56 Running on : N/A					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 012623.R36; 040521.11; 011723.R20; 011723.R29 Consumables : 6676024-02; 14725401 Pipette : DA-080; DA-146					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30128010-002
 Harvest/Lot ID: ID-CAC-011723-A093

 Batch# : 4587 2191 2690
 Sample Size Received : 115.5 gram
 Total Amount : 9118 units
 Completed : 02/01/23 Expires: 02/01/24
 Ordered : 01/28/23
 Sample Method : SOP.T.20.010

Page 4 of 5

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000						
Analyzed by: 3702, 3390, 3621, 53, 1440 Weight: 1.1127g Extraction date: 01/29/23 14:37:14 Extracted by: 3702,3390						Analyzed by: 585, 53, 1440 Weight: 0.8433g Extraction date: 01/30/23 14:06:07 Extracted by: 585					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055359MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 01/30/23 11:01:41 Dilution : N/A Reagent : 012423.R27; 010423.25 Consumables : 2112100 Pipette : N/A						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055389MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 01/30/23 13:22:04 Dilution : 250 Reagent : 012323.R41; 012623.R35; 012623.R36; 012423.R14; 012423.R21; 012523.R05; 040521.11 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Heavy Metals						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	<0.25	PASS	0.5						
Analyzed by: 1022, 53, 1440 Weight: 0.4292g Extraction date: 01/30/23 07:53:38 Extracted by: 1022,3619											
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA055367HEA Instrument Used : DA-ICPMS-003 Running on : 01/30/23 14:30:39 Dilution : 50 Reagent : 012523.R01; 121922.R11; 123022.R14; 012723.R21; 012023.R05; 012723.R19; 012723.R20; 012323.R43; 011923.R10; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30128010-002

Harvest/Lot ID: ID-CAC-011723-A093

Batch# : 4587 2191 2690 9578

Sampled : 01/28/23

Ordered : 01/28/23

Sample Size Received : 115.5 gram

Total Amount : 9118 units

Completed : 02/01/23 **Expires:** 02/01/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA055361FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : 01/29/23 21:21:04

Reviewed On : 01/29/23 21:38:22
Batch Date : 01/29/23 10:39:30

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.46	PASS	0.65

Analyzed by: 3807, 585, 1440	Weight: 1.087g	Extraction date: 01/30/23 09:21:16	Extracted by: 3807
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA055344WAT
Instrument Used : DA-028 Rotronic HygroPalm
Running on : 01/28/23 15:12:55

Reviewed On : 01/30/23 14:29:29
Batch Date : 01/28/23 13:47:16

Dilution : N/A
Reagent : 100522.08
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.