



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30201005-002

Harvest/Lot ID: 2156 6377 6516 7965

Batch#: 2156 6377 6516 7965

Cultivation Facility: Tampa Cultivation

Processing Facility: Tampa Processing

Distributor Facility:

Source Facility: Tampa Cultivation

Seed to Sale# 3327 4689 0014 4129

Batch Date: 03/31/22

Sample Size Received: 150 gram

Total Amount: 937 units

Retail Product Size: 30 gram

Ordered: 01/31/23

Sampled: 01/31/23

Completed: 02/04/23

Sampling Method: SOP.T.20.010

Feb 04, 2023 | FLUENT

82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

1.095%

Total THC/Container : 328.5 mg



Total CBD

0.981%

Total CBD/Container : 294.3 mg



Total Cannabinoids

2.214%

Total Cannabinoids/Container : 664.2 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.085	0.012	0.972	0.011	0.01	0.039	0.005	0.016	0.009	0.003	0.052
mg/unit	325.5	3.6	291.6	3.3	3	11.7	1.5	4.8	2.7	0.9	15.6
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 3112, 1440

Weight:
3.011g

Extraction date:
02/01/23 10:38:08

Extracted by:
3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA055470POT
 Instrument Used : DA-LC-007
 Running on : 02/01/23 10:50:59

Reviewed On : 02/01/23 22:28:41
 Batch Date : 02/01/23 08:36:17

Dilution : 400
 Reagent : 101822.28
 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30201005-002
Harvest/Lot ID: 2156 6377 6516 7965

Batch# : 2156 6377 6516 7965
Sample Size Received : 150 gram
Total Amount : 937 units
Completed : 02/04/23 **Expires:** 02/04/24
Ordered : 01/31/23 **Sample Method :** SOP.T.20.010

Page 2 of 6

<



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30201005-002

Harvest/Lot ID: 2156 6377 6516 7965

Batch# : 2156 6377 6516 7965

Sampled : 01/31/23

Ordered : 01/31/23

Sample Size Received : 150 gram

Total Amount : 937 units

Completed : 02/04/23 Expires: 02/04/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by: 585, 53, 1440	Weight: 0.2493g	Extraction date: 02/01/23 14:53:27	Extracted by: 585		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA055483PES				Reviewed On : 02/02/23 11:24:08	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 02/01/23 10:14:46	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Running on : 02/01/23 14:56:38					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	3	PASS	ND	Reagent : 012623.R35; 013023.R07; 013023.R08; 012423.R14; 012423.R21; 020123.R01; 040521.11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	2	PASS	ND	Analyzed by: 450, 53, 1440	Weight: 0.2493g	Extraction date: 02/01/23 14:53:27	Extracted by: 585		
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analytical Batch : DA055485VOL				Reviewed On : 02/02/23 10:46:44	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006				Batch Date : 02/01/23 10:17:09	
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Running on : 02/02/23 10:25:25					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	2	PASS	ND	Reagent : 013023.R08; 040521.11; 013023.R35; 013023.R36					
METALAXYL	0.01	ppm	3	PASS	ND	Consumables : 6697075-02; 14725401					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30201005-002

Harvest/Lot ID: 2156 6377 6516 7965

Batch# : 2156 6377 6516 7965

Sampled : 01/31/23

Ordered : 01/31/23

Sample Size Received : 150 gram

Total Amount : 937 units

Completed : 02/04/23 Expires: 02/04/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440, 53

 Weight:
 0.0275g

 Extraction date:
 02/01/23 16:43:12

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA055521SOL

Instrument Used : DA-GCMS-002

Running on : 02/02/23 12:41:58

Reviewed On : 02/02/23 15:09:39

Batch Date : 02/01/23 14:46:56

Dilution : 1

Reagent : 030420.09

Consumables : 27296; KF140

Pipette : DA-306 10uL Syringe 35031

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30201005-002

Harvest/Lot ID: 2156 6377 6516 7965

Batch# : 2156 6377 6516 7965

Sampled : 01/31/23

Ordered : 01/31/23




Sample Size Received : 150 gram

Total Amount : 937 units

Completed : 02/04/23 **Expires:** 02/04/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 3621, 53, 1440 Weight: 0.9338g Extraction date: 02/01/23 11:46:12 Extracted by: 3336, 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055469MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/01/23 11:51:01 Dilution : N/A Reagent : 012423.R27; 020123.R48 Consumables : 500124 Pipette : N/A						Analyzed by: 585, 53, 1440 Weight: 0.2493g Extraction date: 02/01/23 14:53:27 Extracted by: 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055484MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 02/01/23 14:56:44 Dilution : 250 Reagent : 012623.R35; 013023.R07; 013023.R08; 012423.R14; 012423.R21; 020123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3390, 3336, 53, 1440 Weight: 0.9315g Extraction date: 02/01/23 15:12:26 Extracted by: 3336, 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA055492TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 02/01/23 14:57:03 Dilution : 10 Reagent : 110822.19; 013123.R21 Consumables : N/A Pipette : N/A						Analyzed by: 1022, 53, 1440 Weight: 0.4524g Extraction date: 02/01/23 09:30:12 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA055477HEA Instrument Used : DA-ICPMS-003 Running on : 02/01/23 14:48:29 Dilution : 50 Reagent : 012523.R01; 121922.R11; 123022.R14; 012723.R21; 013023.R29; 012723.R19; 012723.R20; 012323.R43; 011923.R10; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5						
ARSENIC	0.02	ppm	ND	PASS	1.5						
CADMIUM	0.02	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	3						
LEAD	0.05	ppm	ND	PASS	0.5						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30201005-002

Harvest/Lot ID: 2156 6377 6516 7965

Batch# : 2156 6377 6516 7965

Sampled : 01/31/23

Ordered : 01/31/23

Sample Size Received : 150 gram

Total Amount : 937 units

Completed : 02/04/23 **Expires:** 02/04/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA055502FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 02/01/23 11:41:41

Reviewed On : 02/01/23 11:49:25

Batch Date : 02/01/23 11:14:14

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.437	TESTED	

Analyzed by: 2926, 53, 1440	Weight: 1.834g	Extraction date: 02/01/23 11:42:34	Extracted by: 2926
---------------------------------------	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA055490WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 02/01/23 11:41:15

Reviewed On : 02/01/23 16:49:53

Batch Date : 02/01/23 10:40:22

Dilution : N/A

Reagent : 100522.08

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.