



# Certificate of Analysis

## COMPLIANCE FOR RETAIL




**Sample:** DA30202005-003  
**Harvest/Lot ID:** 0959 5519 5831 5547  
**Batch#:** 3125 3653 0691 9533  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility:** Tampa Processing  
**Distributor Facility:**  
**Source Facility:** Tampa Cultivation  
**Seed to Sale#** 0959 5519 5831 5547  
**Batch Date:** 12/26/22  
**Sample Size Received:** 16 gram  
**Total Amount:** 1428 units  
**Retail Product Size:** 1 gram  
**Ordered:** 02/01/23  
**Sampled:** 02/01/23  
**Completed:** 02/04/23  
**Sampling Method:** SOP.T.20.010

Feb 04, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US

**PASSED**

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides <b>PASSED</b>	Heavy Metals <b>PASSED</b>	Microbials <b>PASSED</b>	Mycotoxins <b>PASSED</b>	Residuals Solvents <b>PASSED</b>	Filtration <b>PASSED</b>	Water Activity <b>PASSED</b>	Moisture <b>NOT TESTED</b>	Terpenes <b>TESTED</b>

	<b>Cannabinoid</b>	<b>PASSED</b>
--	--------------------	---------------

	<b>Total THC</b> <b>87.185%</b> Total THC/Container : 871.85 mg		<b>Total CBD</b> <b>0.278%</b> Total CBD/Container : 2.78 mg		<b>Total Cannabinoids</b> <b>92.934%</b> Total Cannabinoids/Container : 929.34 mg
--	---	---	--	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.185	ND	0.278	ND	0.304	2.266	0.088	0.988	0.823	ND	1.002
mg/unit	871.85	ND	2.78	ND	3.04	22.66	0.88	9.88	8.23	ND	10.02
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 1665, 53, 1440	Weight: 0.1075g	Extraction date: 02/02/23 10:49:39	Extracted by: 585,1665
--------------------------------	--------------------	---------------------------------------	---------------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA055526POT  
 Instrument Used : DA-LC-007  
 Running on : 02/02/23 13:02:03

Reviewed On : 02/03/23 17:39:40  
 Batch Date : 02/02/23 08:49:10

Dilution : 400  
 Reagent : 013023.R06; 101822.28; 013023.R04  
 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30202005-003

Harvest/Lot ID: 0959 5519 5831 5547

 Batch# : 3125 3653 0691  
 9533

Sampled : 02/01/23

Ordered : 02/01/23

Sample Size Received : 16 gram

Total Amount : 1428 units

Completed : 02/04/23 Expires: 02/04/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

**TESTED**

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	24.88	2.488		ALPHA-HUMULENE	0.007	0.84	0.084	
TOTAL TERPINEOL	0.007	0.46	0.046		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.83	0.083		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	<0.2	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	0.9	0.09		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	0.78	0.078		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.96	0.196		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.72	0.072		ALPHA-BISABOLOL	0.007	0.46	0.046	
3-CARENE	0.007	<0.2	<0.02		Analyzed by: 2076, 53, 1440      Weight: 0.9633g      Extraction date: 02/02/23 18:23:53      Extracted by: 2076 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA05557578      Reviewed On : 02/04/23 18:27:06 Instrument Used : DA-GCMS-005      Batch Date : 02/02/23 13:06:42 Running on : 02/03/23 10:07:10 Dilution : 10 Reagent : 121622.36 Consumables : 210414634; MKCN9995; CE123; R1KB45277 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
ALPHA-TERPINENE	0.007	0.56	0.056						
LIMONENE	0.007	1.54	0.154						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	3.44	0.344						
GAMMA-TERPINENE	0.007	0.44	0.044						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	6.87	0.687						
FENCHONE	0.007	0.46	0.046						
LINALOOL	0.007	0.41	0.041						
FENCHYL ALCOHOL	0.007	0.86	0.086						
ISOPULEGOL	0.007	ND	ND						
CAMPOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	0.54	0.054						
BETA-CARYOPHYLLENE	0.007	1.91	0.191						
FARNESENE	0	0.42	0.042						
<b>Total (%)</b>			<b>2.488</b>						



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30202005-003

Harvest/Lot ID: 0959 5519 5831 5547

 Batch# : 3125 3653 0691  
 9533

Sampled : 02/01/23

Ordered : 02/01/23

Sample Size Received : 16 gram

Total Amount : 1428 units

Completed : 02/04/23 Expires: 02/04/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						

Analyzed by:	Weight:	Extraction date:	Extracted by:
585, 3379, 53, 1440	0.2742g	02/02/23 14:51:03	585
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			
Analytical Batch : DA055538PES			
Instrument Used : DA-LCMS-003 (PES)			
Running on : 02/02/23 14:52:20			
Dilution : 250			
Reagent : 013023.R07; 020123.R29; 020123.R30; 020123.R28; 012423.R21; 020123.R01; 040521.11			
Consumables : 6697075-02			
Pipette : DA-093; DA-094; DA-219			
Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.			
Analyzed by:	Weight:	Extraction date:	Extracted by:
450, 53, 1440	0.2742g	02/02/23 14:51:03	585
Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			
Analytical Batch : DA055542VOL			
Instrument Used : DA-GCMS-001			
Running on : 02/02/23 16:50:41			
Dilution : 250			
Reagent : 020123.R30; 040521.11; 013023.R35; 013023.R36			
Consumables : 6697075-02; 14725401			
Pipette : DA-080; DA-146; DA-218			
Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.			





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30202005-003

**Harvest/Lot ID:** 0959 5519 5831 5547

**Batch# :** 3125 3653 0691 9533

**Sampled :** 02/01/23

**Ordered :** 02/01/23

**Sample Size Received :** 16 gram

**Total Amount :** 1428 units

**Completed :** 02/04/23 **Expires:** 02/04/24

**Sample Method :** SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

**Analyzed by:**  
 850, 53, 1440

**Weight:**  
 0.0207g

**Extraction date:**  
 02/02/23 17:07:26

**Extracted by:**  
 850

**Analysis Method :** SOP.T.40.041.FL

**Analytical Batch :** DA05558350L

**Instrument Used :** DA-GCMS-003

**Running on :** 02/03/23 13:33:05

**Reviewed On :** 02/03/23 16:49:06

**Batch Date :** 02/02/23 14:39:52

**Dilution :** 1

**Reagent :** 030420.09

**Consumables :** 27296; KF140

**Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30202005-003

Harvest/Lot ID: 0959 5519 5831 5547

 Batch# : 3125 3653 0691  
 9533

Sampled : 02/01/23

Ordered : 02/01/23




Sample Size Received : 16 gram

Total Amount : 1428 units

Completed : 02/04/23 Expires: 02/04/24

Sample Method : SOP.T.20.010

Page 5 of 6

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 3390, 3621, 53, 1440 Weight: 1.045g Extraction date: 02/02/23 10:40:58 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055523MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/02/23 14:23:43 Dilution : N/A Reagent : 012423.R27; 012623.R70 Consumables : 500124 Pipette : N/A						Analyzed by: 585, 3379, 53, 1440 Weight: 0.2742g Extraction date: 02/02/23 14:51:03 Extracted by: 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055541MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 02/02/23 14:52:42 Dilution : 250 Reagent : 013023.R07; 020123.R29; 020123.R30; 020123.R28; 012423.R21; 020123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3621, 3336, 53, 1440 Weight: 1.13g Extraction date: 02/02/23 10:43:13 Extracted by: 3336, 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA055551TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 02/02/23 15:43:37 Dilution : 10 Reagent : 120722.02; 013123.R21 Consumables : N/A Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 <b>Heavy Metals</b> <b>PASSED</b>											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 53, 1440 Weight: 0.4021g Extraction date: 02/02/23 10:42:25 Extracted by: 1022, 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA055544HEA Instrument Used : DA-ICPMS-003 Running on : 02/02/23 14:40:47 Dilution : 50 Reagent : 012523.R01; 121922.R11; 123022.R14; 012723.R21; 013023.R29; 012723.R19; 012723.R20; 012323.R43; 011923.R10; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30202005-003

**Harvest/Lot ID:** 0959 5519 5831 5547

**Batch# :** 3125 3653 0691 9533

**Sampled :** 02/01/23

**Ordered :** 02/01/23

**Sample Size Received :** 16 gram

**Total Amount :** 1428 units

**Completed :** 02/04/23 **Expires:** 02/04/24

**Sample Method :** SOP.T.20.010

Page 6 of 6


**Filth/Foreign Material**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.5	%	ND	<b>PASS</b>	1

<b>Analyzed by:</b> 1879, 1440	<b>Weight:</b> NA	<b>Extraction date:</b> N/A	<b>Extracted by:</b> N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

**Analysis Method :** SOP.T.40.090

**Analytical Batch :** DA055683FIL

**Instrument Used :** Filth/Foreign Material Microscope

**Running on :** 02/04/23 16:17:10

**Reviewed On :** 02/04/23 16:26:55

**Batch Date :** 02/04/23 16:16:29

**Dilution :** N/A

**Reagent :** N/A

**Consumables :** N/A

**Pipette :** N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.1	aw	0.45	<b>PASS</b>	0.85

<b>Analyzed by:</b> 2926, 53, 1440	<b>Weight:</b> 0.924g	<b>Extraction date:</b> 02/03/23 07:49:40	<b>Extracted by:</b> 2926
---------------------------------------	--------------------------	--	------------------------------

**Analysis Method :** SOP.T.40.019

**Analytical Batch :** DA055573WAT

**Instrument Used :** DA-028 Rotronic HygroPalm

**Running on :** 02/02/23 15:57:07

**Reviewed On :** 02/03/23 16:54:58

**Batch Date :** 02/02/23 12:24:22

**Dilution :** N/A

**Reagent :** 100522.07

**Consumables :** PS-14

**Pipette :** N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.