



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30203002-001
Harvest/Lot ID: 4055 9898 7125 6787
Batch#: 1948 2077 4952 2929
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 4055 9898 7125 6787
Batch Date: 01/25/23
Sample Size Received: 31.5 gram
Total Amount: 802 units
Retail Product Size: 3.5 gram
Ordered: 02/02/23
Sampled: 02/02/23
Completed: 02/05/23
Sampling Method: SOP.T.20.010

Feb 05, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
NOT TESTED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
PASSED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
24.021%
Total THC/Container: 840.735 mg

Total CBD
0.066%
Total CBD/Container: 2.31 mg

Total Cannabinoids
29.392%
Total Cannabinoids/Container: 1028.72 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.643	26.657	ND	0.076	0.067	0.153	1.667	0.023	ND	0.032	0.074
mg/unit	22.505	932.995	ND	2.66	2.345	5.355	58.345	0.805	ND	1.12	2.59
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 53, 1440

Weight:
0.1948g

Extraction date:
02/03/23 12:19:35

Extracted by:
3112

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA055594POT
Instrument Used: DA-LC-002
Running on: 02/03/23 12:23:45

Reviewed On: 02/04/23 19:42:00
Batch Date: 02/03/23 07:51:09

Dilution: 400
Reagent: 020123.R52; 121321.34; 012523.R28
Consumables: 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30203002-001
Harvest/Lot ID: 4055 9898 7125 6787

Batch# : 1948 2077 4952 **Sample Size Received :** 31.5 gram
2929 **Total Amount :** 802 units
Sampled : 02/02/23 **Completed :** 02/05/23 **Expires:** 02/05/24
Ordered : 02/02/23 **Sample Method :** SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	82.6	2.36		ALPHA-HUMULENE	0.007	8.47	0.242	
TOTAL TERPINEOL	0.007	1.75	0.05		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.855	0.053		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	<0.7	<0.02		TRANS-NEROLIDOL	0.007	<0.7	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	1.295	0.037	
BETA-PINENE	0.007	2.73	0.078		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	8.435	0.241		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-BISABOLOL	0.007	6.965	0.199	
3-CARENE	0.007	ND	ND		Analyzed by: 2076, 53, 1440 Weight: 0.865g Extraction date: 02/03/23 14:51:14 Extracted by: 2076 Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA055619TER Instrument Used: DA-GCMS-004 Reviewed On: 02/05/23 09:45:45 Running on: 02/04/23 16:24:29 Batch Date: 02/03/23 10:12:45 Dilution: 10 Reagent: 121622.36 Consumables: 210414634; MKCN9995; CE0123; R1KB14270 Pipette: N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	15.33	0.438						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	<0.7	<0.02						
SABINENE HYDRATE	0.007	<0.7	<0.02						
TERPINOLENE	0.007	<0.7	<0.02						
FENCHONE	0.007	<0.7	<0.02						
LINALOOL	0.007	5.425	0.155						
FENCHYL ALCOHOL	0.007	2.345	0.067						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<1.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	0.735	0.021						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	26.705	0.763						
FARNESENE	0	0.56	0.016						
Total (%)			2.36						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30203002-001

Harvest/Lot ID: 4055 9898 7125 6787

 Batch# : 1948 2077 4952
 2929

Sampled : 02/02/23

Ordered : 02/02/23

Sample Size Received : 31.5 gram

Total Amount : 802 units

Completed : 02/05/23 Expires: 02/05/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						

Analyzed by: 3379, 585, 53, 1440	Weight: 0.8965g	Extraction date: 02/03/23 14:13:55	Extracted by: 3379
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			
Analytical Batch : DA055611PES			
Instrument Used : DA-LCMS-003 (PES)			
Running on : 02/03/23 14:09:55			
Dilution : 250			
Reagent : 020123.R29; 020123.R30; 012423.R21; 020123.R01; 040521.11			
Consumables : 6697075-02			
Pipette : DA-093; DA-094; DA-219			
Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.			
Analyzed by: 450, 53, 1440	Weight: 0.8965g	Extraction date: 02/03/23 14:13:55	Extracted by: 3379
Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			
Analytical Batch : DA055613VOL			
Instrument Used : DA-GCMS-006			
Running on : 02/03/23 16:02:09			
Dilution : 250			
Reagent : 020123.R29; 020123.R30; 012423.R21; 020123.R01; 040521.11			
Consumables : 6697075-02			
Pipette : DA-093; DA-094; DA-219			
Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.			



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30203002-001

Harvest/Lot ID: 4055 9898 7125 6787

Batch# : 1948 2077 4952
 2929

Sampled : 02/02/23

Ordered : 02/02/23




Sample Size Received : 31.5 gram

Total Amount : 802 units

Completed : 02/05/23 **Expires:** 02/05/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 3336, 3390, 53, 1440 Weight: 0.8436g Extraction date: 02/03/23 08:58:49 Extracted by: 3621, 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055595MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/03/23 09:44:07 Dilution : N/A Reagent : 012423.R27; 012623.R70 Consumables : 500124 Pipette : N/A						Analyzed by: 3379, 585, 53, 1440 Weight: 0.8965g Extraction date: 02/03/23 14:13:55 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055612MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 02/03/23 14:10:50 Dilution : 250 Reagent : 020123.R29; 020123.R30; 012423.R21; 020123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3336, 3702, 53, 1440 Weight: 1.1775g Extraction date: 02/03/23 09:00:08 Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA055601TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 02/03/23 09:44:20 Dilution : N/A Reagent : 110822.18; 013123.R21 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal						Metal					
TOTAL CONTAMINANT LOAD METALS						TOTAL CONTAMINANT LOAD METALS					
ARSENIC						ARSENIC					
CADMIUM						CADMIUM					
MERCURY						MERCURY					
LEAD						LEAD					
Analyzed by: 1022, 53, 1440 Weight: 0.4212g Extraction date: 02/03/23 09:47:32 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA055605HEA Instrument Used : DA-ICPMS-003 Running on : 02/03/23 14:41:19 Dilution : 50 Reagent : 012523.R01; 121922.R11; 123022.R14; 012723.R21; 013023.R29; 012723.R19; 012723.R20; 012323.R43; 011923.R10; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						Analyzed by: 1022, 53, 1440 Weight: 0.4212g Extraction date: 02/03/23 09:47:32 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA055605HEA Instrument Used : DA-ICPMS-003 Running on : 02/03/23 14:41:19 Dilution : 50 Reagent : 012523.R01; 121922.R11; 123022.R14; 012723.R21; 013023.R29; 012723.R19; 012723.R20; 012323.R43; 011923.R10; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30203002-001
Harvest/Lot ID: 4055 9898 7125 6787

Batch# : 1948 2077 4952
Sample Size Received : 31.5 gram
Total Amount : 802 units
Completed : 02/05/23 **Expires:** 02/05/24
Ordered : 02/02/23 **Sample Method :** SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090 Analytical Batch : DA055654FIL Instrument Used : Filth/Foreign Material Microscope Running on : 02/04/23 16:13:45	Reviewed On : 02/04/23 16:24:04 Batch Date : 02/03/23 23:15:00
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.562	PASS	0.65

Analyzed by: 3807, 2926, 53, 1440	Weight: 0.614g	Extraction date: 02/03/23 11:34:41	Extracted by: 2926
---	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019 Analytical Batch : DA055621WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 02/03/23 10:59:38	Reviewed On : 02/03/23 18:07:31 Batch Date : 02/03/23 10:38:57
---	---

Dilution : N/A
Reagent : 100522.07
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	11.75	PASS	15

Analyzed by: 2926, 53, 1440	Weight: 0.503g	Extraction date: 02/03/23 12:05:06	Extracted by: 2926
---------------------------------------	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.021 Analytical Batch : DA055620MOI Instrument Used : DA-003 Moisture Analyzer Running on : 02/03/23 12:03:45	Reviewed On : 02/03/23 18:02:32 Batch Date : 02/03/23 10:36:13
--	---

Dilution : N/A
Reagent : 101920.06; 100622.35
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.