



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30203002-003
Harvest/Lot ID: 3351 0906 0316 5767
Batch#: 9007 2710 7932 2069
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 3351 0906 0316 5767
Batch Date: 11/23/22
Sample Size Received: 27 gram
Total Amount: 4065 units
Retail Product Size: 1.5 gram
Ordered: 02/02/23
Sampled: 02/02/23
Completed: 02/05/23
Sampling Method: SOP.T.20.010

Feb 05, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
25.314%

Total THC/Container : 379.71 mg


Total CBD
0.092%

Total CBD/Container : 1.38 mg


Total Cannabinoids
29.924%

Total Cannabinoids/Container : 448.86 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.852	27.893	ND	0.105	0.091	0.123	0.71	0.027	ND	ND	0.123
mg/unit	12.78	418.395	ND	1.575	1.365	1.845	10.65	0.405	ND	ND	1.845
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 53, 1440

Weight:
0.2081g

Extraction date:
02/03/23 12:19:36

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA055594POT
Instrument Used : DA-LC-002
Running on : 02/03/23 12:23:45

Reviewed On : 02/04/23 19:43:24
Batch Date : 02/03/23 07:51:09

Dilution : 400
Reagent : 020123.R52; 121321.34; 012523.R28
Consumables : 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30203002-003

Harvest/Lot ID: 3351 0906 0316 5767

Batch# : 9007 2710 7932
2069

Sampled : 02/02/23

Ordered : 02/02/23

Sample Size Received : 27 gram

Total Amount : 4065 units

Completed : 02/05/23 Expires: 02/05/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	18.99	1.266		ALPHA-HUMULENE	0.007	2.715	0.181	
TOTAL TERPENEOL	0.007	0.795	0.053		VALENCENE	0.007	<0.3	<0.02	
ALPHA-PINENE	0.007	0.315	0.021		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<0.3	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.33	0.022	
BETA-PINENE	0.007	0.45	0.03		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.42	0.028		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-BISABOLOL	0.007	1.86	0.124	
3-CARENE	0.007	ND	ND		Analyzed by: 2076, 53, 1440 Weight: 0.8522g Extraction date: 02/03/23 14:31:15 Extracted by: 2076 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA055619TER Instrument Used : DA-GCMS-004 Running on : 02/04/23 16:24:29 Dilution : 10 Reagent : 121622.36 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	1.17	0.078						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	<0.3	<0.02						
SABINENE HYDRATE	0.007	<0.3	<0.02						
TERPINOLENE	0.007	<0.3	<0.02						
FENCHONE	0.007	<0.3	<0.02						
LINALOOL	0.007	2.445	0.163						
FENCHYL ALCOHOL	0.007	0.885	0.059						
ISOPULEGOL	0.007	ND	ND						
CAMPOR	0.013	<0.6	<0.04						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.6	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.3	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	7.485	0.499						
FARNESENE	0	0.12	0.008						
Total (%)			1.266						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30203002-003

Harvest/Lot ID: 3351 0906 0316 5767

Batch# : 9007 2710 7932
 2069

Sampled : 02/02/23

Ordered : 02/02/23

Sample Size Received : 27 gram

Total Amount : 4065 units

Completed : 02/05/23 **Expires:** 02/05/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						

Analyzed by: 3379, 585, 53, 1440
Weight: 0.9917g
Extraction date: 02/03/23 14:13:55
Extracted by: 3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)

Analytical Batch : DA055611PES

Instrument Used : DA-LCMS-003 (PES)

Running on : 02/03/23 14:09:55

Reviewed On : 02/04/23 16:21:32

Batch Date : 02/03/23 09:42:17

Dilution : 250

Reagent : 020123.R29; 020123.R30; 012423.R21; 020123.R01; 040521.11

Consumables : 6697075-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 53, 1440
Weight: 0.9917g
Extraction date: 02/03/23 14:13:55
Extracted by: 3379

Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL

Analytical Batch : DA055613VOL

Instrument Used : DA-GCMS-006

Running on : 02/03/23 16:02:09

Reviewed On : 02/04/23 16:07:46

Batch Date : 02/03/23 09:44:05

Dilution : 250

Reagent : 020123.R29; 020123.R30; 012423.R21; 020123.R01; 040521.11

Consumables : 6697075-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30203002-003

Harvest/Lot ID: 3351 0906 0316 5767

Batch# : 9007 2710 7932
 2069

Sampled : 02/02/23

Ordered : 02/02/23

Sample Size Received : 27 gram

Total Amount : 4065 units

Completed : 02/05/23 **Expires:** 02/05/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000
Analyzed by: 3621, 3336, 3390, 53, 1440 Weight: 0.9161g Extraction date: 02/03/23 08:58:50 Extracted by: 3621, 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055595MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/03/23 09:44:07 Dilution : N/A Reagent : 012423.R27; 012623.R70 Consumables : 500124 Pipette : N/A					

Analyzed by: 3336, 3702, 53, 1440 Weight: 0.9736g Extraction date: 02/03/23 09:00:08 Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA055601TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 02/03/23 09:44:20 Dilution : N/A Reagent : 110822.18; 013123.R21 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
---	--	--	--	--	--

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 53, 1440 Weight: 0.9917g Extraction date: 02/03/23 14:13:55 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055612MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 02/03/23 14:10:50 Dilution : 250 Reagent : 020123.R29; 020123.R30; 012423.R21; 020123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

<div><div></div><div>Hg</div></div>		Heavy Metals		PASSED	
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440	Weight: 0.4136g	Extraction date: 02/03/23 09:53:47		Extracted by: 3619	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA055605HEA		Reviewed On : 02/03/23 18:06:06			
Instrument Used : DA-ICPMS-003		Batch Date : 02/03/23 09:19:31			
Running on : 02/03/23 14:41:19					
Dilution : 50					
Reagent : 012523.R01; 121922.R11; 123022.R14; 012723.R21; 013023.R29; 012723.R19; 012723.R20; 012323.R43; 011923.R10; 100622.35					
Consumables : 179436; 210508058; 210803-059					
Pipette : DA-061; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30203002-003

Harvest/Lot ID: 3351 0906 0316 5767

Batch# : 9007 2710 7932
 2069

Sampled : 02/02/23

Ordered : 02/02/23

Sample Size Received : 27 gram

Total Amount : 4065 units

Completed : 02/05/23 **Expires:** 02/05/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA055654FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : 02/04/23 16:13:45

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	9.38	PASS	15

Analyzed by: 2926, 53, 1440	Weight: 0.501g	Extraction date: 02/03/23 12:05:07	Extracted by: 2926
---------------------------------------	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.021
Analytical Batch : DA055620MOI
Instrument Used : DA-003 Moisture Analyzer
Running on : 02/03/23 12:03:45

Dilution : N/A
Reagent : 101920.06; 100622.35
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.461	PASS	0.65

Analyzed by: 3807, 2926, 53, 1440	Weight: 0.942g	Extraction date: 02/03/23 11:34:41	Extracted by: 2926
---	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA055621WAT
Instrument Used : DA-028 Rotronic HygroPalm
Running on : 02/03/23 10:59:38

Dilution : N/A
Reagent : 100522.07
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.