



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30203002-006
Harvest/Lot ID: 9833 8156 5494 5639
Batch#: 3855 6494 2307 8185
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale#: 9833 8156 5494 5639
Batch Date: 02/03/22
Sample Size Received: 720 gram
Total Amount: 2161 units
Retail Product Size: 67.2597 gram
Ordered: 02/02/23
Sampled: 02/02/23
Completed: 02/06/23
Sampling Method: SOP.T.20.010

Feb 06, 2023 | FLUENT
82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.076%

Total THC/Container : 51.117 mg



Total CBD

0.068%

Total CBD/Container : 45.737 mg



Total Cannabinoids

0.155%

Total Cannabinoids/Container : 104.253 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.076	ND	0.068	ND	ND	0.005	ND	0.002	ND	ND	0.004
mg/unit	51.117	ND	45.736	ND	ND	3.362	ND	1.345	ND	ND	2.69
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analysis by:
3112, 1665, 53, 1440

Weight:
2.9836g

Extraction date:
02/03/23 12:24:01

Extracted by:
1665,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA055600POT
Instrument Used : DA-LC-007
Running on : 02/03/23 12:51:03

Reviewed On : 02/06/23 11:44:40
Batch Date : 02/03/23 08:33:27

Dilution : 40
Reagent : 013023.R06; 071222.46; 121321.34; 013023.R04; 100622.35
Consumables : 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30203002-006

Harvest/Lot ID: 9833 8156 5494 5639

 Batch# : 3855 6494 2307
 8185

 Sampled : 02/02/23
 Ordered : 02/02/23

Sample Size Received : 720 gram

Total Amount : 2161 units

Completed : 02/06/23 Expires: 02/06/24

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	1.5	PASS	ND						
FENHEXAMID	0.01	ppm	3	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	2	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	2	PASS	ND						
FLUDIOXONIL	0.01	ppm	3	PASS	ND						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.01	ppm	2	PASS	ND						
METALAXYL	0.01	ppm	3	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

Analyzed by: 3379, 585, 53, 1440 Weight: 0.9922g Extraction date: 02/03/23 14:13:56 Extracted by: 3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)

Analytical Batch : DA055611PES

Instrument Used : DA-LCMS-003 (PES)

Running on : 02/03/23 14:09:55

Reviewed On : 02/04/23 16:26:22

Batch Date : 02/03/23 09:42:17

Dilution : 250

Reagent : 020123.R29; 020123.R30; 012423.R21; 020123.R01; 040521.11

Consumables : 6697075-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 53, 1440 Weight: 0.9922g Extraction date: 02/03/23 14:13:56 Extracted by: 3379

Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL

Analytical Batch : DA055613VOL

Instrument Used : DA-GCMS-006

Running on : 02/03/23 16:02:09

Reviewed On : 02/04/23 16:07:54

Batch Date : 02/03/23 09:44:05

Dilution : 250

Reagent : 020123.R29; 020123.R30; 012423.R21; 020123.R01; 040521.11

Consumables : 6697075-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30203002-006

Harvest/Lot ID: 9833 8156 5494 5639

 Batch# : 3855 6494 2307
 8185

Sampled : 02/02/23

Ordered : 02/02/23

Sample Size Received : 720 gram

Total Amount : 2161 units

Completed : 02/06/23 Expires: 02/06/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440, 53

 Weight:
 0.0282g

 Extraction date:
 02/03/23 17:39:42

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA055652SOL

Instrument Used : DA-GCMS-003

Running on : 02/06/23 14:36:11

Reviewed On : 02/06/23 15:07:07

Batch Date : 02/03/23 17:08:37

Dilution : 1

Reagent : 030420.09

Consumables : 27296; KF140

Pipette : DA-306 10uL Syringe 35031

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30203002-006

Harvest/Lot ID: 9833 8156 5494 5639

 Batch# : 3855 6494 2307
 8185

Sampled : 02/02/23

Ordered : 02/02/23

Sample Size Received : 720 gram

Total Amount : 2161 units

Completed : 02/06/23 Expires: 02/06/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3336, 3390, 53, 1440 Weight: 0.9593g Extraction date: 02/03/23 10:55:16 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055597MIC Reviewed On : 02/05/23 08:32:26 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 02/03/23 08:05:31 Running on : 02/03/23 11:14:47 Dilution : N/A Reagent : 012423.R27; 012623.R70 Consumables : 500124 Pipette : N/A					

Analyzed by: 3621, 3702, 53, 1440 Weight: 1.013g Extraction date: 02/03/23 11:01:07 Extracted by: 3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA055617TYM Reviewed On : 02/06/23 10:12:29 Instrument Used : Incubator (25-27C) DA-096 Batch Date : 02/03/23 10:04:33 Running on : 02/03/23 11:43:44 Dilution : 10 Reagent : 110822.18; 013123.R21 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
--	--	--	--	--	--

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 53, 1440 Weight: 0.9922g Extraction date: 02/03/23 14:13:56 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055612MYC Reviewed On : 02/04/23 16:18:18 Instrument Used : DA-LCMS-003 (MYC) Batch Date : 02/03/23 09:44:00 Running on : 02/03/23 14:10:50 Dilution : 250 Reagent : 020123.R29; 020123.R30; 012423.R21; 020123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

<div><div></div><div>Hg</div></div>	Heavy Metals			PASSED	
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	<0.1	PASS	3
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440		Weight: 0.4399g	Extraction date: 02/03/23 10:30:52		Extracted by: 3619
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA055607HEA			Reviewed On : 02/04/23 16:10:29		
Instrument Used : DA-ICPMS-003			Batch Date : 02/03/23 09:30:40		
Running on : 02/03/23 14:55:49					
Dilution : 50					
Reagent : 012523.R01; 121922.R11; 123022.R14; 012723.R21; 013023.R29; 012723.R19; 012723.R20; 012323.R43; 011923.R10; 100622.35					
Consumables : 179436; 210508058; 210803-059					
Pipette : DA-061; DA-216					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30203002-006

Harvest/Lot ID: 9833 8156 5494 5639

 Batch# : 3855 6494 2307
 8185

Sampled : 02/02/23

Ordered : 02/02/23

Sample Size Received : 720 gram

Total Amount : 2161 units

Completed : 02/06/23 Expires: 02/06/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 22

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA055655FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 02/04/23 16:13:42

Reviewed On : 02/04/23 16:24:21

Batch Date : 02/03/23 23:15:08

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.541	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 53, 1440	2.103g	02/03/23 13:37:17	2926

Analysis Method : SOP.T.40.019

Analytical Batch : DA055491WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 02/01/23 14:02:44

Reviewed On : 02/03/23 17:08:00

Batch Date : 02/01/23 10:41:56

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.816	25
TOTAL CBD - HOMOGENEITY (RSD)	0.001	%	PASS	1.829	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
3335, 3605, 53, 1440	6.403g	02/03/23 09:05:20	3335

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA055596HOM

Instrument Used : DA-LC-004

Running on : 02/03/23 09:08:02

Reviewed On : 02/06/23 11:43:50

Batch Date : 02/03/23 08:05:08

Dilution : 40

Reagent : 012523.R04; 063022.20; 020123.R49; 100622.35

Consumables : 239146; CE0123; 12265-115CC; 61633-125C6-125E; R1KB14270

Pipette : N/A

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.