



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30204003-001
Harvest/Lot ID: 8714 8220 1164 5435
Batch#: 8367 2959 8228 6219
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 8714 8220 1164 5435
Batch Date: 01/20/23
Sample Size Received: 31.5 gram
Total Amount: 1790 units
Retail Product Size: 3.5 gram
Ordered: 02/03/23
Sampled: 02/03/23
Completed: 02/07/23
Sampling Method: SOP.T.20.010

Feb 07, 2023 | FLUENT


 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
NOT TESTED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
PASSED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
29.812%

Total THC/Container : 1043.42 mg


Total CBD
0.074%

Total CBD/Container : 2.59 mg


Total Cannabinoids
36.278%

Total Cannabinoids/Container : 1269.73 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.735	33.156	ND	0.085	0.062	0.175	1.945	0.021	ND	0.04	0.059	0.085	34.508	41.993
mg/unit	25.725	1160.46	ND	2.975	2.17	6.125	68.075	0.735	ND	1.4	2.065	2.975	1207.78	1469.755
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 1665, 53, 1440

 Weight:
 0.2149g

 Extraction date:
 02/06/23 09:47:36

 Extracted by:
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA055692POT

Instrument Used : DA-LC-002

Running on : 02/06/23 09:50:47

Reviewed On : 02/07/23 10:54:56

Batch Date : 02/05/23 17:30:08

Dilution : 400

Reagent : 020123.R52; 071222.01; 012523.R28

Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30204003-001
 Harvest/Lot ID: 8714 8220 1164 5435

 Batch# : 8367 2959 8228 Sample Size Received : 31.5 gram
 6219 Total Amount : 1790 units
 Sampled : 02/03/23 Completed : 02/07/23 Expires: 02/07/24
 Ordered : 02/03/23 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	72.1	2.06		ALPHA-HUMULENE	0.007	6.51	0.186	
TOTAL TERPINEOL	0.007	1.47	0.042		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.96	0.056		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.7	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.805	0.023	
BETA-PINENE	0.007	2.87	0.082		GUAIOL	0.007	<0.7	<0.02	
BETA-MYRCENE	0.007	8.33	0.238		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-BISABOLOL	0.007	1.855	0.053	
3-CARENE	0.007	ND	ND		Analyzed by: 2076, 585, 1440Weight: 1.0387gExtraction date: 02/05/23 14:28:41Extracted by: 1879,2076				
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	18.06	0.516			Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA055687TER Instrument Used : DA-GCMS-004 Running on : 02/07/23 09:46:44 Dilution : 10 Reagent : 121622.36 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.			
EUCALYPTOL	0.007	ND	ND				Reviewed On : 02/07/23 11:55:48 Batch Date : 02/05/23 11:42:10		
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	<0.7	<0.02						
TERPINOLENE	0.007	<0.7	<0.02						
FENCHONE	0.007	<0.7	<0.02						
LINALOOL	0.007	6.195	0.177						
FENCHYL ALCOHOL	0.007	2.38	0.068						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<1.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	0.735	0.021						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	<0.7	<0.02						
BETA-CARYOPHYLLENE	0.007	19.81	0.566						
FARNESENE	0	1.12	0.032						
Total (%)			2.06						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30204003-001

Harvest/Lot ID: 8714 8220 1164 5435

 Batch# : 8367 2959 8228
 6219

 Sampled : 02/03/23
 Ordered : 02/03/23

Sample Size Received : 31.5 gram

Total Amount : 1790 units

Completed : 02/07/23 Expires: 02/07/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						

Analyzed by: 585, 3379, 2023, 1440
 Weight: 1.0525g
 Extraction date: 02/06/23 14:07:49
 Extracted by: 585,3379
 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)
 Analytical Batch : DA055707PES
 Instrument Used : DA-LCMS-003 (PES)
 Running on : 02/06/23 14:27:05
 Reviewed On : 02/07/23 11:41:53
 Batch Date : 02/05/23 21:30:40

Dilution : 250
 Reagent : 020623.R01; 020323.R02; 012423.R21; 020123.R01; 040521.11
 Consumables : 6697075-02
 Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 585, 1440, 2023
 Weight: 1.0525g
 Extraction date: 02/06/23 14:07:49
 Extracted by: 585,3379
 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)
 Analytical Batch : DA055709VOL
 Instrument Used : DA-GCMS-006
 Running on : 02/07/23 10:10:46
 Reviewed On : 02/07/23 11:41:07
 Batch Date : 02/05/23 21:39:59

Dilution : 250
 Reagent : 020323.R02; 040521.11; 020223.R55; 020223.R56
 Consumables : 6697075-02; 14725401
 Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30204003-001

Harvest/Lot ID: 8714 8220 1164 5435

Batch#: 8367 2959 8228

6219

Sampled : 02/03/23

Ordered : 02/03/23

Sample Size Received : 31.5 gram

Total Amount : 1790 units

Completed : 02/07/23 Expires: 02/07/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3336, 3621, 585, 1440 Weight: 0.9311g Extraction date: 02/04/23 14:02:29 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055665MIC Reviewed On : 02/07/23 14:35:24 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 02/04/23 09:49:51 Running on : 02/04/23 14:03:41 Dilution : N/A Reagent : 012423.R27; 020123.R109 Consumables : 2112100 Pipette : N/A					

Analyzed by: 3621, 3390, 53, 1440 Weight: 0.8209g Extraction date: 02/04/23 16:11:33 Extracted by: 3336, 3621, 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA055672TYM Reviewed On : 02/07/23 09:49:46 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 02/04/23 14:02:43 Running on : 02/04/23 16:09:03 Dilution : 10 Reagent : 110822.18; 013123.R21 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
---	--	--	--	--	--

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 585, 3379, 1440 Weight: 1.0525g Extraction date: 02/06/23 14:07:49 Extracted by: 585, 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055708MYC Reviewed On : 02/07/23 11:42:49 Instrument Used : DA-LCMS-003 (MYC) Batch Date : 02/05/23 21:39:54 Running on : 02/06/23 14:27:13 Dilution : 250 Reagent : 020623.R01; 020323.R02; 012423.R21; 020123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

<div><div></div><div>Hg</div></div>	Heavy Metals			PASSED	
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440, 2023	Weight: 0.4384g	Extraction date: 02/06/23 07:42:02		Extracted by: 1022,3619	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA055669HEA		Reviewed On : 02/07/23 08:10:23			
Instrument Used : DA-ICPMS-003		Batch Date : 02/04/23 13:48:38			
Running on : 02/06/23 12:37:21					
Dilution : 50					
Reagent : 012523.R01; 121922.R11; 123022.R14; 020323.R24; 013023.R29; 020323.R22; 020323.R23; 012323.R43; 011923.R10; 100622.35					
Consumables : 179436; 210508058; 210803-059					
Pipette : DA-061; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30204003-001

Harvest/Lot ID: 8714 8220 1164 5435

Batch# : 8367 2959 8228 6219

Sampled : 02/03/23

Ordered : 02/03/23

Sample Size Received : 31.5 gram

Total Amount : 1790 units

Completed : 02/07/23 **Expires:** 02/07/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA055679FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 02/04/23 16:17:19

Reviewed On : 02/04/23 16:26:04

Batch Date : 02/04/23 16:14:38

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	13.61	PASS	15

Analyzed by: 3807, 585, 1440	Weight: 0.49g	Extraction date: 02/06/23 08:53:46	Extracted by: 3807
--	-------------------------	--	------------------------------

Analysis Method : SOP.T.40.021

Analytical Batch : DA055677MOI

Instrument Used : DA-003 Moisture Analyzer

Running on : N/A

Reviewed On : 02/06/23 14:19:15

Batch Date : 02/04/23 14:21:42

Dilution : N/A

Reagent : 101920.06; 100622.35

Consumables : N/A

Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.568	PASS	0.65

Analyzed by: 3807, 585, 1440	Weight: 0.534g	Extraction date: 02/06/23 10:30:12	Extracted by: 3807
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA055674WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : N/A

Reviewed On : 02/06/23 14:19:16

Batch Date : 02/04/23 14:14:23

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.