



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30204003-002
Harvest/Lot ID: 0518 7142 3782 5334
Batch#: 0772 0734 3674 2698
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 0518 7142 3782 5334
Batch Date: 01/20/23
Sample Size Received: 31.5 gram
Total Amount: 836 units
Retail Product Size: 3.5 gram
Ordered: 02/03/23
Sampled: 02/03/23
Completed: 02/07/23
Sampling Method: SOP.T.20.010

Feb 07, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
NOT TESTED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
PASSED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
28.379%
Total THC/Container: 993.265 mg

Total CBD
0.071%
Total CBD/Container: 2.485 mg

Total Cannabinoids
34.168%
Total Cannabinoids/Container: 1195.88 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.479	31.813	ND	0.081	0.067	0.12	1.493	0.02	ND	ND	0.095	0.079	31.933	38.447
mg/unit	16.765	1113.455	ND	2.835	2.345	4.2	52.255	0.7	ND	ND	3.325	2.765	1117.655	1345.645
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 53, 1440

Weight:
0.2043g

Extraction date:
02/06/23 09:47:39

Extracted by:
1665

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA055692POT

Instrument Used: DA-LC-002

Running on: 02/06/23 09:50:47

Reviewed On: 02/07/23 10:56:01

Batch Date: 02/05/23 17:30:08

Dilution: 400

Reagent: 020123.R52; 071222.01; 012523.R28

Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30204003-002
Harvest/Lot ID: 0518 7142 3782 5334

Batch# : 0772 0734 3674
Sample Size Received : 31.5 gram
Total Amount : 836 units
Completed : 02/07/23 **Expires:** 02/07/24
Ordered : 02/03/23 **Sample Method :** SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	80.395	2.297		ALPHA-HUMULENE	0.007	7.175	0.205	
TOTAL TERPINEOL	0.007	1.33	0.038		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.38	0.068		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.7	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.84	0.024	
BETA-PINENE	0.007	3.29	0.094		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	4.865	0.139		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-BISABOLOL	0.007	4.27	0.122	
3-CARENE	0.007	ND	ND		Analized by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINENE	0.007	ND	ND		2076, 585, 1440	1.0768g	02/05/23 14:28:41	1879, 2076	
LIMONENE	0.007	23.17	0.662		Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL			
EUCALYPTOL	0.007	ND	ND		Analytical Batch :	DA055687TER			
OCIMENE	0.007	ND	ND		Instrument Used :	DA-GCMS-004			
GAMMA-TERPINENE	0.007	ND	ND		Running on :	02/07/23 09:46:44			
SABINENE HYDRATE	0.007	<0.7	<0.02		Dilution :	10			
TERPINOLENE	0.007	<0.7	<0.02		Reagent :	121622.36			
FENCHONE	0.007	<0.7	<0.02		Consumables :	210414634; MKCN9995; CE0123; R1KB14270			
LINALOOL	0.007	7.35	0.21		Pipette :	N/A			
FENCHYL ALCOHOL	0.007	2.03	0.058		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<1.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.7	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	<0.7	<0.02						
BETA-CARYOPHYLLENE	0.007	23.38	0.668						
FARNESENE	0	0.315	0.009						
Total (%)			2.297						



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30204003-002

Harvest/Lot ID: 0518 7142 3782 5334

 Batch# : 0772 0734 3674
 2698

Sampled : 02/03/23

Ordered : 02/03/23

Sample Size Received : 31.5 gram

Total Amount : 836 units

Completed : 02/07/23 Expires: 02/07/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						

Analyzed by: 585, 3379, 2023, 1440 Weight: 0.9363g Extraction date: 02/06/23 14:07:49 Extracted by: 585,3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)

Analytical Batch : DA055707PES

Instrument Used : DA-LCMS-003 (PES)

Running on : 02/06/23 14:27:05

Reviewed On : 02/07/23 11:41:54

Batch Date : 02/05/23 21:30:40

Dilution : 250

Reagent : 020623.R01; 020323.R02; 012423.R21; 020123.R01; 040521.11

Consumables : 6697075-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 585, 1440, 2023 Weight: 0.9363g Extraction date: 02/06/23 14:07:49 Extracted by: 585,3379

Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL

Analytical Batch : DA055709VOL

Instrument Used : DA-GCMS-006

Running on : 02/07/23 10:10:46

Reviewed On : 02/07/23 11:41:08

Batch Date : 02/05/23 21:39:59

Dilution : 250

Reagent : 020323.R02; 040521.11; 020223.R55; 020223.R56

Consumables : 6697075-02; 14725401

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30204003-002

Harvest/Lot ID: 0518 7142 3782 5334

Batch# : 0772 0734 3674

2698

Sampled : 02/03/23

Ordered : 02/03/23




Sample Size Received : 31.5 gram

Total Amount : 836 units

Completed : 02/07/23 Expires: 02/07/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 3621, 585, 1440 Weight: 1.0144g Extraction date: 02/04/23 14:02:29 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055665MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/04/23 14:03:41 Dilution : N/A Reagent : 012423.R27; 020123.R109 Consumables : 2112100 Pipette : N/A						Analyzed by: 585, 3379, 2023, 1440 Weight: 0.9363g Extraction date: 02/06/23 14:07:49 Extracted by: 585,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055708MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 02/06/23 14:27:13 Dilution : 250 Reagent : 020623.R01; 020323.R02; 012423.R21; 020123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 53, 1440, 2023 Weight: 0.4495g Extraction date: 02/06/23 07:50:29 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA055669HEA Instrument Used : DA-ICPMS-003 Running on : 02/06/23 12:37:21 Dilution : 50 Reagent : 012523.R01; 121922.R11; 123022.R14; 020323.R24; 013023.R29; 020323.R22; 020323.R23; 012323.R43; 011923.R10; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30204003-002
Harvest/Lot ID: 0518 7142 3782 5334

Batch# : 0772 0734 3674 2698
Sample Size Received : 31.5 gram
Total Amount : 836 units
Completed : 02/07/23 **Expires:** 02/07/24
Ordered : 02/03/23 **Sample Method :** SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090 Analytical Batch : DA055679FIL Instrument Used : Filth/Foreign Material Microscope Running on : 02/04/23 16:17:19	Reviewed On : 02/04/23 16:26:03 Batch Date : 02/04/23 16:14:38
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.559	PASS	0.65

Analyzed by: 3807, 585, 1440	Weight: 0.67g	Extraction date: 02/06/23 10:30:13	Extracted by: 3807
--	-------------------------	--	------------------------------

Analysis Method : SOP.T.40.019 Analytical Batch : DA055674WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : N/A	Reviewed On : 02/06/23 14:19:17 Batch Date : 02/04/23 14:14:23
---	---

Dilution : N/A
Reagent : 100522.07
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	11.13	PASS	15

Analyzed by: 3807, 585, 1440	Weight: 0.486g	Extraction date: 02/06/23 08:53:47	Extracted by: 3807
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.021 Analytical Batch : DA055677MOI Instrument Used : DA-003 Moisture Analyzer Running on : N/A	Reviewed On : 02/06/23 14:19:18 Batch Date : 02/04/23 14:21:42
--	---

Dilution : N/A
Reagent : 101920.06; 100622.35
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.