



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30204003-004
Harvest/Lot ID: 6888 3006 9341 7979
Batch#: 3211 2684 2657 5936
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 6888 3006 9341 7979
Batch Date: 02/03/22
Sample Size Received: 600 gram
Total Amount: 2189 units
Retail Product Size: 61.8611 gram
Ordered: 02/03/23
Sampled: 02/03/23
Completed: 02/07/23
Sampling Method: SOP.T.20.010

Feb 07, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
NOT TESTED
MISC.

Cannabinoid
PASSED

Total THC
0.083%

Total THC/Container : 51.345 mg


Total CBD
0.074%

Total CBD/Container : 45.777 mg


Total Cannabinoids
0.168%

Total Cannabinoids/Container : 103.927 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.083	ND	0.074	ND	ND	0.005	ND	0.002	ND	ND	0.004
mg/unit	51.344	ND	45.777	ND	ND	3.093	ND	1.237	ND	ND	2.474
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 53, 1440

Weight:
3.1559g

Extraction date:
02/06/23 09:55:33

Extracted by:
1665

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA055694POT
Instrument Used: DA-LC-007
Running on: 02/06/23 09:59:43

Reviewed On: 02/07/23 08:38:01
Batch Date: 02/05/23 17:31:33

Dilution: 40
Reagent: 020123.01; 013023.R06; 030322.03; 070121.27; 013023.R04
Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30204003-004

Harvest/Lot ID: 6888 3006 9341 7979

 Batch# : 3211 2684 2657
 5936

Sampled : 02/03/23

Ordered : 02/03/23

Sample Size Received : 600 gram

Total Amount : 2189 units

Completed : 02/07/23 Expires: 02/07/24

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	1.5	PASS	ND						
FENHEXAMID	0.01	ppm	3	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	2	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	2	PASS	ND						
FLUDIOXONIL	0.01	ppm	3	PASS	ND						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.01	ppm	2	PASS	ND						
METALAXYL	0.01	ppm	3	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

Analyzed by: 585, 3379, 2023, 1440
 Weight: 1.0127g
 Extraction date: 02/06/23 14:08:57
 Extracted by: 585,3379
 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)
 Analytical Batch : DA055704PES
 Instrument Used : DA-LCMS-003 (PES)
 Running on : 02/06/23 14:27:09
 Reviewed On : 02/07/23 11:33:55
 Batch Date : 02/05/23 21:27:01

Dilution : 250
 Reagent : 020623.R01; 020323.R02; 012423.R21; 020123.R01; 040521.11
 Consumables : 6697075-02
 Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 585, 1440, 2023
 Weight: 1.0127g
 Extraction date: 02/06/23 14:08:57
 Extracted by: 585,3379
 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL
 Analytical Batch : DA055706VOL
 Instrument Used : DA-GCMS-006
 Running on : N/A
 Reviewed On : 02/07/23 11:34:32
 Batch Date : 02/05/23 21:29:30

Dilution : 250
 Reagent : 020323.R02; 040521.11; 020223.R55; 020223.R56
 Consumables : 6697075-02; 14725401
 Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30204003-004

Harvest/Lot ID: 6888 3006 9341 7979

Batch# : 3211 2684 2657
 5936

Sampled : 02/03/23

Ordered : 02/03/23

Sample Size Received : 600 gram

Total Amount : 2189 units

Completed : 02/07/23 **Expires:** 02/07/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 53, 1440, 2023

Weight:
 0.0233g

Extraction date:
 02/07/23 11:52:16

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA055734SOL

Instrument Used : DA-GCMS-003

Running on : 02/06/23 16:00:25

Reviewed On : 02/07/23 13:17:05

Batch Date : 02/06/23 14:21:12

Dilution : 1

Reagent : 030420.09

Consumables : 27296; KF140

Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Signature



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30204003-004

Harvest/Lot ID: 6888 3006 9341 7979

Batch# : 3211 2684 2657
 5936

Sampled : 02/03/23

Ordered : 02/03/23

Sample Size Received : 600 gram

Total Amount : 2189 units

Completed : 02/07/23 **Expires:** 02/07/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3336, 3621, 585, 1440 Weight: 1.0852g Extraction date: 02/04/23 14:02:29 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055665MYC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/04/23 14:03:41 Dilution : N/A Reagent : 012423.R27; 020123.R109 Consumables : 2112100 Pipette : N/A					

Analyzed by: 3621, 3390, 53, 1440 Weight: 0.9696g Extraction date: 02/04/23 16:11:34 Extracted by: 3336, 3621, 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA055672TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 02/04/23 16:09:03 Dilution : 10 Reagent : 110822.18; 013123.R21 Consumables : N/A Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 585, 3379, 2023, 1440 Weight: 1.0127g Extraction date: 02/06/23 14:08:57 Extracted by: 585, 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055705MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 02/06/23 14:27:29 Dilution : 250 Reagent : 020623.R01; 020323.R02; 012423.R21; 020123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Reviewed On : 02/07/23 11:34:58 Batch Date : 02/05/23 21:29:24					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

<div><div></div><div>Hg</div></div>	Heavy Metals			PASSED	
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440, 2023		Weight: 0.4886g	Extraction date: 02/06/23 08:17:02	Extracted by: 1022,3619	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA055688HEA			Reviewed On : 02/07/23 11:21:16		
Instrument Used : DA-ICPMS-003			Batch Date : 02/05/23 15:37:35		
Running on : 02/06/23 14:05:54					
Dilution : 50					
Reagent : 012523.R01; 121922.R11; 123022.R14; 020323.R24; 013023.R29; 020323.R22; 020323.R23; 012323.R43; 011923.R10; 100622.35					
Consumables : 179436; 210508058; 210803-059					
Pipette : DA-061; DA-216					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30204003-004

Harvest/Lot ID: 6888 3006 9341 7979

 Batch# : 3211 2684 2657
 5936

Sampled : 02/03/23

Ordered : 02/03/23

Sample Size Received : 600 gram

Total Amount : 2189 units

Completed : 02/07/23 Expires: 02/07/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 22

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA055680FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 02/04/23 16:17:18

Reviewed On : 02/04/23 16:26:13

Batch Date : 02/04/23 16:14:50

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.591	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
3807, 585, 1440	9.404g	02/04/23 16:27:09	3807

Analysis Method : SOP.T.40.019

Analytical Batch : DA055676WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : N/A

Reviewed On : 02/06/23 14:19:21

Batch Date : 02/04/23 14:17:52

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	3.821	25
TOTAL CBD - HOMOGENEITY (RSD)	0.001	%	PASS	3.91	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
3605, 3335, 53, 1440	6.294g	02/04/23 12:00:16	3605

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA055667HOM

Instrument Used : DA-LC-005

Running on : 02/04/23 12:01:00

Reviewed On : 02/07/23 08:37:40

Batch Date : 02/04/23 10:21:09

Dilution : 40

Reagent : 011123.R35; 063022.20; 011923.R06; 100622.35

Consumables : 239146; CE123; 210803-059; 61633-125C6-125E; R1KB45277

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.