



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30204003-006
Harvest/Lot ID: 1884 9943 2053 5080
Batch#: 5259 3901 2362 3030
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Distributor Facility :
Source Facility : Tampa Cultivation
Seed to Sale# 1884 9943 2053 5080
Batch Date: 10/04/22
Sample Size Received: 15.5 gram
Total Amount: 2879 units
Retail Product Size: 0.5 gram
Ordered : 02/03/23
Sampled : 02/03/23
Completed: 02/07/23
Sampling Method: SOP.T.20.010

Feb 07, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtr
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
89.667%

Total THC/Container : 448.335 mg


Total CBD
0.457%

Total CBD/Container : 2.285 mg


Total Cannabinoids
94.572%

Total Cannabinoids/Container : 472.86 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	89.594	0.084	0.457	ND	0.177	1.626	ND	1.169	0.623	ND	0.842
mg/unit	447.97	0.42	2.285	ND	0.885	8.13	ND	5.845	3.115	ND	4.21
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440, 53

Weight:
0.1105g

Extraction date:
02/06/23 09:52:10

Extracted by:
3112,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA055695POT
Instrument Used : DA-LC-007
Running on : 02/06/23 10:04:23

Reviewed On : 02/07/23 11:56:34
Batch Date : 02/05/23 17:32:14

Dilution : 400
Reagent : 013023.R06; 071222.01; 013023.R04
Consumables : 239146; 280670723; CE123; 61633-125C6-125E; R1KB45277
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30204003-006
Harvest/Lot ID: 1884 9943 2053 5080

Batch# : 5259 3901 2362 **Sample Size Received :** 15.5 gram
Total Amount : 2879 units
Completed : 02/07/23 **Expires:** 02/07/24
Ordered : 02/03/23 **Sample Method :** SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	9.19	1.838		ALPHA-HUMULENE	0.007	0.285	0.057	
TOTAL TERPINEOL	0.007	0.16	0.032		VALENCENE	0.007	0.205	0.041	
ALPHA-PINENE	0.007	0.41	0.082		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.1	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	0.17	0.034		CARYOPHYLLENE OXIDE	0.007	<0.1	<0.02	
BETA-PINENE	0.007	0.42	0.084		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.475	0.095		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.165	0.033		ALPHA-BISABOLOL	0.007	0.265	0.053	
3-CARENE	0.007	<0.1	<0.02		Analyzed by: 2076, 53, 1440Weight: 0.9146gExtraction date: 02/06/23 12:30:31Extracted by: 2076				
ALPHA-TERPINENE	0.007	0.205	0.041		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
LIMONENE	0.007	0.65	0.13		Analytical Batch : DA055713TER				
EUCALYPTOL	0.007	ND	ND		Instrument Used : DA-GCMS-005				
OCIMENE	0.007	0.425	0.085		Running on : 02/07/23 09:45:59				
GAMMA-TERPINENE	0.007	0.18	0.036		Dilution : 10				
SABINENE HYDRATE	0.007	ND	ND		Reagent : 121622.36				
TERPINOLENE	0.007	2.13	0.426		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
FENCHONE	0.007	ND	ND		Pipette : N/A				
LINALOOL	0.007	0.105	0.021		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
FENCHYL ALCOHOL	0.007	0.395	0.079						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	0.355	0.071						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	0.635	0.127						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	0.455	0.091						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.895	0.179						
FARNESENE	0	0.205	0.041						
Total (%)			1.838						



Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30204003-006
Harvest/Lot ID: 1884 9943 2053 5080

Batch# : 5259 3901 2362
Sample Size Received : 15.5 gram
Total Amount : 2879 units
Completed : 02/07/23 **Expires:** 02/07/24
Ordered : 02/03/23 **Sample Method :** SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	0.1	PASS	ND	585, 3379, 53, 1440	0.2238g	02/06/23 14:11:12	585,3379		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA055698PES			Reviewed On :02/07/23 11:15:54		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date :02/05/23 21:13:37		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Running on :02/06/23 14:27:12					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 020623.R01; 020323.R02; 012423.R21; 020123.R01; 040521.11					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 53, 1440	0.2238g	02/06/23 14:11:12	585,3379		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch :DA055700VOL			Reviewed On :02/07/23 11:12:13		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-001			Batch Date :02/05/23 21:20:05		
MALATHION	0.01	ppm	0.2	PASS	ND	Running on :02/06/23 14:59:16					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 020323.R02; 040521.11; 020223.R55; 020223.R56					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30204003-006
Harvest/Lot ID: 1884 9943 2053 5080

Batch# : 5259 3901 2362
Sample Size Received : 15.5 gram
Total Amount : 2879 units
Completed : 02/07/23 **Expires:** 02/07/24
Ordered : 02/03/23
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440, 53

Weight:
 0.0242g

Extraction date:
 02/07/23 12:43:48

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA055735SOL
Instrument Used : DA-GCMS-002
Running on : 02/07/23 13:23:45

Reviewed On : 02/07/23 14:18:49
Batch Date : 02/06/23 14:22:42

Dilution : 1
Reagent : 030420.09
Consumables : 27296; KF140
Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30204003-006
Harvest/Lot ID: 1884 9943 2053 5080

Batch# : 5259 3901 2362 **Sample Size Received :** 15.5 gram
3030 **Total Amount :** 2879 units
Sampled : 02/03/23 **Completed :** 02/07/23 **Expires:** 02/07/24
Ordered : 02/03/23 **Sample Method :** SOP.T.20.010

Page 5 of 6

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 3621, 585, 1440 Weight: 0.824g Extraction date: 02/04/23 14:02:30 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055665MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/04/23 14:03:41 Dilution : N/A Reagent : 012423.R27; 020123.R109 Consumables : 2112100 Pipette : N/A						Analyzed by: 585, 3379, 53, 1440 Weight: 0.2238g Extraction date: 02/06/23 14:11:12 Extracted by: 585,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055699MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 02/06/23 14:27:21 Dilution : 250 Reagent : 020623.R01; 020323.R02; 012423.R21; 020123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Heavy Metals						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 53, 1440 Weight: 0.4642g Extraction date: 02/06/23 09:46:52 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA055670HEA Instrument Used : DA-ICPMS-003 Running on : 02/06/23 13:59:25 Dilution : 50 Reagent : 012523.R01; 121922.R11; 123022.R14; 020323.R24; 013023.R29; 020323.R22; 020323.R23; 012323.R43; 011923.R10; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30204003-006

Harvest/Lot ID: 1884 9943 2053 5080

Batch# : 5259 3901 2362 3030

Sampled : 02/03/23

Ordered : 02/03/23

Sample Size Received : 15.5 gram

Total Amount : 2879 units

Completed : 02/07/23 **Expires:** 02/07/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA055681FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 02/04/23 16:17:15

Reviewed On : 02/04/23 16:26:30

Batch Date : 02/04/23 16:15:00

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.515	PASS	0.85

Analyzed by: 3807, 585, 1440	Weight: 0.516g	Extraction date: 02/06/23 11:24:39	Extracted by: 3807
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA055675WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : N/A

Reviewed On : 02/06/23 14:19:23

Batch Date : 02/04/23 14:16:26

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.