



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30204012-002
 Harvest/Lot ID: HYB-GP-121222-C0070
 Batch#: 4528 3448 0672 2891
 Cultivation Facility: Zolfo Springs Cultivation
 Processing Facility: Tampa Processing
 Distributor Facility:
 Source Facility: Tampa Cultivation
 Seed to Sale# 7534 1128 4798 9073
 Batch Date: 11/16/22
 Sample Size Received: 27 gram
 Total Amount: 607 units
 Retail Product Size: 1.5 gram
 Ordered: 02/04/23
 Sampled: 02/04/23
 Completed: 02/07/23
 Sampling Method: SOP.T.20.010

Feb 07, 2023 | FLUENT


 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
 NOT TESTED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
PASSED

 Terpenes
 TESTED

MISC.

Cannabinoid
PASSED

Total THC
9.074%

Total THC/Container : 136.11 mg


Total CBD
0.046%

Total CBD/Container : 0.69 mg


Total Cannabinoids
10.755%

Total Cannabinoids/Container : 161.325 mg

	D9-THC	THCA	CBD	CBDa	DB-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.312	9.991	ND	0.053	0.048	0.046	0.228	0.018	ND	ND	0.059	0.051	10.095	11.965
mg/unit	4.68	149.865	ND	0.795	0.72	0.69	3.42	0.27	ND	ND	0.885	0.765	151.425	179.475
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 1665, 1440

 Weight:
 0.2087g

 Extraction date:
 02/06/23 09:48:29

 Extracted by:
 1665

 Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA055692POT
 Instrument Used : DA-LC-002
 Running on : 02/06/23 09:50:47

 Reviewed On : 02/07/23 13:01:04
 Batch Date : 02/05/23 17:30:08

 Dilution : 400
 Reagent : 020123.R52; 071222.01; 012523.R28
 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30204012-002
Harvest/Lot ID: HYB-GP-121222-C0070

Batch# : 4528 3448 0672
2891

Sampled : 02/04/23
Ordered : 02/04/23

Sample Size Received : 27 gram
Total Amount : 607 units
Completed : 02/07/23 **Expires:** 02/07/24
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	4.275	0.285		ALPHA-HUMULENE	0.007	0.825	0.055	
TOTAL TERPINEOL	0.007	ND	ND		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	<0.3	<0.02		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<0.3	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.3	<0.02	
BETA-PINENE	0.007	<0.3	<0.02		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	ND	ND		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-BISABOLOL	0.007	0.555	0.037	
3-CARENE	0.007	ND	ND		Analyzed by: 2076, S85, 1440 Weight: 0.9356g Extraction date: 02/05/23 14:32:43 Extracted by: 1879,S85,2076 Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA055687TER Instrument Used: DA-GCMS-004 Running on: 02/07/23 09:46:44 Reviewed On: 02/07/23 13:26:01 Batch Date: 02/05/23 11:42:10 Dilution: 10 Reagent: 121622.36 Consumables: 210414634; MKCN9995; CE0123; R1KB14270 Pipette: N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	<0.3	<0.02						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	<0.3	<0.02						
TERPINOLENE	0.007	<0.3	<0.02						
FENCHONE	0.007	<0.3	<0.02						
LINALOOL	0.007	0.405	0.027						
FENCHYL ALCOHOL	0.007	<0.3	<0.02						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.6	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	<0.3	<0.02						
BETA-CARYOPHYLLENE	0.007	2.445	0.163						
FARNESENE	0	0.045	0.003						
Total (%)			0.285						



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30204012-002
 Harvest/Lot ID: HYB-GP-121222-C0070

 Batch# : 4528 3448 0672
 2891
 Sampled : 02/04/23
 Ordered : 02/04/23
 Sample Size Received : 27 gram
 Total Amount : 607 units
 Completed : 02/07/23 Expires: 02/07/24
 Sample Method : SOP.T.20.010

Page 3 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 3379, 1440	Weight: 1.0933g	Extraction date: 02/06/23 14:07:56	Extracted by: 585,3379		
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA055707PES					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Running on : 02/06/23 14:27:05					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 020623.R01; 020323.R02; 012423.R21; 020123.R01; 040521.11					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.0933g	Extraction date: 02/06/23 14:07:56	Extracted by: 585,3379		
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA055709VOL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Running on : 02/07/23 10:10:46					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 020323.R02; 040521.11; 020223.R55; 020223.R56					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 6697075-02; 14725401					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30204012-002
Harvest/Lot ID: HYB-GP-121222-C0070

Batch# : 4528 3448 0672 **Sample Size Received :** 27 gram
 2891 **Total Amount :** 607 units
Sampled : 02/04/23 **Completed :** 02/07/23 **Expires:** 02/07/24
Ordered : 02/04/23 **Sample Method :** SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000
Analyzed by: 3702, 3390, 585, 1440 Weight: 1.1413g Extraction date: 02/05/23 16:26:49 Extracted by: 3702,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055684MIC Reviewed On : 02/07/23 18:30:46 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 02/05/23 07:48:25 Running on : 02/06/23 09:30:45 Dilution : N/A Reagent : 012423.R27; 020123.R109 Consumables : 2112100 Pipette : N/A					

Analyzed by: 3390, 3336, 53, 1440 Weight: 1.1413g Extraction date: N/A Extracted by: 3702,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA055686TYM Reviewed On : 02/07/23 16:57:01 Instrument Used : Incubator (25-27C) DA-096 Batch Date : 02/05/23 07:52:59 Running on : 02/06/23 16:38:18 Dilution : 10 Reagent : 110822.07; 013123.R21 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
--	--	--	--	--	--

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 585, 3379, 1440 Weight: 1.0933g Extraction date: 02/06/23 14:07:56 Extracted by: 585,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055708MYC Reviewed On : 02/07/23 11:42:57 Instrument Used : DA-LCMS-003 (MYC) Batch Date : 02/05/23 21:39:54 Running on : 02/06/23 14:27:13 Dilution : 250 Reagent : 020623.R01; 020323.R02; 012423.R21; 020123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

<div><div>Hg</div></div>		Heavy Metals		PASSED	
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	<0.1	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440, 585	Weight: 0.475g	Extraction date: 02/06/23 07:55:53	Extracted by: 3619,1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA055669HEA		Reviewed On : 02/07/23 08:14:47			
Instrument Used : DA-ICPMS-003		Batch Date : 02/04/23 13:48:38			
Running on : 02/06/23 12:37:21					
Dilution : 50					
Reagent : 012523.R01; 121922.R11; 123022.R14; 020323.R24; 013023.R29; 020323.R22; 020323.R23; 012323.R43; 011923.R10; 100622.35					
Consumables : 179436; 210508058; 210803-059					
Pipette : DA-061; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30204012-002

Harvest/Lot ID: HYB-GP-121222-C0070

Batch# : 4528 3448 0672

2891

Sampled : 02/04/23

Ordered : 02/04/23

Sample Size Received : 27 gram

Total Amount : 607 units

Completed : 02/07/23 **Expires:** 02/07/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 53, 1440	Weight: 1.1563g	Extraction date: 02/07/23 13:34:31	Extracted by: 53
---------------------------------	---------------------------	--	----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA055793FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : N/A

Reviewed On : 02/07/23 13:37:52

Batch Date : 02/07/23 13:31:57

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	10.12	PASS	15

Analyzed by: 3807, 585, 1440	Weight: 0.504g	Extraction date: 02/06/23 09:39:01	Extracted by: 3807
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.021

Analytical Batch : DA055677MOI

Instrument Used : DA-003 Moisture Analyzer

Running on : N/A

Reviewed On : 02/06/23 14:25:41

Batch Date : 02/04/23 14:21:42

Dilution : N/A

Reagent : 101920.06; 100622.35

Consumables : N/A

Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.485	PASS	0.65

Analyzed by: 3807, 585, 1440	Weight: 0.66g	Extraction date: 02/06/23 10:30:18	Extracted by: 3807
--	-------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA055674WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : N/A

Reviewed On : 02/06/23 14:25:42

Batch Date : 02/04/23 14:14:23

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.