

# **Certificate of Analysis**

**COMPLIANCE FOR RETAIL** 

**Kaycha Labs** 

Triks Cartridge Concentrate 1g (90%)

Matrix: Derivative

Sample: DA30204012-003 Harvest/Lot ID: 4010 7417 1393 2247

Batch#: 5898 9724 9790 9915

**Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing** 

**Distributor Facility:** 

**Source Facility: Tampa Cultivation** Seed to Sale# 4010 7417 1393 2247

Batch Date: 12/08/22

Sample Size Received: 16 gram

Total Amount: 1497 units Retail Product Size: 1 gram

> Ordered: 02/04/23 Sampled: 02/04/23 Completed: 02/07/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

MISC.



PRODUCT IMAGE

82 NE 26th street Miami, FL, 33137, US

SAFETY RESULTS



Pesticides



Heavy Metals PASSED



Microbials



Mycotoxins



Residuals Solvents PASSED



Filth



Water Activity PASSED



Moisture NOT TESTED



**PASSED** 



### Cannabinoid

Feb 07, 2023 | FLUENT

**Total THC** 

89.244% Total THC/Container: 892.44 mg

0.037

0.001

0.37

%



**Total CBD** 0.335%

Total CBD/Container: 3.35 mg



**Total Cannabinoids** .654%

Total Cannabinoids/Container: 946.54



	DO 11110	
	D9-THC	
%	89.212	

LOD	0.001	
	%	
nalyzed by:	1440	

CBDA

ND

ND

%

0.001

1.972

19.72

0.001

%

D8-THC

0.19

0.001

1.9

0.001

%

CBGA

ND

ND

Reviewed On: 02/07/23 13:25:52

1.314 13.14 0.001

0.509 5.09 0.001 %

THCV

ND 10.85 0.001 0.001

СВС

1.085

CBDV

ND

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA055695POT Instrument Used : DA-LC-007 Running on : 02/06/23 10:04:23

892.12

Dilution: 400 Dilution : 400 Reagent : 013023.R06; 071222.01; 013023.R04 Consumables : 239146; 280670723; CE123; 61633-125C6-125E; R1KB45277 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.335

3.35

0.001

%

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/07/23



### **Kaycha Labs**

Triks Cartridge Concentrate 1g (90%)

Triks Matrix : Derivative



# **Certificate of Analysis**

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.lones@getfluent.com

Sample : DA30204012-003 Harvest/Lot ID: 4010 7417 1393 2247

Batch#: 5898 9724 9790

Sampled: 02/04/23 Ordered: 02/04/23 Sample Size Received: 16 gram
Total Amount: 1497 units
Completed: 02/07/23 Expires: 02/07/24
Sample Method: SOP.T.20.010

Page 2 of 6



# **Terpenes**

TESTED

Terpenes	LOD mg/unit % Result (%) (%)	Terpenes LOD mg/unit % Result (%) (%)	
TOTAL TERPENES	0.007 33.17 3.317	ALPHA-HUMULENE 0.007 0.93 0.093	
TOTAL TERPINEOL	0.007 0.45 0.045	VALENCENE 0.007 ND ND	
ALPHA-PINENE	0.007 0.67 0.067	CIS-NEROLIDOL 0.007 ND ND	
CAMPHENE	0.007 <0.2 <0.02	TRANS-NEROLIDOL 0.007 0.67 0.067	
SABINENE	0.007 0.95 0.095	CARYOPHYLLENE OXIDE 0.007 0.51 0.051	
BETA-PINENE	0.007 0.85 0.085	GUAIOL 0.007 0.68 0.068	
BETA-MYRCENE	0.007 12.01 1.201	CEDROL 0.007 ND ND	
ALPHA-PHELLANDRENE	0.007 ND ND	ALPHA-BISABOLOL 0.007 0.97 0.097	
3-CARENE	0.007 ND ND	Analyzed by: Weight: Extraction date: Extr	acted by:
ALPHA-TERPINENE	0.007 ND ND	2076, 585, 53, 1440 1.1633g 02/06/23 12:28:24 2076	
IMONENE	0.007 5.31 0.531	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	
EUCALYPTOL	0.007 ND ND	Analytical Batch : DA055714TER Reviewed On : 02/07/23 13:56:28 Instrument Used : DA-GCMS-004 Batch Date : 02/06/23 09:25:03	
CIMENE	0.007 0.38 0.038	Running on: 02/07/23 09:46:30	
AMMA-TERPINENE	0.007 0.46 0.046	Dilution: 10	
SABINENE HYDRATE	0.007 ND ND	Reagent: 121622.36	
ERPINOLENE	0.007 0.64 0.064	Consumables: 210414634; MKCN9995; CE0123; R1KB14270	
ENCHONE	0.007 0.75 0.075	Pipette: N/A	
INALOOL	0.007 0.99 0.099	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.	
ENCHYL ALCOHOL	0.007 0.84 0.084		
SOPULEGOL	0.007 ND ND		
AMPHOR	0.013 1.04 0.104		
OBORNEOL	0.007 ND ND		
ORNEOL	0.013 1.17 0.117		
IEXAHYDROTHYMOL	0.007 0.37 0.037		
IEROL	0.007 ND ND		
PULEGONE	0.007 ND ND		
GERANIOL	0.007 ND ND		
ERANYL ACETATE	0.007 ND ND		
LPHA-CEDRENE	0.007 0.66 0.066		
	0.007 1.44 0.144		
BETA-CARYOPHYLLENE			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Jorge Segredo**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/07/23



#### **Kaycha Labs**

Triks Cartridge Concentrate 1g (90%)

Matrix : Derivative



# **Certificate of Analysis**

**PASSED** 

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266

Sample : DA30204012-003 Harvest/Lot ID: 4010 7417 1393 2247

Batch#: 5898 9724 9790

**Sampled:** 02/04/23

Ordered: 02/04/23

Sample Size Received: 16 gram Total Amount: 1497 units Completed: 02/07/23 Expires: 02/07/24 Sample Method: SOP.T.20.010

Page 3 of 6



### **Pesticides**

### **PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	mag	3	PASS	ND
TAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	10	0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
SAMECTIN B1A	0.01	ppm	0.1	PASS	ND					0.1	PASS	ND
EPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm			
EQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
ETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
OXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
ENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
ENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
SCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
RBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
RBOFURAN	0.01	ppm	0.1	PASS	ND		DENZENE (DOND) *	0.01	PPM	0.15	PASS	ND
LORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITRO			PPM			ND
LORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL		0.01		0.1	PASS	
LORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
DFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
UMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
MINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
ZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extractio	n date:		Extracted b	w.
METHOATE	0.01	ppm	0.1	PASS	ND	585, 53, 1440	0.275q	02/06/23			585,3379	·y.
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP				(Davie), SOP		Gainesvi
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie						
OXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA0				On: 02/07/2		
NHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-			Batch Da	te:02/05/23	21:22:24	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 02/06/23	14:27:10					
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 020623.R01	. 020222 002- 0124	22 021 020	122 001.0	10521 11		
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables: 669707		23.N21, U2U	123.001, 0	+0321.11		
ONICAMID	0.01	ppm	0.1	PASS	ND	Pipette: DA-093; DA-0						
UDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural a	gents is performed u	tilizing Liquic	Chromatog	raphy Triple-	Quadrupole Ma	SS
XYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accorda					· / \	
AZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted	by:
IDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1440	0.275g		14:09:51		585,3379	
ESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP						
LATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA0 Instrument Used : DA-				n:02/07/23 1 02/05/23 21:		
TALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 02/06/23		D.	accii Date i	02/03/23 21:	20.00	
THIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250						
THOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 020323.R02	; 040521.11; 020223	3.R55; 02022	23.R56			
VINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 669707	75-02; 14725401					
CLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette: DA-080; DA-1	46; DA-218					
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural a	gents is performed u	tilizing Gas C	hromatogra	phy Triple-Ou	adrupole Mass	Spectro

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/07/23



**DAVIE, FL, 33314, US** 

#### Kaycha Labs

Triks Cartridge Concentrate 1g (90%)

Matrix : Derivative



# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30204012-003 Harvest/Lot ID: 4010 7417 1393 2247

Batch#: 5898 9724 9790

**Sampled:** 02/04/23 Ordered: 02/04/23

Sample Size Received: 16 gram Total Amount: 1497 units Completed: 02/07/23 Expires: 02/07/24 Sample Method: SOP.T.20.010

PASSED

Page 4 of 6



### **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	<b>Weight:</b> 0.0238g	Extraction date: 02/07/23 12:44:		//	Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch: DA055735SOL Instrument Used : DA-GCMS-002 Running on: 02/07/23 13:23:45

Reagent: 030420.09 Consumables: 27296; KF140 Pipette: DA-309 25uL Syringe 35028

Reviewed On: 02/07/23 14:20:08 Batch Date: 02/06/23 14:22:42

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/07/23



#### Kaycha Labs

Triks Cartridge Concentrate 1g (90%)

Triks Matrix : Derivative



# **Certificate of Analysis**

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30204012-003 Harvest/Lot ID: 4010 7417 1393 2247

Batch#: 5898 9724 9790

Sampled: 02/04/23 Ordered: 02/04/23

Sample Size Received: 16 gram Total Amount: 1497 units Completed: 02/07/23 Expires: 02/07/24 Sample Method: SOP.T.20.010

Page 5 of 6

Units

ppm

ppm

ppm

mag

ppm

Result

ND

ND

ND

ND

Reviewed On: 02/07/23 14:53:40

Batch Date: 02/05/23 21:26:03

LOD

0.002

0.002

0.002

0.002

0.002

Extraction date 02/06/23 14:09:51

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

 $\label{thm:mass} \mbox{Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.$ 



#### Microbial

### **PASSED**



**AFLATOXIN B2** 

**AFLATOXIN B1** 

OCHRATOXIN A

AFLATOXIN G1

**AFLATOXIN G2** 

Pipette: DA-093; DA-094; DA-219

Analyzed by: 585, 53, 1440

Analyte

# **Mycotoxins**

0.275q

#### **PASSED**

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

585,3379

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: Weig 3702, 3390, 585, 1440 0.83		Extraction d 02/05/23 16		Extracted 3702.339	

Analysis Method : SOP.

Analytical Batch: DA05

Instrument Used : DA-2

**Running on :**  $02/06/23 \ 09:30:45$ Dilution: N/A

\* . 012423 P27: 020123 P100

Con

Pipette: N/A

Analyzed by:

igent: 012425.1(27, 020125.1(105	
sumables : 2112100	
NI/A	

3390, 3336, 53, 1440	0.8364g	N/A	
Analysis Method : SOP T	40.208 (Gainesville).	SOP.T.40.209.	FL

Weight:

Analytical Batch : DA055686TYM

Instrument Used: Incubator (25-27C) DA-096

Running on: 02/06/23 16:38:18

Dilution: 10

Reagent: 110822.07; 013123.R21 Consumables: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Extraction date: 02/05/23 16:26:49	Extracted by: 3702,3390	SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch: DA055702MYC	Reviewed On: 02/07/23 1			
P.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL 055684MIC Reviewed On: 02/07/23 18:30:50			Instrument Used : DA-LCMS-003 (MYC) Batch Date : 02/0 Running on : 02/06/23 14:27:20				
-265 Gene-UP RTPCR 3 09:30:45	Batch Date : 02/		Dilution: 250 Reagent: 020623.R01; 020323.R02; 012423.R21; Consumables: 6697075-02	423.R21; 020123.R01; 040521.11			

Extraction date: Extracted by: 3702,3390

Reviewed On: 02/07/23 16:57:06

Batch Date: 02/05/23 07:52:59

Analyzed by: 1022, 53, 1440, 585

Hg

0.4462g

**Heavy Metals** 

# **PASSED**

1022,3619

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LO	AD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.05	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction	date:	\ / E	xtracted	by:

02/06/23 10:45:05

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA055689HEA Reviewed On: 02/07/23 11:38:00 Instrument Used: DA-ICPMS-003 Batch Date: 02/05/23 15:43:51 Running on: 02/06/23 14:14:53

Dilution: 50

Reagent: 012523.R01; 121922.R11; 123022.R14; 020323.R24; 013023.R29; 020323.R22; 020323.R23; 012323.R43; 011923.R10; 100622.35

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/07/23



#### **Kaycha Labs**

Triks Cartridge Concentrate 1g (90%)

Triks Matrix : Derivative



# PASSED

Page 6 of 6

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30204012-003 Harvest/Lot ID: 4010 7417 1393 2247

Batch#: 5898 9724 9790

**Sampled:** 02/04/23 Ordered: 02/04/23

Sample Size Received: 16 gram Total Amount: 1497 units Completed: 02/07/23 Expires: 02/07/24 Sample Method: SOP.T.20.010



Reviewed On: 02/07/23 13:38:04

Batch Date: 02/07/23 13:31:57

Analyte Units **Action Level** Filth and Foreign Material PASS 0.5 % ND 1 Analyzed by: Weight: **Extraction date:** Extracted by: 53, 1440 02/07/23 13:34:31

Analysis Method: SOP.T.40.090 Analytical Batch: DA055793FIL

Instrument Used: Filth/Foreign Material Microscope

Running on: N/A

Dilution: N/A Reagent: N/A Consumables: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Pipette: N/A

# **Water Activity**

Analyte	LOD	Units	Result	P/F	Action Leve
Water Activity	0.1	aw	0.465	PASS	0.85

Extraction date: Extracted by: Analyzed by: 3807, 585, 1440 0.803q 02/06/23 12:14:15

Analysis Method: SOP.T.40.019 Analytical Batch : DA055717WAT

Instrument Used: DA-028 Rotronic Hygropalm

Running on: N/A

Reviewed On: 02/06/23 14:25:43 Batch Date: 02/06/23 09:40:36

Reagent: 100522.07 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/07/23