



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30207007-001
Harvest/Lot ID: HYB-CM-020223-C0076
Batch#: 1715 2405 0011 2621
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Distributor Facility:
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 9063 6704 7178 9112
Batch Date: 01/17/23
Sample Size Received: 42 gram
Total Amount: 2851 units
Retail Product Size: 3.5 gram
Ordered: 02/06/23
Sampled: 02/06/23
Completed: 02/09/23
Sampling Method: SOP.T.20.010

Feb 09, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US


PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED

MISC.


Cannabinoid
PASSED


Total THC

19.945%

Total THC/Container : 698.075 mg



Total CBD

0.057%

Total CBD/Container : 1.995 mg



Total Cannabinoids

23.403%

Total Cannabinoids/Container : 819.105 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.59	22.07	ND	0.065	0.047	0.082	0.49	0.017	ND	ND	0.042	0.065	23.023	27.014
mg/unit	20.65	772.45	ND	2.275	1.645	2.87	17.15	0.595	ND	ND	1.47	2.275	805.805	945.49
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 53, 1440

Weight:
NA

Extraction date:
N/A

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA055757POT
Instrument Used : DA-LC-002
Running on : 02/07/23 11:00:19

Reviewed On : 02/08/23 13:00:44
Batch Date : 02/07/23 09:16:29

Dilution : 400
Reagent : 020723.R05; 070121.27; 020723.R06
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Signature

02/09/23

Signed On



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30207007-001

Harvest/Lot ID: HYB-CM-020223-C0076

Batch# : 1715 2405 0011
 2621

Sampled : 02/06/23

Ordered : 02/06/23

Sample Size Received : 42 gram

Total Amount : 2851 units

Completed : 02/09/23 **Expires:** 02/09/24

Sample Method : SOP.T.20.010

Page 2 of 5

<



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30207007-001

Harvest/Lot ID: HYB-CM-020223-C0076

 Batch# : 1715 2405 0011
 2621

 Sampled : 02/06/23
 Ordered : 02/06/23

Sample Size Received : 42 gram

Total Amount : 2851 units

Completed : 02/09/23 Expires: 02/09/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 53, 1440	0.9354g	02/07/23 12:37:58	585,450		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA055766PES			Reviewed On : 02/08/23 12:25:20		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 02/07/23 09:53:06		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 02/07/23 13:53:06					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 020623.R01; 020123.R28; 012423.R21; 020123.R01; 040521.11; 020323.R02; 020723.R08					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440, 53	0.9354g	02/07/23 12:37:58	585,450		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA055768VOL			Reviewed On : 02/08/23 12:24:28		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 02/07/23 09:54:34		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 02/07/23 14:14:32					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 040521.11; 020323.R02; 020223.R55; 020223.R56					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis



PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30207007-001
Harvest/Lot ID: HYB-CM-020223-C0076

Batch# : 1715 2405 0011 **Sample Size Received :** 42 gram
2621 **Total Amount :** 2851 units
Sampled : 02/06/23 **Completed :** 02/09/23 **Expires:** 02/09/24
Ordered : 02/06/23 **Sample Method :** SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	2000	PASS	100000						
Analyzed by: 3390, 3621, 53, 1440 Weight: 1.0946g Extraction date: 02/07/23 12:04:45 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055755MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/07/23 12:10:12 Dilution : N/A Reagent : 012423.R27; 020123.R110 Consumables : 500124 Pipette : N/A						Analyzed by: 585, 3379, 53, 1440 Weight: 0.9354g Extraction date: 02/07/23 12:37:58 Extracted by: 585,450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055767MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 02/07/23 13:53:16 Dilution : 250 Reagent : 020123.R29; 020623.R01; 020123.R28; 012423.R21; 020123.R01; 040521.11; 020323.R02 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3336, 53, 1440 Weight: 1.1697g Extraction date: 02/07/23 12:07:51 Extracted by: 3390,3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA055791TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 02/07/23 15:50:09 Dilution : 1000 Reagent : 110822.07; 013123.R21 Consumables : N/A Pipette : N/A						Analyzed by: 1022, 53, 1440 Weight: 0.4431g Extraction date: 02/07/23 10:19:51 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA055764HEA Instrument Used : DA-ICPMS-003 Running on : 02/07/23 15:09:08 Dilution : 50 Reagent : 012523.R01; 121922.R11; 123022.R14; 020323.R24; 013023.R29; 020323.R22; 020323.R23; 012323.R43; 011923.R10; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					


Heavy Metals
PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440 Weight: 0.4431g Extraction date: 02/07/23 10:19:51 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA055764HEA Instrument Used : DA-ICPMS-003 Running on : 02/07/23 15:09:08 Dilution : 50 Reagent : 012523.R01; 121922.R11; 123022.R14; 020323.R24; 013023.R29; 020323.R22; 020323.R23; 012323.R43; 011923.R10; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30207007-001
Harvest/Lot ID: HYB-CM-020223-C0076
Batch# : 1715 2405 0011
Sample Size Received : 42 gram
Total Amount : 2851 units
Completed : 02/09/23 **Expires:** 02/09/24
Sample Method : SOP.T.20.010
Sampled : 02/06/23
Ordered : 02/06/23

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1	Moisture Content	1	%	13.37	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 3807, 53, 1440	Weight: 0.491g	Extraction date: 02/07/23 21:42:54	Extracted by: 3807		
Analysis Method : SOP.T.40.090 Analytical Batch : DA055801FIL Instrument Used : Filth/Foreign Material Microscope Running on : 02/07/23 23:50:10						Analysis Method : SOP.T.40.021 Analytical Batch : DA055783MOI Instrument Used : DA-003 Moisture Analyzer Running on : N/A					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 100622.35 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.563	PASS	0.65
Analyzed by: 2926, 53, 1440	Weight: 0.67g	Extraction date: 02/08/23 06:59:07		Extracted by: 2926	
Analysis Method : SOP.T.40.019			Reviewed On : 02/08/23 12:47:25 Batch Date : 02/07/23 11:44:29		
Analytical Batch : DA055787WAT					
Instrument Used : DA-028 Rotronic Hygropalm					
Running on : 02/08/23 06:51:22					
Dilution : N/A					
Reagent : 100522.07					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.