



Certificate of Analysis

COMPLIANCE FOR RETAIL











Sample: DA30210005-010
Harvest/Lot ID: HYB-GRP-012423-A094
Batch#: 0310 8679 0085 4992
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 6746 8579 4204 9960
Batch Date: 01/19/23
Sample Size Received: 105 gram
Total Amount: 8074 units
Retail Product Size: 3.5 gram
Ordered: 02/09/23
Sampled: 02/09/23
Completed: 02/13/23
Sampling Method: SOP.T.20.010

Feb 13, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents NOT TESTED	Filtration PASSED	Water Activity PASSED	Moisture PASSED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 1665, 53, 1440 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA055934POT Instrument Used : DA-LC-002 Running on : 02/10/23 10:25:28 Dilution : 400 Reagent : 020723.R05; 071222.01; 020723.R06 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270 Pipette : DA-079; DA-108; DA-078	Weight: 0.1994g	Extraction date: 02/10/23 10:22:43	Extracted by: 1665
Reviewed On : 02/13/23 11:14:33 Batch Date : 02/10/23 09:08:15			

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30210005-010

Harvest/Lot ID: HYB-GRP-012423-A094

Batch# : 0310 8679 0085
 4992

Sampled : 02/09/23

Ordered : 02/09/23

Sample Size Received : 105 gram

Total Amount : 8074 units

Completed : 02/13/23 **Expires:** 02/13/24

Sample Method : SOP.T.20.010

Page 2 of 5

</



Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30210005-010
 Harvest/Lot ID: HYB-GRP-012423-A094

 Batch# : 0310 8679 0085 Sample Size Received : 105 gram
 4992 Total Amount : 8074 units
 Sampled : 02/09/23 Completed : 02/13/23 Expires: 02/13/24
 Ordered : 02/09/23 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETARAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	<div>Analyzed by: 585, 3379, 53, 1440Weight: 0.867gExtraction date: 02/10/23 12:29:31Extracted by: 585</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA055941PESReviewed On : 02/13/23 11:49:23</div> <div>Instrument Used : DA-LCMS-003 (PES)Batch Date : 02/10/23 09:42:14</div> <div>Running on : 02/10/23 12:31:16</div> <div>Dilution : 250</div> <div>Reagent : 020623.R01; 020723.R08; 020923.R01; 012423.R21; 020823.R01; 040521.11</div> <div>Consumables : 6697075-02</div> <div>Pipette : DA-093; DA-094; DA-219</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> <div>Analyzed by: 450, 53, 1440Weight: 0.867gExtraction date: 02/10/23 12:29:31Extracted by: 585</div> <div>Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL</div> <div>Analytical Batch : DA055947VOLReviewed On : 02/13/23 11:44:44</div> <div>Instrument Used : DA-GCMS-001Batch Date : 02/10/23 09:53:46</div> <div>Running on : 02/10/23 14:24:14</div> <div>Dilution : 250</div> <div>Reagent : 020923.R01; 040521.11; 020223.R55; 020223.R56</div> <div>Consumables : 6697075-02; 14725401</div> <div>Pipette : DA-080; DA-146; DA-218</div> <div>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis



PASSED
FLUENT


 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30210005-010
Harvest/Lot ID: HYB-GRP-012423-A094

Batch# : 0310 8679 0085 **Sample Size Received :** 105 gram
 4992 **Total Amount :** 8074 units
Sampled : 02/09/23 **Completed :** 02/13/23 **Expires:** 02/13/24
Ordered : 02/09/23 **Sample Method :** SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000						
Analyzed by: 3336, 3390, 53, 1440 Weight: 0.9529g Extraction date: 02/10/23 10:19:24 Extracted by: 3621, 3336						Analyzed by: 585, 3379, 53, 1440 Weight: 0.867g Extraction date: 02/10/23 12:29:31 Extracted by: 585					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055931MIC Reviewed On : 02/13/23 08:27:26 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 02/10/23 08:52:56 Running on : 02/10/23 11:47:57						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055946MYC Reviewed On : 02/13/23 11:47:04 Instrument Used : DA-LCMS-003 (MYC) Batch Date : 02/10/23 09:53:44 Running on : 02/10/23 12:31:09					
Dilution : N/A Reagent : 012423.R27; 020823.R54 Consumables : 500124 Pipette : N/A						Dilution : 250 Reagent : 020623.R01; 020723.R08; 020923.R01; 012423.R21; 020823.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

 Heavy Metals PASSED						
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1	
ARSENIC	0.02	ppm	ND	PASS	0.2	
CADMIUM	0.02	ppm	ND	PASS	0.2	
MERCURY	0.02	ppm	ND	PASS	0.2	
LEAD	0.05	ppm	ND	PASS	0.5	
Analyzed by: 1022, 53, 1440 Weight: 0.4625g Extraction date: 02/10/23 09:41:44 Extracted by: 3619						
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA055933HEA Reviewed On : 02/13/23 08:31:01 Instrument Used : DA-ICPMS-003 Batch Date : 02/10/23 09:07:17 Running on : 02/10/23 12:09:20						
Dilution : 50 Reagent : 012523.R01; 121922.R11; 123022.R14; 020323.R24; 020723.R33; 020323.R22; 020323.R23; 012323.R43; 020723.R34; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30210005-010
Harvest/Lot ID: HYB-GRP-012423-A094

Batch# : 0310 8679 0085 **Sample Size Received :** 105 gram
 4992 **Total Amount :** 8074 units
Sampled : 02/09/23 **Completed :** 02/13/23 **Expires:** 02/13/24
Ordered : 02/09/23 **Sample Method :** SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090 Analytical Batch : DA056017FIL Instrument Used : Filth/Foreign Material Microscope Running on : 02/12/23 22:24:12	Reviewed On : 02/12/23 22:37:30 Batch Date : 02/12/23 22:21:28
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.506	PASS	0.65

Analyzed by: 3807, 2926, 53, 1440	Weight: 0.831g	Extraction date: 02/10/23 11:13:42	Extracted by: 2926
---	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019 Analytical Batch : DA055943WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 02/10/23 10:06:55	Reviewed On : 02/10/23 13:37:56 Batch Date : 02/10/23 09:43:08
---	---

Dilution : N/A
Reagent : 100522.07
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	14.6	PASS	15

Analyzed by: 2926, 53, 1440	Weight: 0.497g	Extraction date: 02/10/23 12:01:01	Extracted by: 2926
---------------------------------------	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.021 Analytical Batch : DA055938MOI Instrument Used : DA-003 Moisture Analyzer Running on : 02/10/23 11:48:02	Reviewed On : 02/10/23 13:35:06 Batch Date : 02/10/23 09:38:54
--	---

Dilution : N/A
Reagent : 101920.06; 020123.02
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.