



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30211013-004
Harvest/Lot ID: 3065 7114 5713 9533
Batch#: 2677 8394 2785 1658
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 3065 7114 5713 9533
Batch Date: 12/08/22
Sample Size Received: 16 gram
Total Amount: 1444 units
Retail Product Size: 1 gram
Ordered: 02/11/23
Sampled: 02/11/23
Completed: 02/15/23
Sampling Method: SOP.T.20.010

Feb 15, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
90.034%

Total THC/Container : 900.34 mg


Total CBD
0.34%

Total CBD/Container : 3.4 mg


Total Cannabinoids
95.636%

Total Cannabinoids/Container : 956.36 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	90.034	ND	0.34	ND	0.272	2.014	ND	1.004	0.773	ND	1.199
mg/unit	900.34	ND	3.4	ND	2.72	20.14	ND	10.04	7.73	ND	11.99
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.0968g

Extraction date:
02/13/23 11:00:26

Extracted by:
3112,1665

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA056001POT
Instrument Used: DA-LC-007
Running on: 02/13/23 11:03:25

Reviewed On: 02/14/23 12:31:37
Batch Date: 02/12/23 08:21:04

Dilution: 400
Reagent: 020723.R04; 011723.05; 020723.R02
Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30211013-004
 Harvest/Lot ID: 3065 7114 5713 9533

 Batch# : 2677 8394 2785 Sample Size Received : 16 gram
 1658 Total Amount : 1444 units
 Sampled : 02/11/23 Completed : 02/15/23 Expires: 02/15/24
 Ordered : 02/11/23 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	18.91	1.891	<div></div>	FARNESENE	0	ND	ND	<div></div>
TOTAL TERPINEOL	0.007	ND	ND	<div></div>	ALPHA-HUMULENE	0.007	0.59	0.059	<div></div>
ALPHA-BISABOLOL	0.007	0.51	0.051	<div></div>	VALENCENE	0.007	0.89	0.089	<div></div>
ALPHA-PINENE	0.007	1.54	0.154	<div></div>	CIS-NEROLIDOL	0.007	ND	ND	<div></div>
CAMPHENE	0.007	ND	ND	<div></div>	TRANS-NEROLIDOL	0.007	ND	ND	<div></div>
SABINENE	0.007	ND	ND	<div></div>	CARYOPHYLLENE OXIDE	0.007	0.43	0.043	<div></div>
BETA-PINENE	0.007	0.31	0.031	<div></div>	GUAIOL	0.007	<2	<0.02	<div></div>
BETA-MYRCENE	0.007	3.25	0.325	<div></div>	CEDROL	0.007	ND	ND	<div></div>
ALPHA-PHELLANDRENE	0.007	0.47	0.047	<div></div>	<div>Analyzed by: 2076, 585, 1440Weight: 0.8749gExtraction date: 02/13/23 15:43:38Extracted by: 2076</div>				
3-CARENE	0.007	ND	ND	<div></div>	<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLAnalytical Batch : DA056047TERReviewed On : 02/15/23 11:12:47</div>				
ALPHA-TERPINENE	0.007	ND	ND	<div></div>	<div>Instrument Used : DA-GCMS-005Batch Date : 02/13/23 09:26:58</div>				
LIMONENE	0.007	7.7	0.77	<div></div>	<div>Running on : 02/14/23 14:26:06</div>				
EUCALYPTOL	0.007	ND	ND	<div></div>	<div>Dilution : 10</div>				
OCIMENE	0.007	0.34	0.034	<div></div>	<div>Reagent : 120722.10</div>				
GAMMA-TERPINENE	0.007	ND	ND	<div></div>	<div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div>				
SABINENE HYDRATE	0.007	ND	ND	<div></div>	<div>Pipette : N/A</div>				
TERPINOLENE	0.007	ND	ND	<div></div>	<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
FENCHONE	0.007	ND	ND	<div></div>					
LINALOOL	0.007	0.66	0.066	<div></div>					
FENCHYL ALCOHOL	0.007	<0.2	<0.02	<div></div>					
ISOPULEGOL	0.007	ND	ND	<div></div>					
CAMPHOR	0.007	ND	ND	<div></div>					
ISOBORNEOL	0.007	ND	ND	<div></div>					
BORNEOL	0.013	<0.4	<0.04	<div></div>					
HEXAHYDROTHYMOL	0.007	ND	ND	<div></div>					
NEROL	0.007	ND	ND	<div></div>					
PULEGONE	0.007	ND	ND	<div></div>					
GERANIOL	0.007	ND	ND	<div></div>					
GERANYL ACETATE	0.007	ND	ND	<div></div>					
ALPHA-CEDRENE	0.007	ND	ND	<div></div>					
BETA-CARYOPHYLLENE	0.007	2.22	0.222	<div></div>					
Total (%)				1.891					



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30211013-004
 Harvest/Lot ID: 3065 7114 5713 9533

 Batch# : 2677 8394 2785 Sample Size Received : 16 gram
 1658 Total Amount : 1444 units
 Sampled : 02/11/23 Completed : 02/15/23 Expires: 02/15/24
 Ordered : 02/11/23 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 3379, 1440	Weight: 0.254g	Extraction date: 02/13/23 13:49:28	Extracted by: 585		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056035PES			Reviewed On : 02/15/23 11:02:49		
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 02/13/23 09:13:04		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Running on : 02/13/23 13:32:52					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 020623.R01; 020723.R08; 020923.R01; 020923.R02; 012423.R21; 020823.R01; 040521.11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.254g	Extraction date: 02/13/23 13:49:28	Extracted by: 585		
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056038VOL			Reviewed On : 02/14/23 12:25:41		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 02/13/23 09:15:22		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Running on : 02/14/23 10:12:24					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	0.2	PASS	ND	Reagent : 040521.11; 020923.R01; 021023.R34; 021023.R35					
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30211013-004

Harvest/Lot ID: 3065 7114 5713 9533

Batch# : 2677 8394 2785 1658

Sampled : 02/11/23

Ordered : 02/11/23

Sample Size Received : 16 gram

Total Amount : 1444 units

Completed : 02/15/23 **Expires:** 02/15/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.0296g

Extraction date:
 02/15/23 06:44:09

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA056055SOL

Instrument Used : DA-GCMS-002

Running on : 02/15/23 06:49:58

Reviewed On : 02/15/23 11:04:36

Batch Date : 02/13/23 11:07:54

Dilution : 1

Reagent : 030420.09

Consumables : 27296; KF140

Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30211013-004

Harvest/Lot ID: 3065 7114 5713 9533

Batch# : 2677 8394 2785 1658

Sampled : 02/11/23

Ordered : 02/11/23

Sample Size Received : 16 gram

Total Amount : 1444 units

Completed : 02/15/23 **Expires:** 02/15/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
-----------------------------------------------------------------------------------	------------------	---------------	-----------------------------------------------------------------------------------	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3702, 3390, 585, 1440 Weight: 0.8099g Extraction date: 02/13/23 08:38:00 Extracted by: 3702 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056003MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/13/23 09:48:54 Dilution : N/A Reagent : 012423.R27; 020823.R57 Consumables : 2112100 Pipette : N/A					

Analyzed by: 3390, 585, 1440	Weight: 0.86g	Extraction date: 02/13/23 08:52:20	Extracted by: 3702
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056013TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 02/13/23 14:30:03 Dilution : 10 Reagent : 012423.R27; 020823.R57; 110822.12; 013123.R21 Consumables : 2112100 Pipette : N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFATOXIN B2	0.002	ppm	ND	PASS	0.02
AFATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFATOXIN G1	0.002	ppm	ND	PASS	0.02
AFATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 585, 3379, 1440 Weight: 0.254g Extraction date: 02/13/23 13:49:28 Extracted by: 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056037MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 02/13/23 13:33:04 Dilution : 250 Reagent : 020623.R01; 020723.R08; 020923.R01; 020923.R02; 012423.R21; 020823.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
-------------------------------------------------------------------------------------	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440, 585 Weight: 0.4498g Extraction date: 02/13/23 10:30:14 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056012HEA Instrument Used : DA-ICPMS-003 Running on : 02/13/23 16:25:39 Dilution : 50 Reagent : 012523.R01; 123022.R14; 021023.R29; 020723.R33; 021023.R27; 021023.R28; 012323.R43; 020723.R34; 020123.02 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30211013-004

Harvest/Lot ID: 3065 7114 5713 9533

Batch# : 2677 8394 2785 1658

Sampled : 02/11/23

Ordered : 02/11/23

Sample Size Received : 16 gram

Total Amount : 1444 units

Completed : 02/15/23 **Expires:** 02/15/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA056016FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 02/12/23 22:24:13

Reviewed On : 02/12/23 22:37:08

Batch Date : 02/12/23 22:18:18

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.469	PASS	0.85

Analyzed by: 3807, 585, 1440	Weight: 0.585g	Extraction date: 02/13/23 21:01:02	Extracted by: 3807
----------------------------------------	--------------------------	----------------------------------------------	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA056025WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : N/A

Reviewed On : 02/14/23 12:31:39

Batch Date : 02/13/23 07:46:49

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.