



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30214009-006

Harvest/Lot ID: ID-PRI-112922-A086

Batch#: 5961 1953 8092 8047

Cultivation Facility: Tampa Cultivation

Processing Facility: Tampa Processing

Distributor Facility:

Source Facility: Tampa Cultivation

Seed to Sale#: 6761 8896 6075 4929

Batch Date: 01/26/23

Sample Size Received: 25.55 gram

Total Amount: 2428 units

Retail Product Size: .35 gram

Ordered: 02/13/23

Sampled: 02/13/23

Completed: 02/16/23

Sampling Method: SOP.T.20.010

Feb 16, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

14.053%

Total THC/Container: 49.185 mg



Total CBD

0.07%


Total CBD/Container: 0.245 mg



Total Cannabinoids

16.765%

Total Cannabinoids/Container: 58.677 mg



%	0.257	15.732	ND	0.062	0.066	0.03	0.482	0.018	ND	ND	0.102	0.076	15.38	18.348
mg/unit	0.899	55.062	ND	0.217	0.231	0.105	1.687	0.063	ND	ND	0.357	0.266	53.83	64.218
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 53, 1440

Weight:
0.206g

Extraction date:
02/14/23 11:37:43

Extracted by:
3112

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA056096POT
Instrument Used: DA-LC-002
Running on: 02/14/23 11:53:35

Reviewed On: 02/16/23 08:03:28
Batch Date: 02/14/23 09:15:30

Dilution: 400
Reagent: 020723.R05; 071222.01; 020723.R06
Consumables: 239146; CE0123; 12265-115CC; 61633-125C6-125E; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30214009-006
Harvest/Lot ID: ID-PRI-112922-A086

Batch# : 5961 1953 8092
Sample Size Received : 25.55 gram
Total Amount : 2428 units
Sampled : 02/13/23
Completed : 02/16/23
Expires: 02/16/24
Ordered : 02/13/23
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	2.369	0.677		FARNESENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE	0.007	0.406	0.116	
ALPHA-BISABOLOL	0.007	0.21	0.06		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	<0.07	<0.02		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<0.07	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.07	<0.02	
BETA-PINENE	0.007	<0.07	<0.02		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	<0.07	<0.02		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, 53, 1440 Weight: 1.0401g Extraction date: 02/14/23 12:12:10 Extracted by: 2076				
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Reviewed On : 02/16/23 10:19:00				
ALPHA-TERPINENE	0.007	ND	ND		Analytical Batch : DA056098TER Batch Date : 02/14/23 09:19:33				
LIMONENE	0.007	0.168	0.048		Instrument Used : DA-GCMS-004				
EUCALYPTOL	0.007	ND	ND		Running on : 02/15/23 10:18:22				
OCIMENE	0.007	ND	ND		Dilution : 10				
GAMMA-TERPINENE	0.007	ND	ND		Reagent : 120722.10				
SABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TERPINOLENE	0.007	<0.07	<0.02		Pipette : N/A				
FENCHONE	0.007	<0.07	<0.02		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.007	0.199	0.057						
FENCHYL ALCOHOL	0.007	<0.07	<0.02						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.14	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.997	0.285						
Total (%)			0.677						



Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30214009-006
 Harvest/Lot ID: ID-PRI-112922-A086

 Batch# : 5961 1953 8092
 8047
 Sampled : 02/13/23
 Ordered : 02/13/23
 Sample Size Received : 25.55 gram
 Total Amount : 2428 units
 Completed : 02/16/23 Expires: 02/16/24
 Sample Method : SOP.T.20.010

Page 3 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 53, 1440 Weight: 0.9605g Extraction date: 02/14/23 11:38:57 Extracted by: 450,585					
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA056105PES Reviewed On :02/15/23 15:45:30					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES) Batch Date :02/14/23 09:58:38					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Running on :02/14/23 13:06:50					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 021323.R01; 021423.R04; 021323.R14; 020923.R02; 012423.R21; 020823.R01; 040521.11					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9605g Extraction date: 02/14/23 11:38:57 Extracted by: 450,585					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA056107VOL Reviewed On :02/15/23 13:12:55					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-006 Batch Date :02/14/23 10:01:10					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Running on :02/14/23 13:23:30					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 021323.R14; 040521.11; 021023.R34; 021023.R35					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 6697075-02; 14725401					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis



PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30214009-006
Harvest/Lot ID: ID-PRI-112922-A086

Batch# : 5961 1953 8092 **Sample Size Received :** 25.55 gram
 8047 **Total Amount :** 2428 units
Sampled : 02/13/23 **Completed :** 02/16/23 **Expires:** 02/16/24
Ordered : 02/13/23 **Sample Method :** SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	180	PASS	100000						
Analyzed by: 3390, 3621, 53, 1440 Weight: 1.0876g Extraction date: 02/14/23 12:14:11 Extracted by: 3390,3336						Analyzed by: 585, 53, 1440 Weight: 0.9605g Extraction date: 02/14/23 11:38:57 Extracted by: 450,585					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056089MIC Reviewed On : 02/16/23 08:19:07 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 02/14/23 08:28:54 Running on : 02/14/23 12:32:29						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056106MYC Reviewed On : 02/15/23 15:42:08 Instrument Used : N/A Batch Date : 02/14/23 10:01:06 Running on : 02/14/23 13:07:01					
Dilution : N/A Reagent : 012423.R27; 020823.R57 Consumables : 2112100 Pipette : N/A						Dilution : 250 Reagent : 021323.R01; 021423.R04; 021323.R14; 020923.R02; 012423.R21; 020823.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3390, 3621, 585, 1440 Weight: 0.8070g Extraction date: 02/14/23 12:35:49 Extracted by: 3390,3336						Analyzed by: 1022, 53, 1440, 585 Weight: 0.4051g Extraction date: 02/14/23 10:35:17 Extracted by: 3619					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056125TYM Reviewed On : 02/16/23 12:45:52 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 02/14/23 12:15:40 Running on : 02/14/23 13:30:50						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056099HEA Reviewed On : 02/15/23 15:22:24 Instrument Used : DA-ICPMS-003 Batch Date : 02/14/23 09:20:29 Running on : 02/14/23 14:58:47					
Dilution : 10 Reagent : 110822.12; 013123.R21 Consumables : N/A Pipette : N/A						Dilution : 50 Reagent : 012523.R01; 123022.R14; 021023.R29; 020723.R33; 021023.R27; 021023.R28; 012323.R43; 020723.R34; 020123.02 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					


Heavy Metals
PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440, 585 Weight: 0.4051g Extraction date: 02/14/23 10:35:17 Extracted by: 3619					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056099HEA Reviewed On : 02/15/23 15:22:24 Instrument Used : DA-ICPMS-003 Batch Date : 02/14/23 09:20:29 Running on : 02/14/23 14:58:47					
Dilution : 50 Reagent : 012523.R01; 123022.R14; 021023.R29; 020723.R33; 021023.R27; 021023.R28; 012323.R43; 020723.R34; 020123.02 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30214009-006
Harvest/Lot ID: ID-PRI-112922-A086

Batch# : 5961 1953 8092 **Sample Size Received :** 25.55 gram
 8047 **Total Amount :** 2428 units
Sampled : 02/13/23 **Completed :** 02/16/23 **Expires:** 02/16/24
Ordered : 02/13/23 **Sample Method :** SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1	Moisture Content	1	%	8.63	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 2926, 585, 1440	Weight: 0.489g	Extraction date: 02/14/23 13:26:08	Extracted by: 2926		
Analysis Method : SOP.T.40.090						Analysis Method : SOP.T.40.021					
Analytical Batch : DA056179FIL			Reviewed On : 02/15/23 21:53:43			Analytical Batch : DA055993MOI			Reviewed On : 02/15/23 13:31:12		
Instrument Used : Filth/Foreign Material Microscope			Batch Date : 02/15/23 21:45:29			Instrument Used : DA-003 Moisture Analyzer			Batch Date : 02/11/23 15:39:09		
Running on : 02/15/23 21:49:30						Running on : 02/13/23 16:01:56					
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : 101920.06; 020123.02					
Consumables : N/A						Consumables : N/A					
Pipette : N/A						Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.427	PASS	0.65
Analyzed by: 2926, 585, 1440	Weight: 0.505g	Extraction date: 02/14/23 12:16:04		Extracted by: 2926	
Analysis Method : SOP.T.40.019			Reviewed On : 02/15/23 13:32:28 Batch Date : 02/14/23 10:08:02		
Analytical Batch : DA056108WAT					
Instrument Used : DA-028 Rotronic Hygropalm					
Running on : 02/14/23 11:14:49					
Dilution : N/A					
Reagent : 100522.07					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.