



Certificate of Analysis


COMPLIANCE FOR RETAIL


Sample: DA30214009-008
Harvest/Lot ID: 4507 5802 7669 5493
Batch#: 4507 5802 7669 5493
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 2154 9402 9261 2325
Batch Date: 12/08/22
Sample Size Received: 27 gram
Total Amount: 2103 units
Retail Product Size: 1.5 gram
Ordered: 02/13/23
Sampled: 02/13/23
Completed: 02/16/23
Sampling Method: SOP.T.20.010

Feb 16, 2023 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US


PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
12.944%


Total THC/Container : 194.16 mg


Total CBD
0.051%

Total CBD/Container : 0.765 mg


Total Cannabinoids
15.297%

Total Cannabinoids/Container : 229.455 mg


Analyzed by:
3112, 1665, 1440

Weight:
0.1949g

Extraction date:
02/14/23 11:37:43

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA056096POT
 Instrument Used : DA-LC-002
 Running on : 02/14/23 11:53:35

Reviewed On : 02/15/23 17:16:22
 Batch Date : 02/14/23 09:15:30

Dilution : 400
 Reagent : 020723.R05; 071222.01; 020723.R06
 Consumables : 239146; CE0123; 12265-115CC; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30214009-008
Harvest/Lot ID: 4507 5802 7669 5493

Batch# : 4507 5802 7669 5493
Sample Size Received : 27 gram
Total Amount : 2103 units
Completed : 02/16/23 Expires: 02/16/24
Ordered : 02/13/23 Sample Method : SOP.T.20.010

Page 2 of 5



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30214009-008
 Harvest/Lot ID: 4507 5802 7669 5493

 Batch# : 4507 5802 7669 5493
 Sample Size Received : 27 gram
 Total Amount : 2103 units
 Completed : 02/16/23 Expires: 02/16/24
 Ordered : 02/13/23
 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 53, 1440	Weight: 1.1374g	Extraction date: 02/14/23 11:38:58	Extracted by: 450,585		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056105PES			Reviewed On : 02/15/23 15:45:32		
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 02/14/23 09:58:38		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Running on : 02/14/23 13:06:50					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 021323.R01; 021423.R04; 021323.R14; 020923.R02; 012423.R21; 020823.R01; 040521.11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.1374g	Extraction date: 02/14/23 11:38:58	Extracted by: 450,585		
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056107VOL			Reviewed On : 02/15/23 13:12:58		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 02/14/23 10:01:10		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Running on : 02/14/23 13:23:30					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	0.2	PASS	ND	Reagent : 021323.R14; 040521.11; 021023.R34; 021023.R35					
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30214009-008
 Harvest/Lot ID: 4507 5802 7669 5493

 Batch# : 4507 5802 7669 5493
 Sample Size Received : 27 gram
 Total Amount : 2103 units
 Completed : 02/16/23 Expires: 02/16/24
 Ordered : 02/13/23 Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	30	PASS	100000						
Analyzed by: 3390, 3621, 53, 1440 Weight: 0.9801g Extraction date: 02/14/23 12:14:12 Extracted by: 3390, 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056089MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/14/23 12:32:29 Dilution : N/A Reagent : 012423.R27; 020823.R57 Consumables : 2112100 Pipette : N/A						Analyzed by: 585, 53, 1440 Weight: 1.1374g Extraction date: 02/14/23 11:38:58 Extracted by: 450, 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056106MYC Instrument Used : N/A Running on : 02/14/23 13:07:01 Dilution : 250 Reagent : 021323.R01; 021423.R04; 021323.R14; 020923.R02; 012423.R21; 020823.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3390, 3621, 585, 1440 Weight: 0.9947g Extraction date: 02/14/23 12:35:48 Extracted by: 3390, 3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056125TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 02/14/23 13:30:50 Dilution : 10 Reagent : 110822.12; 013123.R21 Consumables : N/A Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	<0.1	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 53, 1440, 585 Weight: 0.4404g Extraction date: 02/14/23 10:02:59 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056099HEA Instrument Used : DA-ICPMS-003 Running on : 02/14/23 14:58:47 Dilution : 50 Reagent : 012523.R01; 123022.R14; 021023.R29; 020723.R33; 021023.R27; 021023.R28; 012323.R43; 020723.R34; 020123.02 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30214009-008

Harvest/Lot ID: 4507 5802 7669 5493

Batch# : 4507 5802 7669 5493

Sampled : 02/13/23

Ordered : 02/13/23

Sample Size Received : 27 gram

Total Amount : 2103 units

Completed : 02/16/23 **Expires:** 02/16/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA056179FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : 02/15/23 21:49:30

Reviewed On : 02/15/23 21:53:45
Batch Date : 02/15/23 21:45:29

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.454	PASS	0.65

Analyzed by: 2926, 585, 1440	Weight: 0.766g	Extraction date: 02/14/23 12:16:04	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA056108WAT
Instrument Used : DA-028 Rotronic HygroPalm
Running on : 02/14/23 11:14:49

Reviewed On : 02/15/23 13:32:30
Batch Date : 02/14/23 10:08:02

Dilution : N/A
Reagent : 100522.07
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	9.29	PASS	15

Analyzed by: 2926, 585, 1440	Weight: 0.495g	Extraction date: 02/14/23 13:26:08	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.021
Analytical Batch : DA055993MOI
Instrument Used : DA-003 Moisture Analyzer
Running on : 02/13/23 16:01:56

Reviewed On : 02/15/23 13:31:14
Batch Date : 02/11/23 15:39:09

Dilution : N/A
Reagent : 101920.06; 020123.02
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.