



Certificate of Analysis











COMPLIANCE FOR RETAIL
Sample: DA30214009-009
Harvest/Lot ID: HYB-EMO-120622-A087
Batch#: 4038 0965 8347 7916
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 7754 0809 1114 7056
Batch Date: 12/01/22
Sample Size Received: 27 gram
Total Amount: 1848 units
Retail Product Size: 1.5 gram
Ordered: 02/13/23
Sampled: 02/13/23
Completed: 02/16/23
Sampling Method: SOP.T.20.010

Feb 16, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents NOT TESTED	Filtration PASSED	Water Activity PASSED	Moisture PASSED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 3112, 1665, 1440 Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA056096POT Instrument Used: DA-LC-002 Running on: 02/14/23 11:53:35	Weight: 0.1941g	Extraction date: 02/14/23 11:37:44	Extracted by: 3112
Dilution: 400 Reagent: 020723.R05; 071222.01; 020723.R06 Consumables: 239146; CE0123; 12265-115CC; 61633-125C6-125E; R1KB14270 Pipette: DA-079; DA-108; DA-078	Reviewed On: 02/15/23 17:21:23 Batch Date: 02/14/23 09:15:30		

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30214009-009

Harvest/Lot ID: HYB-EMO-120622-A087

Batch# : 4038 0965 8347
7916

Sampled : 02/13/23
Ordered : 02/13/23

Sample Size Received : 27 gram

Total Amount : 1848 units

Completed : 02/16/23 Expires: 02/16/24

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)									
TOTAL TERPENES	0.007	3.9	0.26		FARNESENE	0.007	ND	ND										
TOTAL TERPINEOL	0.007	<0.3	<0.02		ALPHA-HUMULENE	0.007	0.45	0.03										
ALPHA-BISABOLOL	0.007	0.315	0.021		VALENCENE	0.007	ND	ND										
ALPHA-PINENE	0.007	<0.3	<0.02		CIS-NEROLIDOL	0.007	ND	ND										
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND										
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.3	<0.02										
BETA-PINENE	0.007	<0.3	<0.02		GUAIOL	0.007	ND	ND										
BETA-MYRCENE	0.007	<0.3	<0.02		CEDROL	0.007	ND	ND										
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, 53, 1440				Weight: 1.0522g		Extraction date: 02/14/23 12:12:11		Extracted by: 2076					
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				Reviewed On : 02/16/23 10:20:22									
ALPHA-TERPINENE	0.007	ND	ND		Analytical Batch : DA056098TER				Instrument Used : DA-GCMS-004									
LIMONENE	0.007	0.465	0.031		Running on : 02/15/23 10:18:22				Batch Date : 02/14/23 09:19:33									
EUCALYPTOL	0.007	ND	ND		Dilution : 10													
OCIMENE	0.007	ND	ND		Reagent : 120722.10													
GAMMA-TERPINENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270													
SABINENE HYDRATE	0.007	ND	ND		Pipette : N/A													
TERPINOLENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.													
FENCHONE	0.007	<0.3	<0.02															
LINALOOL	0.007	0.66	0.044															
FENCHYL ALCOHOL	0.007	0.345	0.023															
ISOPULEGOL	0.007	ND	ND															
CAMPHOR	0.013	ND	ND															
ISOBORNEOL	0.007	ND	ND															
BORNEOL	0.013	ND	ND															
HEXAHYDROTHYMOL	0.007	ND	ND															
NEROL	0.007	ND	ND															
PULEGONE	0.007	ND	ND															
GERANIOL	0.007	<0.3	<0.02															
GERANYL ACETATE	0.007	ND	ND															
ALPHA-CEDRENE	0.007	ND	ND															
BETA-CARYOPHYLLENE	0.007	1.155	0.077															
Total (%)			0.26															



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30214009-009

Harvest/Lot ID: HYB-EMO-120622-A087

 Batch# : 4038 0965 8347
 7916

 Sampled : 02/13/23
 Ordered : 02/13/23

Sample Size Received : 27 gram

Total Amount : 1848 units

Completed : 02/16/23 Expires: 02/16/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 53, 1440	Weight: 1.0511g	Extraction date: 02/14/23 11:38:58	Extracted by: 450,585		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056105PES				Reviewed On : 02/15/23 15:45:36	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 02/14/23 09:58:38	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Running on : 02/14/23 13:06:50					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 021323.R01; 021423.R04; 021323.R14; 020923.R02; 012423.R21; 020823.R01; 040521.11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.0511g	Extraction date: 02/14/23 11:38:58	Extracted by: 450,585		
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056107VOL				Reviewed On : 02/15/23 13:12:59	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006				Batch Date : 02/14/23 10:01:10	
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Running on : 02/14/23 13:23:30					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	0.2	PASS	ND	Reagent : 021323.R14; 040521.11; 021023.R34; 021023.R35					
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30214009-009

Harvest/Lot ID: HYB-EMO-120622-A087

 Batch# : 4038 0965 8347
 7916

 Sampled : 02/13/23
 Ordered : 02/13/23




Sample Size Received : 27 gram

Total Amount : 1848 units

Completed : 02/16/23 Expires: 02/16/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	180	PASS	100000						
Analyzed by: 3390, 3621, 53, 1440 Weight: 0.8964g Extraction date: 02/14/23 12:09:45 Extracted by: 3390, 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056093MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/14/23 12:32:32 Dilution : N/A Reagent : 012423.R27; 020823.R57 Consumables : 500124 Pipette : N/A						Analyzed by: 585, 53, 1440 Weight: 1.0511g Extraction date: 02/14/23 11:38:58 Extracted by: 450, 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056106MYC Instrument Used : N/A Running on : 02/14/23 13:07:01 Dilution : 250 Reagent : 021323.R01; 021423.R04; 021323.R14; 020923.R02; 012423.R21; 020823.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3390, 3621, 585, 1440 Weight: 0.9075g Extraction date: 02/14/23 12:32:36 Extracted by: 3390, 3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056124TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 02/14/23 13:30:51 Dilution : 10 Reagent : 110822.12; 013123.R21 Consumables : N/A Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	<0.1	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	<0.25	PASS	0.5						
Analyzed by: 1022, 53, 1440, 585 Weight: 0.4682g Extraction date: 02/14/23 09:52:03 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056099HEA Instrument Used : DA-ICPMS-003 Running on : 02/14/23 14:58:47 Dilution : 50 Reagent : 012523.R01; 123022.R14; 021023.R29; 020723.R33; 021023.R27; 021023.R28; 012323.R43; 020723.R34; 020123.02 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30214009-009

Harvest/Lot ID: HYB-EMO-120622-A087

Batch# : 4038 0965 8347
 7916

Sampled : 02/13/23

Ordered : 02/13/23

Sample Size Received : 27 gram

Total Amount : 1848 units

Completed : 02/16/23 **Expires:** 02/16/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA056179FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : 02/15/23 21:49:30

Reviewed On : 02/15/23 21:53:46
Batch Date : 02/15/23 21:45:29

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.492	PASS	0.65

Analyzed by: 2926, 585, 1440	Weight: 0.794g	Extraction date: 02/14/23 12:16:04	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA056108WAT
Instrument Used : DA-028 Rotronic HygroPalm
Running on : 02/14/23 11:14:49

Reviewed On : 02/15/23 13:32:31
Batch Date : 02/14/23 10:08:02

Dilution : N/A
Reagent : 100522.07
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	6.94	PASS	15

Analyzed by: 2926, 585, 1440	Weight: 0.498g	Extraction date: 02/14/23 13:26:08	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.021
Analytical Batch : DA055993MOI
Instrument Used : DA-003 Moisture Analyzer
Running on : 02/13/23 16:01:56

Reviewed On : 02/15/23 13:31:15
Batch Date : 02/11/23 15:39:09

Dilution : N/A
Reagent : 101920.06; 020123.02
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.