

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%) Miami VIbes



Matrix: Derivative

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30214009-011 Harvest/Lot ID: 0588 1770 1627 6439

Batch#: 0588 1770 1627 6439

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Distributor Facility:

Source Facility: Tampa Cultivation Seed to Sale# 0608 2798 3120 6292

Batch Date: 12/29/22

Sample Size Received: 16 gram

Total Amount: 1453 units Retail Product Size: 1 gram

> **Ordered**: 02/13/23 Sampled: 02/13/23

Completed: 02/16/23

Sampling Method: SOP.T.20.010

PASSED

Feb 16, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS





Pesticides





Heavy Metals PASSED



Microbials



Mycotoxins



PASSED



Filth



Water Activity

PASSED





NOT TESTED



MISC.

PASSED



Cannabinoid

Total THC

Total THC/Container: 897.14 mg

89.714%



Total CBD 0.326%

Total CBD/Container: 3.26 mg



Total Cannabinoids

Total Cannabinoids/Container: 957.38



					_			- 1			
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
0	89.63	0.096	0.308	0.021	0.354	2.058	0.055	1	1.061	ND	1.155
ng/unit	896.3	0.96	3.08	0.21	3.54	20.58	0.55	10	10.61	ND	11.55
OD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 1665, 3605, 1440 Analysis Method: SOP.T.40.031. SOP.T.30.031

Analytical Batch: DA056095POT Instrument Used: DA-LC-007 Running on: 02/14/23 11:53:21

Reviewed On: 02/15/23 09:44:29

Dilution: 400

LO

Dilution 1:400
Reagent: 020723.R04; 070121.27; 020723.R02
Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette: DA-079; DA-108; DA-078

Weight: 0.1015g

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/16/23



Miami Vibes Cartridge Concentrate 1g (90%)

Miami VIbes Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266

DAVIE, FL, 33314, US

Sample : DA30214009-011 Harvest/Lot ID: 0588 1770 1627 6439

Batch#: 0588 1770 1627

Sampled: 02/13/23 Ordered: 02/13/23

Sample Size Received: 16 gram Total Amount: 1453 units Completed: 02/16/23 Expires: 02/16/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/un	nit % Re	esult (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	17.44	1.744		FARNESENE		0.007	ND	ND		
OTAL TERPINEOL	0.007	< 0.2	< 0.02		ALPHA-HUMULENE		0.007	0.61	0.061		
PHA-BISABOLOL	0.007	0.44	0.044		VALENCENE		0.007	ND	ND		
LPHA-PINENE	0.007	0.64	0.064		CIS-NEROLIDOL		0.007	ND	ND		
AMPHENE	0.007	< 0.2	< 0.02		TRANS-NEROLIDOL		0.007	0.66	0.066		
ABINENE	0.007	0.61	0.061		CARYOPHYLLENE OXIDE		0.007	ND	ND		
ETA-PINENE	0.007	0.52	0.052		GUAIOL		0.007	0.51	0.051		
ETA-MYRCENE	0.007	1.41	0.141		CEDROL		0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	0.53	0.053		Analyzed by:	Weight:		Extraction dat	e:		Extracted by:
-CARENE	0.007	< 0.2	< 0.02		2076, 53, 1440	1.0472g		02/14/23 12:4	7:58		3702
LPHA-TERPINENE	0.007	0.45	0.045		Analysis Method: SOP.T.30		.FL				
MONENE	0.007	0.89	0.089		Analytical Batch : DA05609 Instrument Used : DA-GCM					2/16/23 07:45:51	
JCALYPTOL	0.007	ND	ND		Running on : 02/15/23 20:1			batth	Date: 02/	14/23 09.10.40	
CIMENE	0.007	1.32	0.132		Dilution: 10						
AMMA-TERPINENE	0.007	0.32	0.032		Reagent: 120722.10						
ABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634;	; MKCN9995; CE0123; R1	KB14270				
ERPINOLENE	0.007	5.73	0.573		Pipette : N/A		-1.7				
ENCHONE	0.007	ND	ND		Terpenoid testing is performed	utilizing Gas Chromatograpi	ny Mass Spec	trometry. For all F	-lower samp	oles, the Total Terpenes	% is dry-weight correcte
NALOOL	0.007	< 0.2	< 0.02								
NCHYL ALCOHOL	0.007	0.62	0.062								
DPULEGOL	0.007	< 0.2	< 0.02								
MPHOR	0.013	1.07	0.107								
OBORNEOL	0.007	ND	ND								
ORNEOL	0.013	ND	ND								
EXAHYDROTHYMOL	0.007	ND	ND								
EROL	0.007	ND	ND								
ULEGONE	0.007	0.43	0.043								
ERANIOL	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
LPHA-CEDRENE	0.007	ND	ND								
ETA-CARYOPHYLLENE	0.007	0.68	0.068								
otal (%)			1.744								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/16/23



Miami Vibes Cartridge Concentrate 1g (90%)

Miami VIbes Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266

DAVIE, FL, 33314, US

Sample : DA30214009-011 Harvest/Lot ID: 0588 1770 1627 6439

Batch#: 0588 1770 1627

Sampled: 02/13/23 Ordered: 02/13/23

Sample Size Received: 16 gram Total Amount: 1453 units Completed: 02/16/23 Expires: 02/16/24 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OVARWI	0.01	ppm	Level 0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	OXAMYL					
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
CEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
CEOUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND					PASS	
FENTHRIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1		ND
DSCALID	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB)	0.01	PPM	0.15	PASS	ND
HLORMEOUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND			PPM	0.5	PASS	
CHLORVOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPIVI	0.5	PASS	ND
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:		tion date:	/ \	Extracted	by:
HOPROPHOS	0.01	ppm	0.1	PASS	ND	585, 3379, 1440 0.2089g		23 13:27:57		585,450	
OFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL (Gain SOP.T.40.102.FL (Davie)	esville), SOP.	1.30.102.FL	(Davie), SOP	.1.40.101.FL (Gainesviii
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056102PES		Reviewed	On:02/15/2	3 13.07.27	
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			te:02/14/23		
NOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 02/14/23 13:06:57					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250					
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 021323.R01; 021423.R04; 021	323.R14; 020	923.R02; 0	12423.R21; 0	20823.R01; 04	10521.11
ONICAMID	0.01	ppm	0.1	PASS	ND	Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219					
UDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed		d Character		D	
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S. Rule 6		u Chromato	graphy imple-	диаці проїе іма	55
IAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weig		traction da	te.	Extracte	d hv
IIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 3379, 1440, 585 0.208		/14/23 13:2		585,450	u by.
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.151.FL (Gain-	esville), SOP.	T.30.151A.F	L (Davie), SO	P.T.40.151.FL	
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA056104VOL	R	eviewed O	n:02/15/23 1	.0:37:24	
ETALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006	В	atch Date	:02/14/23 09:	58:26	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Running on : 02/14/23 13:29:06					
ETHOMYL	0.01	ppm	0.1	PASS	ND	Dilution: 250	22 024, 0210	22 025			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent: 021323.R14; 040521.11; 0210; Consumables: 6697075-02; 14725401	23.R34; U210	Z3.K33			
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080: DA-146: DA-218					
		F P	0.2								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/16/23



Miami Vibes Cartridge Concentrate 1g (90%)

Miami VIbes Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266

DAVIE, FL, 33314, US

Sample : DA30214009-011 Harvest/Lot ID: 0588 1770 1627 6439

Batch#: 0588 1770 1627

Sampled: 02/13/23 Ordered: 02/13/23

Sample Size Received: 16 gram Total Amount: 1453 units Completed: 02/16/23 Expires: 02/16/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0265g	Extraction date: 02/15/23 14:02:		//	Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA056131SOL Instrument Used : DA-GCMS-003

Running on : 02/15/23 14:13:48

Reviewed On: 02/15/23 14:50:24 Batch Date: 02/14/23 15:36:33

Reagent: 030420.09 Consumables: 27296; KF140 Pipette: DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/16/23



Miami Vibes Cartridge Concentrate 1g (90%)

Miami VIbes Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266

DAVIE, FL, 33314, US

Sample: DA30214009-011 Harvest/Lot ID: 0588 1770 1627 6439

Batch#: 0588 1770 1627

Sampled: 02/13/23 Ordered: 02/13/23

Sample Size Received: 16 gram Total Amount: 1453 units Completed: 02/16/23 Expires: 02/16/24 Sample Method: SOP.T.20.010

Page 5 of 6

Reviewed On: 02/15/23 13:06:24

Batch Date: 02/14/23 09:58:23



Microbial

3390,3336

Batch Date: 02/14/23 09:08:27



Mycotoxins

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Amelian d land	ulata Par	tone add a seal of a		Fratura stand	teda /

Analyzed by: 3390, 3621, 53, 1440 0.948g 02/14/23 12:09:45 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA056093MIC Reviewed On : 02/16/23 08:23:09

Instrument Used: DA-265 Gene-UP RTPCR **Running on :** 02/14/23 12:32:32

Dilution : N/A

Reagent: 012423.R27; 020823.R57 Consumables: 500124

Pipette: N/A

Analyzed by: 3390, 3621, 585, 1440	Weight: 1.073g	Extraction date: 02/14/23 12:32:33	Extracted by: 3390,3336
	0.10.1	\	

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch: DA056124TYM Reviewe Reviewed On: 02/16/23 12:50:34

Instrument Used : Incubator (25-27C) DA-097

Batch Date: 02/14/23 12:10:03 **Running on:** 02/14/23 13:30:51

Dilution: 10

Reagent: 110822.12; 013123.R21

Consumables: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: Weight: 585, 3379, 1440 0.2089g		Extraction day 02/14/23 13:2		xtracted 85,450	by:	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch: DA056103MYC

Instrument Used: N/A Running on: 02/14/23 13:07:02

Dilution: 250

Reagent: 021323.R01; 021423.R04; 021323.R14; 020923.R02; 012423.R21; 020823.R01; 040521.11

Consumables: 6697075-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD	METALS	0.11	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2	
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.05	ppm	ND	PASS	0.5
Analyzed by: Weight: 0.4672g		Extraction 02/14/23			Extracte 3619	d by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA056100HEA Instrument Used : DA-ICPMS-003 Running on: 02/14/23 14:58:34

Reviewed On: 02/15/23 15:40:13 Batch Date: 02/14/23 09:30:23

Reagent: 012523.R01; 123022.R14; 021023.R29; 020723.R33; 021023.R27; 021023.R28;

012323.R43; 020723.R34; 020123.02 Consumables: 179436: 210508058: 210803-059

Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/16/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami VIbes Matrix : Derivative

Page 6 of 6



PASSED

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30214009-011 Harvest/Lot ID: 0588 1770 1627 6439

Reviewed On: 02/15/23 21:54:33

Batch Date: 02/15/23 21:46:00

Reviewed On: 02/15/23 13:32:32

Batch Date: 02/14/23 10:10:29

Batch#: 0588 1770 1627

Sampled: 02/13/23 Ordered: 02/13/23

Sample Size Received: 16 gram Total Amount: 1453 units Completed: 02/16/23 Expires: 02/16/24 Sample Method: SOP.T.20.010

Filth/Foreign **Material**

Analyte Units **Action Level** Filth and Foreign Material PASS 0.5 % ND Analyzed by: **Extraction date:** Extracted by:

Weight: 1879, 1440

Analysis Method: SOP.T.40.090 Analytical Batch : DA056181FIL

Instrument Used: Filth/Foreign Material Microscope

Running on: 02/15/23 21:49:25

Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	LOD	Units	Result	P/F	Action Leve
Water Activity	0.1	aw	0.451	PASS	0.85

Extraction date: Extracted by: Analyzed by: 2926, 585, 1440 0.568g 02/14/23 12:11:52

Analysis Method: SOP.T.40.019 Analytical Batch : DA056111WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on: 02/14/23 11:14:37

Reagent: 100522.07 Consumables: PS-14

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/16/23