



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30217002-004
Harvest/Lot ID: 2952 0105 4029 0858
Batch#: 2961 6216 8987 8812
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 2952 0105 4029 0858
Batch Date: 01/31/23
Sample Size Received: 16 gram
Total Amount: 996 units
Retail Product Size: 1 gram
Ordered: 02/16/23
Sampled: 02/16/23
Completed: 02/20/23
Sampling Method: SOP.T.20.010

Feb 20, 2023 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

78.119%

Total THC/Container : 781.19 mg



Total CBD

0.293%

Total CBD/Container : 2.93 mg




Total Cannabinoids

84.696%

Total Cannabinoids/Container : 846.96 mg



D9-THC
77.681
 mg/unit
776.81
 LOD
0.001
 %



THCA
0.5
 mg/unit
5
 LOD
0.001
 %



CBD
0.293
 mg/unit
2.93
 LOD
0.001
 %



CBDA
ND
 mg/unit
ND
 LOD
0.001
 %



D8-THC
0.178
 mg/unit
1.78
 LOD
0.001
 %



CBG
2.093
 mg/unit
20.93
 LOD
0.001
 %



CBGA
0.113
 mg/unit
1.13
 LOD
0.001
 %



CBN
1.82
 mg/unit
18.2
 LOD
0.001
 %



THCV
0.555
 mg/unit
5.55
 LOD
0.001
 %



CBDV
ND
 mg/unit
ND
 LOD
0.001
 %



CBC
1.463
 mg/unit
14.63
 LOD
0.001
 %

Analyzed by:
 3112, 1665, 53, 1440

Weight:
 0.1045g

Extraction date:
 02/17/23 10:38:45

Extracted by:
 2076,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA056254POT
 Instrument Used : DA-LC-007
 Running on : 02/17/23 11:37:30

Reviewed On : 02/20/23 15:29:52
 Batch Date : 02/17/23 08:03:38

Dilution : 400
 Reagent : 021623.R04; 071222.01; 021623.R02
 Consumables : 239146; 280670723; CE123; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30217002-004
 Harvest/Lot ID: 2952 0105 4029 0858

 Batch# : 2961 6216 8987 Sample Size Received : 16 gram
 8812 Total Amount : 996 units
 Sampled : 02/16/23 Completed : 02/20/23 Expires: 02/20/24
 Ordered : 02/16/23 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	31.18	3.118		FARNESENE	0	0.84	0.084	
TOTAL TERPINEOL	0.007	0.62	0.062		ALPHA-HUMULENE	0.007	3.76	0.376	
ALPHA-BISABOLOL	0.007	4.76	0.476		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.24	0.024		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	1.05	0.105	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.58	0.058	
BETA-PINENE	0.007	0.27	0.027		GUAIOL	0.007	0.27	0.027	
BETA-MYRCENE	0.007	1.09	0.109		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.31	0.031		<div>Analyzed by: 2076, 53, 1440Weight: 1.0604gExtraction date: 02/17/23 14:40:47Extracted by: 2076</div>				
3-CARENE	0.007	<0.2	<0.02		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLReviewed On : 02/20/23 15:18:21</div>				
ALPHA-TERPINENE	0.007	<0.2	<0.02		<div>Analytical Batch : DA056271TERBatch Date : 02/17/23 10:06:29</div>				
LIMONENE	0.007	0.75	0.075		<div>Instrument Used : DA-GCMS-005Running on : 02/17/23 14:56:22</div>				
EUCALYPTOL	0.007	ND	ND		<div>Dilution : 10</div>				
OCIMENE	0.007	1.66	0.166		<div>Reagent : 120722.09</div>				
GAMMA-TERPINENE	0.007	<0.2	<0.02		<div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div>				
SABINENE HYDRATE	0.007	<0.2	<0.02		<div>Pipette : N/A</div>				
TERPINOLENE	0.007	3.61	0.361		<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.83	0.083						
FENCHYL ALCOHOL	0.007	0.54	0.054						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	<0.2	<0.02						
BETA-CARYOPHYLLENE	0.007	10	1						
Total (%)			3.118						



Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30217002-004
 Harvest/Lot ID: 2952 0105 4029 0858

 Batch# : 2961 6216 8987 Sample Size Received : 16 gram
 8812 Total Amount : 996 units
 Sampled : 02/16/23 Completed : 02/20/23 Expires: 02/20/24
 Ordered : 02/16/23 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 53, 1440 Weight: 0.2485g Extraction date: 02/17/23 12:33:33 Extracted by: 585					
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056265PES Reviewed On : 02/20/23 17:05:41					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES) Batch Date : 02/17/23 09:25:35					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Running on : 02/17/23 12:51:36					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 021323.R01; 021423.R04; 021623.R32; 012423.R21; 021523.R01; 040521.11					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 53, 1440, 585 Weight: 0.2485g Extraction date: 02/17/23 12:33:33 Extracted by: 585					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056267VOL Reviewed On : 02/20/23 12:35:18					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006 Batch Date : 02/17/23 09:27:18					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 021323.R01; 021423.R04; 021623.R32; 012423.R21; 021523.R01; 040521.11					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 6697075-02					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30217002-004
Harvest/Lot ID: 2952 0105 4029 0858

Batch# : 2961 6216 8987
Sample Size Received : 16 gram
Total Amount : 996 units
Completed : 02/20/23 **Expires:** 02/20/24
Ordered : 02/16/23 **Sample Method :** SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.0288g

Extraction date:
 02/20/23 16:46:22

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA056303SOL
Instrument Used : DA-GCMS-002
Running on : 02/20/23 17:39:14

Reviewed On : 02/20/23 17:55:36
Batch Date : 02/17/23 14:10:52

Dilution : 1
Reagent : 030420.09
Consumables : 27296; KF140
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30217002-004
 Harvest/Lot ID: 2952 0105 4029 0858

 Batch# : 2961 6216 8987 Sample Size Received : 16 gram
 8812 Total Amount : 996 units
 Sampled : 02/16/23 Completed : 02/20/23 Expires: 02/20/24
 Ordered : 02/16/23 Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 585, 53, 1440	Weight: 0.2485g	Extraction date: 02/17/23 12:33:33	Extracted by: 585		
Analyzed by: 3621, 53, 1440	Weight: 0.9554g	Extraction date: 02/17/23 10:27:51	Extracted by: 3336,3621			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA056266MYC					
Analytical Batch : DA056256MIC						Instrument Used : N/A					
Instrument Used : DA-265 Gene-UP RTPCR						Running on : 02/17/23 12:51:46					
Running on : 02/17/23 10:53:24						Dilution : 250					
Dilution : N/A						Reagent : 021323.R01; 021423.R04; 021623.R32; 012423.R21; 021523.R01; 040521.11					
Reagent : 012423.R27; 020823.R57						Consumables : 6697075-02					
Consumables : 500124						Pipette : DA-093; DA-094; DA-219					
Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyzed by: 3390, 3702, 53, 1440	Weight: 0.9885g	Extraction date: 02/17/23 10:34:36	Extracted by: 3336,3621,3390
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			
Analytical Batch : DA056273TYM			
Instrument Used : Incubator (25-27C) DA-097			
Running on : 02/17/23 11:25:53			
Dilution : 10			
Reagent : 021623.10; 013123.R21			
Consumables : N/A			
Pipette : N/A			
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.			

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440, 585	Weight: 0.5072g	Extraction date: 02/17/23 10:03:16	Extracted by: 3619		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA056258HEA					
Instrument Used : DA-ICPMS-003					
Running on : 02/17/23 14:42:24					
Dilution : 50					
Reagent : 012523.R01; 123022.R14; 021023.R29; 021523.R47; 021023.R27; 021023.R28; 021423.R08; 020723.R34; 020123.02					
Consumables : 179436; 210508058; 210803-059					
Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30217002-004
Harvest/Lot ID: 2952 0105 4029 0858

Batch# : 2961 6216 8987
Sample Size Received : 16 gram
Total Amount : 996 units
Completed : 02/20/23 **Expires:** 02/20/24
Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090 Analytical Batch : DA056296FIL Instrument Used : Filth/Foreign Material Microscope Running on : 02/17/23 13:02:19	Reviewed On : 02/17/23 13:08:49 Batch Date : 02/17/23 12:34:27
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.502	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.524g	Extraction date: 02/17/23 11:23:40	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019 Analytical Batch : DA056268WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 02/17/23 10:27:09	Reviewed On : 02/20/23 16:05:43 Batch Date : 02/17/23 09:48:47
---	---

Dilution : N/A
Reagent : 100522.07
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.