



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30218004-006
Harvest/Lot ID: 9119 5537 5522 0836
Batch#: 7894 5226 9440 6470
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 9119 5537 5522 0836
Batch Date: 12/27/22
Sample Size Received: 31 gram
Total Amount: 2894 units
Retail Product Size: 0.5 gram
Ordered: 02/17/23
Sampled: 02/17/23
Completed: 02/21/23
Sampling Method: SOP.T.20.010
Feb 21, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED
Pages 1 of 6
PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
88.249%
Total THC/Container: 441.245 mg

Total CBD
0.278%
Total CBD/Container: 1.39 mg

Total Cannabinoids
93.974%
Total Cannabinoids/Container: 469.87 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.189	0.069	0.278	ND	0.296	2.191	ND	1.281	0.724	ND	0.946
mg/unit	440.945	0.345	1.39	ND	1.48	10.955	ND	6.405	3.62	ND	4.73
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1879, 53

Weight:
0.1126g

Extraction date:
02/20/23 13:12:54

Extracted by:
1665

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA056344POT
Instrument Used: DA-LC-007
Running on: 02/20/23 13:18:55

Reviewed On: 02/21/23 11:34:10
Batch Date: 02/19/23 01:29:00

Dilution: 400
Reagent: N/A
Consumables: N/A
Pipette: N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30218004-006
Harvest/Lot ID: 9119 5537 5522 0836

Batch# : 7894 5226 9440 Sample Size Received : 31 gram
6470 Total Amount : 2894 units
Sampled : 02/17/23 Completed : 02/21/23 Expires: 02/21/24
Ordered : 02/17/23 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	9.2	1.84		FARNESENE	0	0.14	0.028	
TOTAL TERPINEOL	0.007	0.165	0.033		ALPHA-HUMULENE	0.007	0.56	0.112	
ALPHA-BISABOLOL	0.007	<0.1	<0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.21	0.042		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.1	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.1	<0.02	
BETA-PINENE	0.007	0.305	0.061		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.745	0.349		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, 585, 1879</div> <div>Weight: 0.9537g</div> <div>Extraction date: 02/19/23 13:49:29</div> <div>Extracted by: 1879, 2076</div>				
3-CARENE	0.007	ND	ND			<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div> <div>Analytical Batch : DA056349TER</div> <div>Instrument Used : DA-GCMS-005</div> <div>Running on : 02/20/23 09:57:08</div>			
ALPHA-TERPINENE	0.007	ND	ND				<div>Dilution : 10</div> <div>Reagent : 120722.09</div> <div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270; 239146</div> <div>Pipette : N/A</div>		
LIMONENE	0.007	2.235	0.447					<div>Reviewed On : 02/21/23 11:34:10</div> <div>Batch Date : 02/19/23 11:52:11</div>	
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	<0.1	<0.02						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	0.135	0.027						
FENCHONE	0.007	<0.1	<0.02						
LINALOOL	0.007	0.905	0.181						
FENCHYL ALCOHOL	0.007	0.435	0.087						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.2	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	<0.1	<0.02						
BETA-CARYOPHYLLENE	0.007	2.365	0.473						
Total (%)			1.84						



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30218004-006
 Harvest/Lot ID: 9119 5537 5522 0836

 Batch# : 7894 5226 9440 Sample Size Received : 31 gram
 6470 Total Amount : 2894 units
 Sampled : 02/17/23 Completed : 02/21/23 Expires: 02/21/24
 Ordered : 02/17/23 Sample Method : SOP.T.20.010

Page 3 of 6

<div>  Pesticides </div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 53, 1879	0.272g	02/20/23 13:49:46	585,450		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA056350PES			Reviewed On :02/21/23 11:15:49		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date :02/19/23 15:01:01		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on :02/20/23 15:44:48					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 021423.R04; 021623.R32; 012423.R21; 021523.R01; 040521.11; 022023.R01; 022023.R02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1879, 53	0.272g	02/20/23 13:49:46	585,450		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA056352VOL			Reviewed On :02/21/23 11:14:57		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used :DA-GCMS-001			Batch Date :02/19/23 15:03:30		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on :02/20/23 16:00:00					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 021623.R32; 040521.11; 021023.R34; 021023.R35					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30218004-006

Harvest/Lot ID: 9119 5537 5522 0836

Batch# : 7894 5226 9440 6470

Sampled : 02/17/23

Ordered : 02/17/23

Sample Size Received : 31 gram

Total Amount : 2894 units

Completed : 02/21/23 **Expires:** 02/21/24

Sample Method : SOP.T.20.010

Page 4 of 8



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1879, 53

Weight:
 0.0241g

Extraction date:
 02/19/23 18:09:33

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA056367SOL

Instrument Used : DA-GCMS-002

Running on : 02/21/23 13:55:34

Reviewed On : 02/21/23 15:20:40

Batch Date : 02/19/23 16:26:12

Dilution : 1

Reagent : 030420.09

Consumables : 27296; G201.062

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30218004-006

Harvest/Lot ID: 9119 5537 5522 0836

Batch# : 7894 5226 9440 6470

Sampled : 02/17/23

Ordered : 02/17/23

Sample Size Received : 31 gram

Total Amount : 2894 units

Completed : 02/21/23 **Expires:** 02/21/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
-----------------------------------------------------------------------------------	------------------	---------------	-----------------------------------------------------------------------------------	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3336, 3621, 585, 1879 Weight: 0.96g Extraction date: 02/18/23 16:20:29 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056317MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/20/23 15:05:31 Dilution : N/A Reagent : 012423.R27; 021423.R36 Consumables : 500124 Pipette : N/A					

Analyzed by: 3621, 585, 1879	Weight: 0.969g	Extraction date: 02/18/23 16:24:16	Extracted by: 3621
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056321TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 02/18/23 17:04:00 Dilution : 10 Reagent : 110822.17; 013123.R21 Consumables : N/A Pipette : N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 585, 3379, 53, 1879 Weight: 0.272g Extraction date: 02/20/23 13:49:46 Extracted by: 585,450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056351MYC Instrument Used : N/A Running on : 02/20/23 15:44:54 Dilution : 250 Reagent : 021423.R04; 021623.R32; 012423.R21; 021523.R01; 040521.11; 022023.R01; 022023.R02 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
-------------------------------------------------------------------------------------	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5

Analyzed by: 1022, 53, 1879	Weight: 0.4558g	Extraction date: 02/20/23 07:53:12	Extracted by: 1022,3619
------------------------------------	------------------------	-------------------------------------------	--------------------------------

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056364HEA Instrument Used : DA-ICPMS-003 Running on : 02/21/23 10:13:37			
Reviewed On : 02/21/23 12:08:25 Batch Date : 02/19/23 15:47:36			

Dilution : 50 Reagent : 021723.R02; 123022.R14; 021723.R24; 021523.R47; 021723.R22; 021723.R23; 021423.R08; 020723.R34; 020123.02 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--	--	--

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30218004-006

Harvest/Lot ID: 9119 5537 5522 0836

Batch# : 7894 5226 9440 6470

Sampled : 02/17/23

Ordered : 02/17/23

Sample Size Received : 31 gram

Total Amount : 2894 units

Completed : 02/21/23 **Expires:** 02/21/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA056400FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 02/20/23 21:35:18

Reviewed On : 02/20/23 21:50:24

Batch Date : 02/20/23 12:32:30

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.567	PASS	0.85

Analyzed by: 2926, 585, 1879	Weight: 0.595g	Extraction date: 02/21/23 08:06:55	Extracted by: 2926
----------------------------------------	--------------------------	----------------------------------------------	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA056334WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 02/21/23 08:05:30

Reviewed On : 02/21/23 11:37:59

Batch Date : 02/18/23 14:17:56

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.