



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30218015-004
Harvest/Lot ID: 4894 4244 1189 3144
Batch#: 4894 4244 1189 3144
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 5494 0164 3453 3741
Batch Date: 02/03/23
Sample Size Received: 129.5 gram
Total Amount: 10118 units
Retail Product Size: 3.5 gram
Ordered: 02/18/23
Sampled: 02/18/23
Completed: 02/22/23
Sampling Method: SOP.T.20.010

Feb 22, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
26.573%

Total THC/Container : 930.055 mg


Total CBD
0.078%

Total CBD/Container : 2.73 mg


Total Cannabinoids
31.599%

Total Cannabinoids/Container : 1105.965 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.961	29.205	ND	0.089	0.076	0.155	1.006	0.02	ND	ND	0.087	0.088	30.146	35.848
mg/unit	33.635	1022.175	ND	3.115	2.66	5.425	35.21	0.7	ND	ND	3.045	3.08	1055.11	1254.68
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 53, 1440

Weight:
0.21g

Extraction date:
02/21/23 07:48:57

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA056341POT

Instrument Used : DA-LC-002

Running on : 02/21/23 07:52:07

Reviewed On : 02/22/23 08:23:03

Batch Date : 02/19/23 01:24:23

Dilution : 400

Reagent : 021623.R03; 071222.01; 021623.R01

Consumables : 239146; 280670723; CE123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30218015-004
 Harvest/Lot ID: 4894 4244 1189 3144

 Batch# : 4894 4244 1189 3144
 Sample Size Received : 129.5 gram
 Total Amount : 10118 units
 Completed : 02/22/23 Expires: 02/22/24
 Ordered : 02/18/23
 Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	86.835	2.481		FARNESENE	0	0.875	0.025	
TOTAL TERPENEOL	0.007	1.4	0.04		ALPHA-HUMULENE	0.007	4.97	0.142	
ALPHA-BISABOLOL	0.007	1.855	0.053		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.61	0.046		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	<0.7	<0.02		TRANS-NEROLIDOL	0.007	<0.7	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.7	<0.02	
BETA-PINENE	0.007	2.205	0.063		GUAIOL	0.007	<0.7	<0.02	
BETA-MYRCENE	0.007	15.085	0.431		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, 53, 1440 Weight: 1.0095g Extraction date: 02/20/23 12:38:21 Extracted by: 2076 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA056380TER Instrument Used : DA-GCMS-004 Running on : 02/21/23 08:14:25 Reviewed On : 02/21/23 15:14:18 Batch Date : 02/20/23 09:39:56 Dilution : 10 Reagent : 120722.09 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	12.985	0.371						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	<0.7	<0.02						
TERPINOLENE	0.007	<0.7	<0.02						
FENCHONE	0.007	<0.7	<0.02						
LINALOOL	0.007	2.17	0.062						
FENCHYL ALCOHOL	0.007	1.855	0.053						
ISOPULEGOL	0.007	ND	ND						
CAMPOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<1.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.7	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	<0.7	<0.02						
BETA-CARYOPHYLLENE	0.007	16.31	0.466						
Total (%)			2.481						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30218015-004
 Harvest/Lot ID: 4894 4244 1189 3144

 Batch# : 4894 4244 1189 3144
 Sample Size Received : 129.5 gram
 Total Amount : 10118 units
 Completed : 02/22/23 Expires: 02/22/24
 Ordered : 02/18/23
 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 53, 1440	0.8685g	02/20/23 15:23:07	585,3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056359PES			Reviewed On : 02/21/23 17:31:10		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 02/19/23 15:09:35		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 02/20/23 15:44:05					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 021423.R04; 021623.R32; 012423.R21; 021523.R01; 040521.11; 022023.R01; 022023.R02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440, 53	0.8685g	02/20/23 15:23:07	585,3379		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056361VOL			Reviewed On : 02/21/23 11:13:14		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 02/19/23 15:11:18		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 02/20/23 16:26:51					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 021623.R32; 040521.11; 021023.R34; 021023.R35					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30218015-004

Harvest/Lot ID: 4894 4244 1189 3144

Batch# : 4894 4244 1189 3144

Sampled : 02/18/23

Ordered : 02/18/23




Sample Size Received : 129.5 gram

Total Amount : 10118 units

Completed : 02/22/23 Expires: 02/22/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	90	PASS	100000						
Analyzed by: 3621, 3336, 53, 1440 Weight: 0.8674g Extraction date: 02/20/23 10:13:26 Extracted by: 3621, 33390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056347MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/20/23 10:15:08 Dilution : N/A Reagent : 012423.R27; 021423.R36 Consumables : 2112100 Pipette : N/A						Analyzed by: 585, 53, 1440 Weight: 0.8685g Extraction date: 02/20/23 15:23:07 Extracted by: 585, 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056360MYC Instrument Used : N/A Running on : 02/21/23 12:32:54 Dilution : 250 Reagent : 021423.R04; 021623.R32; 012423.R21; 021523.R01; 040521.11; 022023.R01; 022023.R02 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3621, 3390, 585, 1440 Weight: 1.0344g Extraction date: 02/20/23 13:09:04 Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056348TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 02/20/23 16:20:15 Dilution : 10 Reagent : 110822.14; 013123.R21 Consumables : N/A Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 53, 1440 Weight: 0.4847g Extraction date: 02/20/23 10:18:08 Extracted by: 1022, 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056363HEA Instrument Used : DA-ICPMS-003 Running on : 02/21/23 10:14:03 Dilution : 50 Reagent : 021723.R02; 123022.R14; 021723.R24; 021523.R47; 021723.R22; 021723.R23; 021423.R08; 020723.R34; 020123.02 Consumables : 179436; 001002; 210508058; 210803-059 Pipette : DA-061; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30218015-004
 Harvest/Lot ID: 4894 4244 1189 3144

 Batch# : 4894 4244 1189 3144
 Sample Size Received : 129.5 gram
 Total Amount : 10118 units
 Completed : 02/22/23 Expires: 02/22/24
 Sampled : 02/18/23
 Ordered : 02/18/23
 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

 Analysis Method : SOP.T.40.090
 Analytical Batch : DA056398FIL
 Instrument Used : Filth/Foreign Material Microscope
 Running on : 02/20/23 13:53:01

 Reviewed On : 02/20/23 21:52:29
 Batch Date : 02/20/23 12:31:24

 Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.446	PASS	0.65

Analyzed by: 2926, 585, 1440	Weight: 0.546g	Extraction date: 02/21/23 12:38:35	Extracted by: 2926
---------------------------------	-------------------	---------------------------------------	-----------------------

 Analysis Method : SOP.T.40.019
 Analytical Batch : DA056425WAT
 Instrument Used : DA-028 Rotronic HygroPalm
 Running on : 02/21/23 12:37:30

 Reviewed On : 02/21/23 15:40:21
 Batch Date : 02/21/23 10:01:03

 Dilution : N/A
 Reagent : 100522.07
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	11.855	PASS	15

Analyzed by: 53, 3807, 585, 2926, 1440	Weight: 0.5g	Extraction date: 02/21/23 12:10:54	Extracted by: 3807
---	-----------------	---------------------------------------	-----------------------

 Analysis Method : SOP.T.40.021
 Analytical Batch : DA056414MOI
 Instrument Used : DA-003 Moisture Analyzer
 Running on : 02/21/23 12:06:02

 Reviewed On : 02/22/23 06:36:15
 Batch Date : 02/21/23 09:39:02

 Dilution : N/A
 Reagent : 101920.06; 020123.02
 Consumables : N/A
 Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.