



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30222004-004
Harvest/Lot ID: ID-PEC-011023-A092
Batch#: 1830 5530 5393 1206
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale#: 7695 4738 7631 1198
Batch Date: 01/05/23
Sample Size Received: 26 gram
Total Amount: 891 units
Retail Product Size: 1 gram
Ordered: 02/21/23
Sampled: 02/21/23
Completed: 02/24/23
Sampling Method: SOP.T.20.010

Feb 24, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
NOT TESTED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
PASSED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
17.74%
Total THC/Container: 177.4 mg

Total CBD
0.06%
Total CBD/Container: 0.6 mg

Total Cannabinoids
21.121%
Total Cannabinoids/Container: 211.21 mg

Analyzed by:
1665, 585, 3963

Weight:
0.2026g

Extraction date:
02/22/23 10:20:11

Extracted by:
3605

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA056466POT
Instrument Used: DA-LC-002
Running on: 02/22/23 11:33:33

Reviewed On: 02/23/23 10:23:04
Batch Date: 02/22/23 09:38:44

Dilution: 400
Reagent: 022123.R06; 070621.18; 022123.R09
Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30222004-004
Harvest/Lot ID: ID-PEC-011023-A092

Batch# : 1830 5530 5393 Sample Size Received : 26 gram
1206 Total Amount : 891 units
Sampled : 02/21/23 Completed : 02/24/23 Expires: 02/24/24
Ordered : 02/21/23 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	12.77	1.277		FARNESENE	0	0.73	0.073	
TOTAL TERPENEOL	0.007	<0.2	<0.02		ALPHA-HUMULENE	0.007	1.39	0.139	
ALPHA-BISABOLOL	0.007	0.43	0.043		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	<0.2	<0.02		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	0.35	0.035	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<2	<0.02	
BETA-PINENE	0.007	0.2	0.02		GUAIOL	0.007	0.91	0.091	
BETA-MYRCENE	0.007	0.2	0.02		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, S&S, 3963Weight: 1.0973gExtraction date: 02/22/23 12:02:45Extracted by: 2076</div>				
3-CARENE	0.007	ND	ND		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA056459TER Instrument Used : DA-GCMS-004 Running on : 02/23/23 09:09:01</div>				
ALPHA-TERPINENE	0.007	ND	ND		<div>Dilution : 10 Reagent : 120722.09 Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div>				
LIMONENE	0.007	0.71	0.071		<div>Pipette : N/A</div>				
EUCALYPTOL	0.007	ND	ND		<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	<0.2	<0.02						
LINALOOL	0.007	0.4	0.04						
FENCHYL ALCOHOL	0.007	0.25	0.025						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	4.49	0.449						
Total (%)			1.277						



Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30222004-004
 Harvest/Lot ID: ID-PEC-011023-A092

 Batch# : 1830 5530 5393 Sample Size Received : 26 gram
 1206 Total Amount : 891 units
 Sampled : 02/21/23 Completed : 02/24/23 Expires: 02/24/24
 Ordered : 02/21/23 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	<div>Analyzed by: 585, 3379, 3963Weight: 0.8581gExtraction date: 02/22/23 12:40:50Extracted by: 585,3379</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA056473PESReviewed On : 02/23/23 11:48:18</div> <div>Instrument Used : DA-LCMS-003 (PES)Batch Date : 02/22/23 10:15:18</div> <div>Running on : 02/22/23 13:02:19</div> <div>Dilution : 250</div> <div>Reagent : 022023.R01; 022023.R03; 022023.R04; 022123.R33; 022223.R01; 040521.11; 022023.R02</div> <div>Consumables : 6697075-02</div> <div>Pipette : DA-093; DA-094; DA-219</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30222004-004

Harvest/Lot ID: ID-PEC-011023-A092

 Batch# : 1830 5530 5393
 1206

Sampled : 02/21/23

Ordered : 02/21/23



Sample Size Received : 26 gram

Total Amount : 891 units

Completed : 02/24/23 Expires: 02/24/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 3390, 3621, 585, 3963 Weight: 1.0285g Extraction date: 02/22/23 11:21:42 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056457MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/22/23 11:38:39 Dilution : N/A Reagent : 012423.R27; 021423.R36 Consumables : 2112100 Pipette : N/A						Analyzed by: 585, 3379, 3963 Weight: 0.8581g Extraction date: 02/22/23 12:40:50 Extracted by: 585,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056475MYC Instrument Used : N/A Running on : 02/22/23 13:02:24 Dilution : 250 Reagent : 022023.R01; 022023.R03; 022023.R04; 022123.R33; 022223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					


Heavy Metals
PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 3963 Weight: 0.4258g Extraction date: 02/22/23 09:57:35 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056464HEA Instrument Used : DA-ICPMS-003 Running on : 02/22/23 13:33:20 Dilution : 50 Reagent : 021723.R02; 123022.R14; 021723.R24; 021523.R47; 021723.R22; 021723.R23; 021423.R08; 020723.R34; 020123.02 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30222004-004

Harvest/Lot ID: ID-PEC-011023-A092

Batch# : 1830 5530 5393
 1206

Sampled : 02/21/23

Ordered : 02/21/23

Sample Size Received : 26 gram

Total Amount : 891 units

Completed : 02/24/23 **Expires:** 02/24/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 585, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA056554FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : N/A

Reviewed On : 02/23/23 10:37:14

Batch Date : 02/23/23 10:35:19

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	11.27	PASS	15

Analyzed by: 2926, 585, 3963	Weight: 0.498g	Extraction date: 02/22/23 13:11:03	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.021

Analytical Batch : DA056480MOI

Instrument Used : DA-003 Moisture Analyzer

Running on : 02/22/23 13:06:18

Reviewed On : 02/23/23 10:22:21

Batch Date : 02/22/23 10:41:13

Dilution : N/A

Reagent : 101920.06; 020123.02

Consumables : N/A

Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.42	PASS	0.65

Analyzed by: 2926, 53, 3379, 3963	Weight: 0.675g	Extraction date: 02/22/23 12:28:02	Extracted by: 2926
---	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA056449WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 02/21/23 14:39:45

Reviewed On : 02/22/23 12:42:32

Batch Date : 02/21/23 14:01:56

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.