



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30222004-005
Harvest/Lot ID: 5164 5869 0580 8756
Batch#: 4434 5206 6783 1899
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 5164 5869 0580 8756
Batch Date: 12/27/22
Sample Size Received: 16 gram
Total Amount: 1453 units
Retail Product Size: 1 gram
Ordered: 02/21/23
Sampled: 02/21/23
Completed: 02/24/23
Sampling Method: SOP.T.20.010






Feb 24, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 86.698% Total THC/Container : 866.98 mg		Total CBD 0.451% Total CBD/Container : 4.51 mg		Total Cannabinoids 91.936% Total Cannabinoids/Container : 919.36 mg
--	---	---	--	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.606	0.105	0.451	ND	0.25	1.665	ND	1.097	0.945	ND	0.817
mg/unit	866.06	1.05	4.51	ND	2.5	16.65	ND	10.97	9.45	ND	8.17
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by: 1665, 585, 3963 Weight: 0.1026g Extraction date: 02/22/23 11:19:39 Extracted by: 2076,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA056458POT
Instrument Used : DA-LC-007
Running on : 02/22/23 11:40:21
Reviewed On : 02/23/23 10:23:10
Batch Date : 02/22/23 09:34:01

Dilution : 400
Reagent : 022023.R05; 071222.01; 021623.R05
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30222004-005
Harvest/Lot ID: 5164 5869 0580 8756

Batch# : 4434 5206 6783
Sample Size Received : 16 gram
Total Amount : 1453 units
Completed : 02/24/23 **Expires:** 02/24/24
Ordered : 02/21/23 **Sample Method :** SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	22.14	2.214		FARNESENE	0	0.14	0.014	
TOTAL TERPINEOL	0.007	<0.2	<0.02		ALPHA-HUMULENE	0.007	0.31	0.031	
ALPHA-BISABOLOL	0.007	0.43	0.043		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	3.15	0.315		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<2	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	0.8	0.08		GUAIOL	0.007	<2	<0.02	
BETA-MYRCENE	0.007	10.34	1.034		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, 585, 3963Weight: 0.9037gExtraction date: 02/22/23 12:52:44Extracted by: 2076</div>				
3-CARENE	0.007	ND	ND		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLReviewed On : 02/24/23 15:58:13</div>				
ALPHA-TERPINENE	0.007	ND	ND		<div>Analytical Batch : DA056462TERBatch Date : 02/22/23 09:35:15</div>				
LIMONENE	0.007	1.63	0.163		<div>Instrument Used : DA-GCMS-005</div>				
EUCALYPTOL	0.007	ND	ND		<div>Running on : 02/23/23 09:08:58</div>				
OCIMENE	0.007	2.87	0.287		<div>Dilution : 10</div>				
GAMMA-TERPINENE	0.007	ND	ND		<div>Reagent : 120722.09</div>				
SABINENE HYDRATE	0.007	ND	ND		<div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div>				
TERPINOLENE	0.007	<0.2	<0.02		<div>Pipette : N/A</div>				
FENCHONE	0.007	<0.2	<0.02		<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
LINALOOL	0.007	0.82	0.082						
FENCHYL ALCOHOL	0.007	0.28	0.028						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.37	0.137						
Total (%)			2.214						



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30222004-005
 Harvest/Lot ID: 5164 5869 0580 8756

 Batch# : 4434 5206 6783 Sample Size Received : 16 gram
 1899 Total Amount : 1453 units
 Sampled : 02/21/23 Completed : 02/24/23 Expires: 02/24/24
 Ordered : 02/21/23 Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 3379, 3963 Weight: 0.2667g Extraction date: 02/22/23 12:38:48 Extracted by: 585,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA056469PES Instrument Used : DA-LCMS-003 (PES) Running on : 02/22/23 13:02:23 Dilution : 250 Reagent : 022023.R01; 022023.R03; 022023.R04; 022023.R02; 022123.R33; 022223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 3963 Weight: 0.2667g Extraction date: 02/22/23 12:38:48 Extracted by: 585,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA056471VOL Instrument Used : DA-GCMS-001 Running on : 02/22/23 14:25:14 Dilution : 250 Reagent : 022023.R04; 040521.11; 021023.R34; 021023.R35 Consumables : 6697075-02; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30222004-005

Harvest/Lot ID: 5164 5869 0580 8756

Batch# : 4434 5206 6783 1899

Sampled : 02/21/23

Ordered : 02/21/23

Sample Size Received : 16 gram

Total Amount : 1453 units

Completed : 02/24/23 **Expires:** 02/24/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 3963

Weight:
 0.0249g

Extraction date:
 02/23/23 10:49:25

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA056512SOL

Instrument Used : DA-GCMS-002

Running on : 02/23/23 12:37:22

Reviewed On : 02/23/23 12:47:48

Batch Date : 02/22/23 13:28:27

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; KF140

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30222004-005
 Harvest/Lot ID: 5164 5869 0580 8756

 Batch# : 4434 5206 6783 Sample Size Received : 16 gram
 1899 Total Amount : 1453 units
 Sampled : 02/21/23 Completed : 02/24/23 Expires: 02/24/24
 Ordered : 02/21/23 Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analized by: 3336, 3390, 3621, 585, 3963	Weight: 0.913g	Extraction date: 02/22/23 11:19:39	Extracted by: 3336		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA056481MIC			Reviewed On : 02/23/23 10:39:40		
Instrument Used : PathogenDx Scanner DA-111			Batch Date : 02/22/23 10:41:51		
Running on : 02/22/23 11:38:34					
Dilution : N/A					
Reagent : 011223.37; 020123.R55; 022323.R29					
Consumables : N/A					
Pipette : N/A					

Analized by: 3390, 585, 3963	Weight: 0.913g	Extraction date: 02/22/23 11:19:39	Extracted by: 3336,3390
------------------------------	----------------	------------------------------------	-------------------------

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
 Analytical Batch : DA056489TYM Reviewed On : 02/24/23 12:41:00
 Instrument Used : Incubator (25-27C) DA-096 Batch Date : 02/22/23 11:19:47
 Running on : 02/22/23 12:25:14

 Dilution : 10
 Reagent : 011223.37; 013123.R21
 Consumables : N/A
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analized by: 585, 3379, 3963	Weight: 0.2667g	Extraction date: 02/22/23 12:38:48	Extracted by: 585,3379		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA056470MYC			Reviewed On : 02/23/23 11:58:19		
Instrument Used : N/A			Batch Date : 02/22/23 10:07:40		
Running on : 02/22/23 13:02:28					
Dilution : 250					
Reagent : 022023.R01; 022023.R03; 022023.R04; 022023.R02; 022123.R33; 022223.R01; 040521.11					
Consumables : 6697075-02					
Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5

Analized by: 1022, 585, 3963	Weight: 0.5369g	Extraction date: 02/22/23 10:26:57	Extracted by: 3619
------------------------------	-----------------	------------------------------------	--------------------

 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
 Analytical Batch : DA056467HEA Reviewed On : 02/23/23 10:32:40
 Instrument Used : DA-ICPMS-003 Batch Date : 02/22/23 09:40:47
 Running on : 02/22/23 13:33:29

 Dilution : 50
 Reagent : 021723.R02; 123022.R14; 021723.R24; 021523.R47; 021723.R22; 021723.R23; 021423.R08; 020723.R34; 020123.02
 Consumables : 179436; 210508058; 210803-059
 Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30222004-005

Harvest/Lot ID: 5164 5869 0580 8756

Batch# : 4434 5206 6783 1899

Sampled : 02/21/23

Ordered : 02/21/23

Sample Size Received : 16 gram

Total Amount : 1453 units

Completed : 02/24/23 **Expires:** 02/24/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 585, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA056572FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : N/A

Reviewed On : 02/23/23 12:39:31

Batch Date : 02/23/23 12:36:42

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.495	PASS	0.85

Analyzed by: 2926, 53, 3963	Weight: 0.322g	Extraction date: 02/22/23 12:59:41	Extracted by: 2926
---------------------------------------	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA056477WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 02/22/23 12:57:07

Reviewed On : 02/22/23 14:58:32

Batch Date : 02/22/23 10:29:30

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.