



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30222004-008
Harvest/Lot ID: 5449 3601 3453 2884
Batch#: 2165 3309 6339 8313
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 5449 3601 3453 2884
Batch Date: 12/27/22
Sample Size Received: 900 gram
Total Amount: 4201 units
Retail Product Size: 62.0383 gram
Ordered: 02/21/23
Sampled: 02/21/23
Completed: 02/24/23
Sampling Method: SOP.T.20.010

Feb 24, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
NOT TESTED
MISC.

Cannabinoid
PASSED

Total THC
0.15%

Total THC/Container : 93.057 mg


Total CBD
ND

Total CBD/Container : 0 mg


Total Cannabinoids
0.161%

Total Cannabinoids/Container : 99.882 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.15	ND	ND	ND	ND	0.004	ND	0.003	0.002	ND	0.002
mg/unit	93.057	ND	ND	ND	ND	2.481	ND	1.861	1.24	ND	1.24
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
1665, 585, 3963

Weight:
3.0033g

Extraction date:
02/22/23 11:11:10

Extracted by:
2076,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA056460POT
Instrument Used : DA-LC-007
Running on : 02/22/23 11:44:16

Reviewed On : 02/23/23 10:24:35
Batch Date : 02/22/23 09:34:45

Dilution : 40
Reagent : 020123.01; 071222.46; 070621.18
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30222004-008
 Harvest/Lot ID: 5449 3601 3453 2884

 Batch# : 2165 3309 6339 Sample Size Received : 900 gram
 8313 Total Amount : 4201 units
 Sampled : 02/21/23 Completed : 02/24/23 Expires: 02/24/24
 Ordered : 02/21/23 Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	1.5	PASS	ND						
FENHEXAMID	0.01	ppm	3	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	2	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	2	PASS	ND						
FLUDIOXONIL	0.01	ppm	3	PASS	ND						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.01	ppm	2	PASS	ND						
METALAXYL	0.01	ppm	3	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

Analyzed by: 585, 3379, 3963 Weight: 0.9044g Extraction date: 02/22/23 12:40:50 Extracted by: 585,3379
 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)
 Analytical Batch : DA056473PES Reviewed On : 02/23/23 11:48:20
 Instrument Used : DA-LCMS-003 (PES) Batch Date : 02/22/23 10:15:18
 Running on : 02/22/23 13:02:19
 Dilution : 250
 Reagent : 022023.R01; 022023.R03; 022023.R04; 022123.R33; 022223.R01; 040521.11; 022023.R02
 Consumables : 6697075-02
 Pipette : DA-093; DA-094; DA-219
 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 585, 3963 Weight: 0.9044g Extraction date: 02/22/23 12:40:50 Extracted by: 585,3379
 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL
 Analytical Batch : DA056476VOL Reviewed On : 02/23/23 10:20:12
 Instrument Used : DA-GCMS-006 Batch Date : 02/22/23 10:16:59
 Running on : 02/22/23 14:25:24
 Dilution : 250
 Reagent : 022023.R04; 040521.11; 021023.R34; 021023.R35
 Consumables : 6697075-02; 14725401
 Pipette : DA-080; DA-146; DA-218
 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30222004-008

Harvest/Lot ID: 5449 3601 3453 2884

Batch# : 2165 3309 6339 8313

Sampled : 02/21/23

Ordered : 02/21/23

Sample Size Received : 900 gram

Total Amount : 4201 units

Completed : 02/24/23 **Expires:** 02/24/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	<125
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 3963

Weight:
 0.0296g

Extraction date:
 02/23/23 10:52:15

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA05651250L

Instrument Used : DA-GCMS-002

Running on : 02/23/23 12:37:22

Reviewed On : 02/23/23 12:58:08

Batch Date : 02/22/23 13:28:27

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; KF140

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30222004-008

Harvest/Lot ID: 5449 3601 3453 2884

Batch# : 2165 3309 6339
 8313

Sampled : 02/21/23

Ordered : 02/21/23




Sample Size Received : 900 gram

Total Amount : 4201 units

Completed : 02/24/23 **Expires:** 02/24/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 3390, 3621, 585, 3963 Weight: 1.0582g Extraction date: 02/22/23 11:21:42 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056457MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/22/23 11:38:39 Dilution : N/A Reagent : 012423.R27; 021423.R36 Consumables : 2112100 Pipette : N/A						Analyzed by: 585, 3379, 3963 Weight: 0.9044g Extraction date: 02/22/23 12:40:50 Extracted by: 585,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056475MYC Instrument Used : N/A Running on : 02/22/23 13:02:24 Dilution : 250 Reagent : 022023.R01; 022023.R03; 022023.R04; 022123.R33; 022223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 585, 3963 Weight: 1.0963g Extraction date: 02/22/23 11:23:31 Extracted by: 3336,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056492TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 02/22/23 12:25:18 Dilution : 10 Reagent : 011223.37; 013123.R21 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal						Metal					
TOTAL CONTAMINANT LOAD METALS						TOTAL CONTAMINANT LOAD METALS					
ARSENIC						ARSENIC					
CADIUM						CADIUM					
MERCURY						MERCURY					
LEAD						LEAD					
Analyzed by: 1022, 585, 3963 Weight: 0.5962g Extraction date: 02/22/23 10:53:44 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056468HEA Instrument Used : DA-ICPMS-003 Running on : 02/22/23 13:33:09 Dilution : 50 Reagent : 021723.R02; 123022.R14; 021723.R24; 021523.R47; 021723.R22; 021723.R23; 021423.R08; 020723.R34; 020123.02 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						Analyzed by: 1022, 585, 3963 Weight: 0.5962g Extraction date: 02/22/23 10:53:44 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056468HEA Instrument Used : DA-ICPMS-003 Running on : 02/22/23 13:33:09 Dilution : 50 Reagent : 021723.R02; 123022.R14; 021723.R24; 021523.R47; 021723.R22; 021723.R23; 021423.R08; 020723.R34; 020123.02 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30222004-008

Harvest/Lot ID: 5449 3601 3453 2884

Batch# : 2165 3309 6339 8313

Sampled : 02/21/23

Ordered : 02/21/23

Sample Size Received : 900 gram

Total Amount : 4201 units

Completed : 02/24/23 Expires: 02/24/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
585, 3963	NA	N/A	N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA056572FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : N/A

Reviewed On : 02/23/23 12:40:22

Batch Date : 02/23/23 12:36:42

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.519	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 585, 3963	3.015g	02/22/23 14:53:54	2926

Analysis Method : SOP.T.40.019

Analytical Batch : DA056448WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 02/21/23 14:41:07

Reviewed On : 02/23/23 10:24:36

Batch Date : 02/21/23 13:53:53

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.642	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
3605, 3335, 585, 3963	6.054g	02/22/23 11:38:52	3963

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA056463HOM

Instrument Used : DA-LC-005

Running on : 02/22/23 11:49:10

Reviewed On : 02/23/23 10:23:26

Batch Date : 02/22/23 09:35:15

Dilution : 40

Reagent : 020123.01; 022123.R14; 030322.03; 022123.R11

Consumables : 239146; CE123; 210803-059; 61633-125C6-125E; R1KB45277

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.