



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30224002-006
Harvest/Lot ID: ID - BIS - 112222 - A085
Batch#: 1812 0102 1160 2704
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 9539 2841 1945 9089
Batch Date: 11/18/22
Sample Size Received: 26 gram
Total Amount: 1028 units
Retail Product Size: 1 gram
Ordered: 02/23/23
Sampled: 02/23/23
Completed: 02/27/23
Sampling Method: SOP.T.20.010

Feb 27, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
16.587%


Total THC/Container : 165.87 mg


Total CBD
0.042%

Total CBD/Container : 0.42 mg


Total Cannabinoids
19.417%

Total Cannabinoids/Container : 194.17 mg


Analyzed by:
3112, 1665, 585, 1440

Weight:
0.2002g

Extraction date:
02/24/23 10:44:17

Extracted by:
3335,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA056594POT
Instrument Used : DA-LC-002
Running on : 02/24/23 11:16:12

Reviewed On : 02/25/23 11:24:35
Batch Date : 02/24/23 08:41:23

Dilution : 400
Reagent : 022123.R06; 071222.01; 022123.R09
Consumables : 251697; CE123; 12607-302CC-302; 61633-125C6-125E; R1KB45277
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30224002-006

Harvest/Lot ID: ID - BIS - 112222 - A085

Batch# : 1812 0102 1160
2704

Sampled : 02/23/23

Ordered : 02/23/23

Sample Size Received : 26 gram

Total Amount : 1028 units

Completed : 02/27/23 Expires: 02/27/24

Sample Method : SOP.T.20.010

Page 2 of 5



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30224002-006

Harvest/Lot ID: ID - BIS - 112222 - A085

Batch# : 1812 0102 1160 2704

Sampled : 02/23/23

Ordered : 02/23/23

Sample Size Received : 26 gram

Total Amount : 1028 units

Completed : 02/27/23 Expires: 02/27/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	1665, 585, 1440	1.0821g	02/24/23 11:47:28	1665,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056603PES			Reviewed On : 02/26/23 12:40:24		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 02/24/23 09:27:08		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 02/24/23 11:48:21					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 022023.R01; 022023.R03; 022023.R02; 022123.R33; 022223.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 1665, 585, 1440	1.0821g	02/24/23 11:47:28	1665,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056605VOL			Reviewed On : 02/26/23 12:48:26		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 02/24/23 09:32:00		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 02/24/23 12:33:20					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 022023.R01; 022023.R03; 022023.R02; 022123.R33; 022223.R01; 040521.11					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30224002-006

Harvest/Lot ID: ID - BIS - 112222 - A085

 Batch# : 1812 0102 1160
 2704

 Sampled : 02/23/23
 Ordered : 02/23/23

Sample Size Received : 26 gram

Total Amount : 1028 units

Completed : 02/27/23 Expires: 02/27/24

Sample Method : SOP.T.20.010

Page 4 of 5

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 585, 1440 Weight: 1.1068g Extraction date: 02/24/23 10:50:51 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056597MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/24/23 10:54:26 Dilution : N/A Reagent : 022323.R28; 021423.R37 Consumables : 2112100 Pipette : N/A						Analyzed by: 1665, 585, 1440 Weight: 1.0821g Extraction date: N/A Extracted by: 1665, 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056604MYC Instrument Used : N/A Running on : 02/24/23 13:12:17 Dilution : 250 Reagent : 022023.R01; 022023.R03; 022023.R02; 022123.R33; 022223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 3702, 585, 1440 Weight: 1.0568g Extraction date: 02/24/23 11:13:40 Extracted by: 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056617TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 02/24/23 11:15:40 Dilution : 10 Reagent : 011323.30; 013123.R21 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals					
						Metal	LOD	Units	Result	Pass / Fail	Action Level
						TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
						ARSENIC	0.02	ppm	<0.1	PASS	0.2
						CADMIUM	0.02	ppm	ND	PASS	0.2
						MERCURY	0.02	ppm	ND	PASS	0.2
						LEAD	0.05	ppm	ND	PASS	0.5
						Analyzed by: 1022, 585, 1440 Weight: 0.4859g Extraction date: 02/24/23 09:36:32 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056589HEA Instrument Used : DA-ICPMS-003 Running on : 02/25/23 15:23:05 Dilution : 50 Reagent : 021723.R02; 123022.R14; 021723.R24; 021523.R47; 021723.R22; 021723.R23; 021423.R08; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30224002-006

Harvest/Lot ID: ID - BIS - 112222 - A085

 Batch# : 1812 0102 1160
 2704

Sampled : 02/23/23

Ordered : 02/23/23

Sample Size Received : 26 gram

Total Amount : 1028 units

Completed : 02/27/23 Expires: 02/27/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA056611FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 02/24/23 10:52:48

Reviewed On : 02/24/23 11:18:43

Batch Date : 02/24/23 10:40:23

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.441	PASS	0.65

Analyzed by: 2926, 585, 1440	Weight: 0.814g	Extraction date: 02/24/23 11:08:25	Extracted by: 2926
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA056606WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 02/24/23 11:07:33

Reviewed On : 02/24/23 11:26:25

Batch Date : 02/24/23 10:10:43

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.