



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30224002-007

Harvest/Lot ID: 8502 8979 5954 3078

Batch#: 6664 3842 3840 7733

Cultivation Facility: Tampa Cultivation

Processing Facility: Tampa Processing

Distributor Facility:

Source Facility: Tampa Cultivation

Seed to Sale#: 8502 8979 5954 3078

Batch Date: 02/09/23

Sample Size Received: 26 gram

Total Amount: 525 units

Retail Product Size: 1 gram

Ordered: 02/23/23

Sampled: 02/23/23

Completed: 02/27/23

Sampling Method: SOP.T.20.010

Feb 27, 2023 | FLUENT


 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
 NOT TESTED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
PASSED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
20.676%


Total THC/Container: 206.76 mg


Total CBD
0.056%

Total CBD/Container: 0.56 mg


Total Cannabinoids
24.558%

Total Cannabinoids/Container: 245.58 mg


 Analyzed by:
 3112, 1665, 585, 1440

 Weight:
 0.2067g

 Extraction date:
 02/24/23 10:44:17

 Extracted by:
 3335, 3112

 Analysis Method: SOP.T.40.031, SOP.T.30.031
 Analytical Batch: DA056594POT
 Instrument Used: DA-LC-002
 Running on: 02/24/23 11:16:12

 Reviewed On: 02/25/23 11:24:40
 Batch Date: 02/24/23 08:41:23

 Dilution: 400
 Reagent: 022123.R06; 071222.01; 022123.R09
 Consumables: 251697; CE123; 12607-302CC-302; 61633-125C6-125E; R1KB45277
 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30224002-007
Harvest/Lot ID: 8502 8979 5954 3078

Batch# : 6664 3842 3840
7733

Sampled : 02/23/23
Ordered : 02/23/23

Sample Size Received : 26 gram
Total Amount : 525 units
Completed : 02/27/23 Expires: 02/27/24
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	17.11	1.711		FARNESENE	0	0.12	0.012	
TOTAL TERPINEOL	0.007	0.41	0.041		ALPHA-HUMULENE	0.007	1.59	0.159	
ALPHA-BISABOLOL	0.007	1.42	0.142		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.31	0.031		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	<0.2	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.28	0.028	
BETA-PINENE	0.007	0.42	0.042		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.59	0.059		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<p>Analysis by: 2076, 585, 1440 Weight: 0.8658g Extraction date: 02/24/23 15:36:53 Extracted by: 2076</p> <p>Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA056610TER Instrument Used: DA-GCMS-004 Running on: 02/25/23 14:01:05</p> <p>Dilution: 10 Reagent: 120722.09 Consumables: 210414634; MKCN9995; CE123; R1KB45277</p> <p>Pipette: N/A</p> <p>Reviewed On: 02/27/23 12:55:37 Batch Date: 02/24/23 10:21:00</p> <p>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</p>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	1.63	0.163						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	<0.2	<0.02						
TERPINOLENE	0.007	<0.2	<0.02						
FENCHONE	0.007	<0.2	<0.02						
LINALOOL	0.007	1.2	0.12						
FENCHYL ALCOHOL	0.007	0.59	0.059						
ISOPULEGOL	0.007	ND	ND						
CAMPOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.2	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	4.99	0.499						
Total (%)			1.711						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30224002-007

Harvest/Lot ID: 8502 8979 5954 3078

 Batch# : 6664 3842 3840
 7733

Sampled : 02/23/23

Ordered : 02/23/23

Sample Size Received : 26 gram

Total Amount : 525 units

Completed : 02/27/23 Expires: 02/27/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	1665, 585, 1440	0.9063g	02/24/23 11:47:28	1665,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056603PES			Reviewed On : 02/26/23 12:40:40		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 02/24/23 09:27:08		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 02/24/23 11:48:21					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 022023.R01; 022023.R03; 022023.R02; 022123.R33; 022223.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 1665, 585, 1440	0.9063g	02/24/23 11:47:28	1665,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056605VOL			Reviewed On : 02/26/23 12:48:27		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 02/24/23 09:32:00		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 02/24/23 12:33:20					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 022023.R01; 022023.R03; 022023.R02; 022123.R33; 022223.R01; 040521.11					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30224002-007
 Harvest/Lot ID: 8502 8979 5954 3078

 Batch# : 6664 3842 3840
 Sample Size Received : 26 gram
 Total Amount : 525 units
 Completed : 02/27/23 Expires: 02/27/24
 Ordered : 02/23/23
 Sample Method : SOP.T.20.010

Page 4 of 5

<div> Microbial</div> <div>PASSED</div>						<div><div></div> Mycotoxins</div> <div>PASSED</div>																																									
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level																																				
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																				
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																				
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																				
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																				
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																				
ASPERGILLUS NIGER			Not Present	PASS																																											
TOTAL YEAST AND MOLD	10	CFU/g	380	PASS	100000	Analyzed by: 1665, 585, 1440	Weight: 0.9063g	Extraction date: N/A	Extracted by: 1665, 585																																						
Analyzed by: 3390, 585, 1440 Weight: 1.0991g Extraction date: 02/24/23 10:50:51 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056597MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/24/23 10:54:26 Dilution : N/A Reagent : 022323.R28; 021423.R37 Consumables : 2112100 Pipette : N/A						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056604MYC Instrument Used : N/A Running on : 02/24/23 13:12:17 Dilution : 250 Reagent : 022023.R01; 022023.R03; 022023.R02; 022123.R33; 022223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																									
Analyzed by: 3390, 3702, 585, 1440 Weight: 1.1565g Extraction date: 02/24/23 11:13:40 Extracted by: 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056617TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 02/24/23 11:15:40 Dilution : 10 Reagent : 011323.30; 013123.R21 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						<div><div></div> Heavy Metals</div> <div>PASSED</div> <table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.11</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.05</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr></table> <div>Analyzed by: 1022, 585, 1440 Weight: 0.4653g Extraction date: 02/24/23 09:34:37 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056589HEA Instrument Used : DA-ICPMS-003 Running on : 02/25/23 15:23:05 Dilution : 50 Reagent : 021723.R02; 123022.R14; 021723.R24; 021523.R47; 021723.R22; 021723.R23; 021423.R08; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>						Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	ND	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2	LEAD	0.05	ppm	ND	PASS	0.5
Metal	LOD	Units	Result	Pass / Fail	Action Level																																										
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1																																										
ARSENIC	0.02	ppm	ND	PASS	0.2																																										
CADMIUM	0.02	ppm	ND	PASS	0.2																																										
MERCURY	0.02	ppm	ND	PASS	0.2																																										
LEAD	0.05	ppm	ND	PASS	0.5																																										



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30224002-007
Harvest/Lot ID: 8502 8979 5954 3078

Batch# : 6664 3842 3840
Sample Size Received : 26 gram
Total Amount : 525 units
Completed : 02/27/23 **Expires:** 02/27/24
Ordered : 02/23/23 **Sample Method :** SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090 Analytical Batch : DA056611FIL Instrument Used : Filth/Foreign Material Microscope Running on : 02/24/23 10:52:48	Reviewed On : 02/24/23 11:18:42 Batch Date : 02/24/23 10:40:23
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.476	PASS	0.65

Analyzed by: 2926, 585, 1440	Weight: 0.629g	Extraction date: 02/24/23 11:08:25	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019 Analytical Batch : DA056606WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 02/24/23 11:07:33	Reviewed On : 02/24/23 11:26:26 Batch Date : 02/24/23 10:10:43
---	---

Dilution : N/A
Reagent : 100522.07
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	11.02	PASS	15

Analyzed by: 2926, 585, 1440	Weight: 0.49g	Extraction date: 02/24/23 11:35:52	Extracted by: 2926
--	-------------------------	--	------------------------------

Analysis Method : SOP.T.40.021 Analytical Batch : DA056571MOI Instrument Used : DA-003 Moisture Analyzer Running on : 02/23/23 16:20:48	Reviewed On : 02/24/23 12:19:57 Batch Date : 02/23/23 12:20:18
--	---

Dilution : N/A
Reagent : 101920.06; 020123.02
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.