

Sour Diesel Cartridge Concentrate 0.5g Sour Diesel Matrix: Derivative



Certificate of Analysis COMPLIANCE FOR RETAIL

Sample:DA30225006-005 Harvest/Lot ID: 6119 3433 4750 9768 Batch#: 0444 7180 2697 0909 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Distributor Facility : Source Facility : Tampa Cultivation** Seed to Sale# 6119 3433 4750 9768 Batch Date: 01/26/23 Sample Size Received: 15.5 gram Total Amount: 2845 units Retail Product Size: 0.5 gram Ordered : 02/24/23 Sampled : 02/24/23 Completed: 02/28/23 Sampling Method: SOP.T.20.010

Feb 28, 2023 | FLUENT 82 NE 26th street

SAFETY RESULTS


Pesticides

PASSED

Miami, FL, 33137, US

PRODUCT IMAGE







438%



PASSED

MISC.

PASSED





Residuals Solvents PASSED

Filth PASSED Water Activity Moisture PASSED NOT TESTED

Terpenes TESTED

Cannabinoid



al THC/Container : 441.96 mg	E	J Tota	al CBD/Container : 1.35 mg	E	J Total Cann mg	abinoids/Container : 46	ō7.19
THCA CBD	CBDA	D8-THC	CBG CBGA	CBN	тнсу	CBDV CBC	7

Reviewed On : 02/28/23 09:11:20 Batch Date : 02/25/23 20:04:41

Analyzed by: 1665, 3112, 585	5, 1440			Weight: 0.109g		traction date: /27/23 12:51:18				Extracted by: 3112	
LOD	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %
% mg/unit	88.392 441.96	ND ND	0.27 1.35	ND ND	0.182 0.91	1.681 8.405	ND ND	1.264 6.32	0.664 3.32	ND ND	0.985 4.925

Analysis Method : SOP.T.40.031. SOP.T.30.031

Analytical Batch : DA056677POT Instrument Used : DA-LC-007 Running on : 02/27/23 13:20:56

Dilution : 400

Diution : 400 Reagent : 022023.R05; 071222.01; 021023.R26 Consumables : 245081; CE123; 12607-302CC-302; 61633-125C6-125E; R1KB45277 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo Lab Director

02/28/23

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Signature Testing 97164



Sour Diesel Cartridge Concentrate 0.5g Sour Diesel Matrix : Derivative



PASSED

TESTED

DAVIE, FL, 33314, US

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30225006-005 Harvest/Lot ID: 6119 3433 4750 9768

Batch#:0444 7180 2697 0909 Sampled : 02/24/23 Ordered : 02/24/23

Sample Size Received : 15.5 gram Total Amount : 2845 units Completed : 02/28/23 Expires: 02/28/24 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

Terpenes	LOD (%)	mg/un	it % Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	7.535	1.507	FARNESENE		0	0.085	0.017	
TOTAL TERPINEOL	0.007	< 0.1	<0.02	ALPHA-HUMULENE		0.007	0.475	0.095	
ALPHA-BISABOLOL	0.007	0.1	0.02	VALENCENE		0.007	ND	ND	
ALPHA-PINENE	0.007	0.16	0.032	CIS-NEROLIDOL		0.007	ND	ND	
CAMPHENE	0.007	< 0.1	<0.02	TRANS-NEROLIDOL		0.007	ND	ND	
ABINENE	0.007	ND	ND	CARYOPHYLLENE OXIDE		0.007	ND	ND	
BETA-PINENE	0.007	0.21	0.042	GUAIOL		0.007	< 0.1	< 0.02	
BETA-MYRCENE	0.007	1.85	0.37	CEDROL		0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND	Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
-CARENE	0.007	ND	ND	2076, 585, 1440	0.8844g		02/27/23 09	:37:15	2076
ALPHA-TERPINENE	0.007	ND	ND	Analysis Method : SOP.T.30.0		1. C			
IMONENE	0.007	1.76	0.352	Analytical Batch : DA056651 Instrument Used : DA-GCMS-					02/28/23 15:36:49 /25/23 15:08:30
UCALYPTOL	0.007	ND	ND	Running on : 02/27/23 13:56			Batcr	Date: 02,	/25/23 15:08:50
CIMENE	0.007	< 0.1	<0.02	Dilution : 10					
AMMA-TERPINENE	0.007	ND	ND	Reagent : N/A					
ABINENE HYDRATE	0.007	<0.1	<0.02	Consumables : N/A					
ERPINOLENE	0.007	0.175	0.035	Pipette : N/A					
ENCHONE	0.007	<0.1	<0.02	Terpenoid testing is performed u	tilizing Gas Chromatography	Mass Spect	rometry. For all	Flower sam	ples, the Total Terpenes % is dry-weight corrected.
NALOOL	0.007	0.715	0.143						
ENCHYL ALCOHOL	0.007	0.29	0.058						
OPULEGOL	0.007	ND	ND						
AMPHOR	0.007	ND	ND						
SOBORNEOL	0.007	ND	ND						
ORNEOL	0.013	<0.2	<0.04						
IEXAHYDROTHYMOL	0.007	ND	ND						
IEROL	0.007	ND	ND						
ULEGONE	0.007	ND	ND						
ERANIOL	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
LPHA-CEDRENE	0.007	<0.1	<0.02						
BETA-CARYOPHYLLENE	0.007	1.715	0.343						
otal (%)			1.507			-	A		V Y A IX

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

4

02/28/23

Signature



Sour Diesel Cartridge Concentrate 0.5g Sour Diesel Matrix : Derivative



PASSED

PASSED

Page 3 of 6

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com R O

FLUENT

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND		
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE	
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN	
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR	
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	
IFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	
OSCALID	0.01	ppm	0.1	PASS	ND		
CARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBEN	ZENE (PCNE
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	
OUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	
ICHLORVOS	0.01	ppm	0.1	PASS	ND		
IMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 3379, 1440	Weight 0.24810
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.3	
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	0.101.1 L (00
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA0566	62PES
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCM	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on :02/27/23 12:3	34:17
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250	
IPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 022023.R01; 02 Consumables : 6697075-0	
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093: DA-094:	
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agen	
IEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance	
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weig
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	1665, 585, 1440	0.248
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.3	
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA0566	
METALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCM	
METHIOCARB	0.01	ppm	0.1	PASS	ND	Running on :02/27/23 12:0	57.55
METHOMYL	0.01	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 022223.R86: 04	0521 11
VEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-0	
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094;	
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agen	to in norform.

Certificate of Analysis

0909 Sampled : 02/24/23

Sample : DA30225006-005 Harvest/Lot ID: 6119 3433 4750 9768

Sample Size Received : 15.5 gram

Sample Method : SOP.T.20.010

Total Amount : 2845 units Completed : 02/28/23 Expires: 02/28/24

Batch#:0444 7180 2697

Ordered : 02/24/23

Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OXAMYL		0.01	ppm	0.5	PASS	ND
PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
PHOSMET		0.01	ppm	0.1	PASS	ND
PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
PRALLETHRIN		0.01	ppm	0.1	PASS	ND
PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
PROPOXUR		0.01	ppm	0.1	PASS	ND
PYRIDABEN		0.01	ppm	0.2	PASS	ND
SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
SPIROXAMINE		0.01	ppm	0.1	PASS	ND
TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
THIACLOPRID		0.01	ppm	0.1	PASS	ND
THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
PENTACHLORONITROBENZEI	NE (PCNB) *	0.01	PPM	0.15	PASS	ND
PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
CAPTAN *		0.07	PPM	0.7	PASS	ND
CHLORDANE *		0.01	PPM	0.1	PASS	ND
CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
Analyzed by: 585, 3379, 1440	Weight: 0.2481g		ion date: 3 12:02:4		Extracted 585,1665	by:
Analysis Method :SOP.T.30.1 SOP.T.40.102.FL (Davie) Analytical Batch :DA056662F Instrument Used :DA-LCMS-0 Running on :02/27/23 12:34:	PES 03 (PES)	ille), SOP.T	Reviewe	L (Davie), SOP d On :02/28/2 ate :02/25/23	3 09:43:32	Gainesville),
Dilution : 250 Reagent : 022023.R01; 02242 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA	-219					
Testing for agricultural agents is Spectrometry in accordance wit	h F.S. Rule 64E	R20-39.				
Analyzed by: 1665, 585, 1440	Weight: 0.2481g	N/A	raction da		Extracted by 585,1665	/:
Analysis Method :SOP.T.30.1 Analytical Batch :DA056664 Instrument Used :DA-GCMS-0 Running on :02/27/23 12:07:	/OL 001	Re	eviewed C	FL (Davie), SO Dn :02/28/23 0 :02/25/23 17:	8:28:41	
Dilution : 250 Reagent : 022223.R86; 04052 Consumables : 6697075-02 Pinette : DA.093: DA.094: DA						

ned utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

02/28/23



Sour Diesel Cartridge Concentrate 0.5g Sour Diesel Matrix : Derivative



PASSED

PASSED

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30225006-005 Harvest/Lot ID: 6119 3433 4750 9768 Batch# : 0444 7180 2697 Sample

0909 Sampled : 02/24/23 Ordered : 02/24/23 Sample Size Received : 15.5 gram Total Amount : 2845 units Completed : 02/28/23 Expires: 02/28/24 Sample Method : SOP.T.20.010

Page 4 of 6

Ä

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
UTANES (N-BUTANE)	500	ppm	5000	PASS	ND
HLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
THANOL	500	ppm	5000	PASS	ND
THYL ACETATE	40	ppm	400	PASS	ND
THYL ETHER	50	ppm	500	PASS	ND
THYLENE OXIDE	0.5	ppm	5	PASS	ND
IEPTANE	500	ppm	5000	PASS	ND
IETHANOL	25	ppm	250	PASS	ND
HEXANE	25	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ROPANE	500	ppm	5000	PASS	ND
OLUENE	15	ppm	150	PASS	ND
OTAL XYLENES	15	ppm	150	PASS	ND
RICHLOROETHYLENE	2.5	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0236g	Extraction date 02/28/23 13:58			Extracted by: 350
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA056707SOL nstrument Used : DA-GCMS-002 tunning on : 02/28/23 14:07:17			wed On : 02/28/23 15:33:52 Date : 02/27/23 12:38:36		
vilution : 1 leagent : 030420.09 ionsumables : 27296; KF140 vipette : DA-309 25 uL Syringe 35028			TRV	$\langle \chi \rangle$	$\langle \rangle \rangle$

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

4

Signature

02/28/23



Sour Diesel Cartridge Concentrate 0.5g Sour Diesel Matrix : Derivative



PASSED

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30225006-005 Harvest/Lot ID: 6119 3433 4750 9768

Batch#:0444 7180 2697 Sampled : 02/24/23 Ordered : 02/24/23

Sample Size Received : 15.5 gram Total Amount : 2845 units Completed : 02/28/23 Expires: 02/28/24 Sample Method : SOP.T.20.010

Page 5 of 6

		\times			2	~		114				44	4
(Fr	Microbia	U			PAS	SED	ւ.	Mycotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action	Analyte		LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHI	A COLI SHIGELLA			Not Present	PASS	Level	AFLATOXIN B	2	0.002	ppm	ND	PASS	0.02
SPP							AFLATOXIN B	1	0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GENE			Not Present	PASS		OCHRATOXIN	A	0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN G	1	0.002	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		AFLATOXIN G	2	0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		Analyzed by:	Weight:	Extraction da	te:	E	xtracted I	ov:
ASPERGILLU		10	CELU	Not Present	PASS	100000	585, 3379, 1440		02/27/23 12:	02:47		85,1665	
TOTAL YEAS		10	CFU/g	<10		100000		I : SOP.T.30.101.FL (Gai		.40.101.F	_ (Gainesv	ille),	
Analyzed by: 3390, 585, 144	0 Weight:		action date: 5/23 15:05:4	1	Extracted 3390	by:		L (Davie), SOP.T.40.102 L DA056663MYC		word On a)2/28/23 0	0.44.00	
					3390		Instrument Used				/25/23 17:		
	d : SOP.T.40.056C, SOP. h : DA056637MIC	1.40.05		i0.209.FL /ed On : 02/28	/23 08:58:2	21		/27/23 12:35:31		Duto I of	20,20 27.	00110	
	ed : DA-265 Gene-UP RTF	PCR		Date: 02/25/2			Dilution : 250						
Running on : 0	2/25/23 15:21:01						Reagent: 02202	23.R01; 022423.R05; 02	22223.R86; 0220	023.R02; ()22123.R3	3; 022223	3.R01;
Dilution : N/A							040521.11	607075 00					
	323.R28; 022323.R02						Consumables : 6	3; DA-094; DA-219					
Consumables : Pipette : N/A	2112100						· _		$A \times Y$	\rightarrow	\leftarrow		
ripette : N/A		-				$ \longrightarrow $		ng utilizing Liquid Chromato F.S. Rule 64ER20-39.	ography with Triple	e-Quadrupo	ole Mass Spo	ectrometry	in
Analyzed by: 3390, 585, 144	Weight: 0 1.176g		ction date: /23 15:20:22		Extracted b 3390,3336		<u>г</u> ь	XX	∇X	\mathbf{X}	$\langle \rangle$	1	
Analytical Bato Instrument Use	d : SOP.T.40.208 (Gaine h : DA056652TYM ed : Incubator (25-27C) E 2/25/23 16:52:07		Revie	D.FL wed On : 02/2 n Date : 02/25/			Hg	Heavy M	XX	V	\mathbf{X}	PAS	
Dilution : 10	2/25/25 10.52.07				-		Metal		LOD	Units	Result	Pass / Fail	Action Level
	322.13; 013123.R21						TOTAL CONTA	MINANT LOAD META	LS 0.11	ppm	ND	PASS	1.1
Consumables : Pipette : N/A	N/A						ARSENIC		0.02	ppm	ND	PASS	0.2
							CADMIUM		0.02	ppm	ND	PASS	0.2
	mold testing is performed u F.S. Rule 64ER20-39.	tilizing M	PN and tradition	nal culture base	ed techniques	s in	MERCURY		0.02	ppm	ND	PASS	0.2
accordance with	1.5. Hule 04EH20 55.						LEAD		0.05	ppm	ND	PASS	0.5
							Analyzed by: 1022, 585, 1440	Weight: 0.4448g	Extraction dat 02/27/23 08:5			xtracted b 022,3619	
							Analytical Batch Instrument Used	I: SOP.T.30.082.FL, SOI : DA056659HEA I: DA-ICPMS-003 /28/23 11:57:50	Review		/28/23 20 5/23 15:4		
							021423.R08; 02	23.R02; 123022.R14; 02 2323.R22; 020123.02 179436; 210508058; 12 1; DA-216)22423.R2	4; 022423	3.R25;
							Heavy Metals and with F.S. Rule 64	alysis is performed using Ir ER20-39.	nductively Coupled	Plasma Ma	ass Spectron	metry in ac	cordance

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

02/28/23



Sour Diesel Cartridge Concentrate 0.5g Sour Diesel Matrix : Derivative



PASSED

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30225006-005 Harvest/Lot ID: 6119 3433 4750 9768 Batch#:0444 7180 2697 0909

Sampled : 02/24/23 Ordered : 02/24/23

Sample Size Received : 15.5 gram Total Amount : 2845 units Completed : 02/28/23 Expires: 02/28/24 Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Fo Materia		PASSED		
Analyte Filth and Fore	ign Material	LOD Units 0.5 %	Result ND	P/F PASS	Action Leve
Analyzed by: 1879, 1440	Weight: NA	Extraction N/A	date:	Extra N/A	cted by:
Analysis Method Analytical Batch Instrument Used Running on : 02/	: DA056688FIL I : Filth/Foreign Mate	rial Microscope			5/23 21:28:33 23 21:05:16
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	I/A				
	naterial inspection is pe cordance with F.S. Rule		spection utiliz	ing naked ey	e and microscope
	Water A	ctivity		PA	SSED

Analyte Water Activity		LOD 0.1	Units aw	Result 0.484	P/F PASS	Action Level	
Analyzed by: 2926, 585, 1440	Weight: 0.562g	-	xtraction 0		Extracted by: 2926		
Analysis Method : SOF Analytical Batch : DAO Instrument Used : DA- Running on : 02/28/23)56647WAT -028 Rotronic H	lygropa	ılm	Reviewed C Batch Date		23 09:11:24 14:35:11	
Dilution : N/A Reagent : 100522.07 Consumables : PS-14							

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo Lab Director

Testing 97164

02/28/23

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Signature