



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30225006-007
Harvest/Lot ID: 4948 0816 9970 6908
Batch#: 9527 8159 9799 3144
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 4948 0816 9970 6908
Batch Date: 01/19/23
Sample Size Received: 16 gram
Total Amount: 1452 units
Retail Product Size: 1 gram
Ordered: 02/24/23
Sampled: 02/24/23
Completed: 02/28/23
Sampling Method: SOP.T.20.010

Feb 28, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
86.704%
Total THC/Container: 867.04 mg

Total CBD
0.3%
Total CBD/Container: 3 mg

Total Cannabinoids
92.096%
Total Cannabinoids/Container: 920.96 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.704	ND	0.3	ND	0.157	1.512	ND	1.94	0.686	ND	0.797
mg/unit	867.04	ND	3	ND	1.57	15.12	ND	19.4	6.86	ND	7.97
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 3112, 585, 1440

Weight:
0.1035g

Extraction date:
02/27/23 12:51:19

Extracted by:
3112

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA056677POT
Instrument Used: DA-LC-007
Running on: 02/27/23 13:20:56

Reviewed On: 02/28/23 09:11:38
Batch Date: 02/25/23 20:04:41

Dilution: 400
Reagent: 022023.R05; 071222.01; 021023.R26
Consumables: 245081; CE123; 12607-302CC-302; 61633-125C6-125E; R1KB45277
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30225006-007
Harvest/Lot ID: 4948 0816 9970 6908

Batch# : 9527 8159 9799 3144
Sample Size Received : 16 gram
Total Amount : 1452 units
Sampled : 02/24/23
Completed : 02/28/23 Expires: 02/28/24
Ordered : 02/24/23
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	15.83	1.583		FARNESENE	0	0.21	0.021	
TOTAL TERPINEOL	0.007	<0.2	<0.02		ALPHA-HUMULENE	0.007	0.57	0.057	
ALPHA-BISABOLOL	0.007	<0.2	<0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.45	0.045		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<2	<0.02	
BETA-PINENE	0.007	0.41	0.041		GUAIOL	0.007	<2	<0.02	
BETA-MYRCENE	0.007	7.45	0.745		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, S&S, 1440 Weight: 0.9288g Extraction date: 02/27/23 09:37:16 Extracted by: 2076				
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Reviewed On : 02/28/23 15:37:00				
ALPHA-TERPINENE	0.007	ND	ND		Analytical Batch : DA056651TER Batch Date : 02/25/23 15:08:30				
LIMONENE	0.007	2.87	0.287		Instrument Used : DA-GCMS-005				
EUCALYPTOL	0.007	ND	ND		Running on : 02/27/23 13:56:27				
OCIMENE	0.007	0.6	0.06		Dilution : 10				
GAMMA-TERPINENE	0.007	ND	ND		Reagent : N/A				
SABINENE HYDRATE	0.007	ND	ND		Consumables : N/A				
TERPINOLENE	0.007	<0.2	<0.02		Pipette : N/A				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.007	0.7	0.07						
FENCHYL ALCOHOL	0.007	0.35	0.035						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	<0.2	<0.02						
BETA-CARYOPHYLLENE	0.007	2.22	0.222						
Total (%)			1.583						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30225006-007
Harvest/Lot ID: 4948 0816 9970 6908

Batch# : 9527 8159 9799
Sample Size Received : 16 gram
Total Amount : 1452 units
Completed : 02/28/23 **Expires:** 02/28/24
Ordered : 02/24/23 **Sample Method :** SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 1440	0.2381g	02/27/23 12:02:53	585,1665		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA056662PES			Reviewed On :02/28/23 09:43:33		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date :02/25/23 17:33:53		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on :02/27/23 12:34:17					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 022203.R01; 022423.R05; 022223.R86; 022023.R02; 022123.R33; 022223.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	1665, 585, 1440	0.2381g	N/A	585,1665		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA056664VOL			Reviewed On :02/28/23 08:28:42		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used :DA-GCMS-001			Batch Date :02/25/23 17:35:50		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on :02/27/23 12:07:35					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 022223.R86; 040521.11					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30225006-007

Harvest/Lot ID: 4948 0816 9970 6908

Batch# : 9527 8159 9799
 3144

Sampled : 02/24/23

Ordered : 02/24/23

Sample Size Received : 16 gram

Total Amount : 1452 units

Completed : 02/28/23 **Expires:** 02/28/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.0261g

Extraction date:
 02/28/23 13:58:31

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA056707SOL

Instrument Used : DA-GCMS-002

Running on : 02/28/23 14:07:17

Reviewed On : 02/28/23 15:33:58

Batch Date : 02/27/23 12:38:36

Dilution : 1

Reagent : 030420.09

Consumables : 27296; KF140

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30225006-007

Harvest/Lot ID: 4948 0816 9970 6908

 Batch# : 9527 8159 9799
 3144

Sampled : 02/24/23

Ordered : 02/24/23

Sample Size Received : 16 gram

Total Amount : 1452 units

Completed : 02/28/23 Expires: 02/28/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 585, 1440	Weight: 0.809g	Extraction date: 02/25/23 15:05:42	Extracted by: 3390		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA056637MIC			Reviewed On : 02/28/23 09:09:50		
Instrument Used : DA-265 Gene-UP RTPCR			Batch Date : 02/25/23 09:44:23		
Running on : 02/25/23 15:21:01					
Dilution : N/A					
Reagent : 022323.R28; 022323.R02					
Consumables : 2112100					
Pipette : N/A					

Analyzed by: 3390, 585, 1440	Weight: 1.097g	Extraction date: 02/25/23 15:20:26	Extracted by: 3390,3336
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			
Analytical Batch : DA056652TYM		Reviewed On : 02/28/23 09:11:40	
Instrument Used : Incubator (25-27C) DA-097		Batch Date : 02/25/23 15:17:36	
Running on : 02/25/23 16:52:07			

 Dilution : 10
 Reagent : 110822.13; 013123.R21
 Consumables : N/A
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 585, 3379, 1440	Weight: 0.2381g	Extraction date: 02/27/23 12:02:53		Extracted by: 585,1665	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA056663MYC			Reviewed On : 02/28/23 09:44:09		
Instrument Used : N/A			Batch Date : 02/25/23 17:35:48		
Running on : 02/27/23 12:35:31					
Dilution : 250					
Reagent : 022023.R01; 022423.R05; 022223.R86; 022023.R02; 022123.R33; 022223.R01; 040521.11					
Consumables : 6697075-02					
Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440	Weight: 0.4817g	Extraction date: 02/27/23 08:50:52	Extracted by: 1022,3619
------------------------------	-----------------	------------------------------------	-------------------------

 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
 Analytical Batch : DA056659HEA
 Instrument Used : DA-ICPMS-003
 Running on : 02/28/23 11:57:50

 Dilution : 50
 Reagent : 021723.R02; 123022.R14; 022423.R26; 022423.R04; 022423.R24; 022423.R25; 021423.R08; 022323.R22; 020123.02
 Consumables : 179436; 210508058; 12608-302CD-302C
 Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30225006-007

Harvest/Lot ID: 4948 0816 9970 6908

Batch# : 9527 8159 9799 3144

Sampled : 02/24/23

Ordered : 02/24/23

Sample Size Received : 16 gram

Total Amount : 1452 units

Completed : 02/28/23 **Expires:** 02/28/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA056688FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 02/26/23 21:10:42

Reviewed On : 02/26/23 21:28:32

Batch Date : 02/26/23 21:05:16

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.476	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.501g	Extraction date: 02/28/23 07:26:38	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA056647WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 02/28/23 07:24:24

Reviewed On : 02/28/23 09:11:41

Batch Date : 02/25/23 14:35:11

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.