




Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30225012-003
Harvest/Lot ID: 4473 7559 5963 6116
Batch#: 4473 7559 5963 6116
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Processing
Seed to Sale# 8593 5630 3180 7080
Batch Date: 02/02/23
Sample Size Received: 900 gram
Total Amount: 4302 units
Retail Product Size: 65.0673 gram
Ordered: 02/25/23
Sampled: 02/25/23
Completed: 03/01/23
Sampling Method: SOP.T.20.010
Mar 01, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED
Pages 1 of 5
PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
NOT TESTED**
MISC.

Cannabinoid
PASSED

Total THC
0.143%
Total THC/Container: 93.046 mg

Total CBD
ND
Total CBD/Container: 0 mg

Total Cannabinoids
0.151%
Total Cannabinoids/Container: 98.252 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.143	ND	ND	ND	ND	0.004	ND	0.004	ND	ND	ND
mg/unit	93.046	ND	ND	ND	ND	2.602	ND	2.602	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analysis by:
3112, 1665, 585, 1440

Weight:
3.1504g

Extraction date:
02/27/23 12:49:33

Extracted by:
3112

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA056675POT
Instrument Used: DA-LC-007
Running on: 02/27/23 13:26:41

Reviewed On: 02/28/23 13:34:56
Batch Date: 02/25/23 20:02:49

Dilution: 40
Reagent: 020123.01; 022023.R05; 071222.46; 071222.01; 021023.R26
Consumables: 245081; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30225012-003

Harvest/Lot ID: 4473 7559 5963 6116

Batch# : 4473 7559 5963 6116

Sampled : 02/25/23

Ordered : 02/25/23

Sample Size Received : 900 gram

Total Amount : 4302 units

Completed : 03/01/23 Expires: 03/01/24

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 1440	1.0722g	02/27/23 12:06:09	585,1665		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056671PES			Reviewed On : 02/28/23 19:13:27		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 02/25/23 17:46:42		
FENHEXAMID	0.01	ppm	3	PASS	ND	Running on : 02/27/23 12:34:07					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 022023.R01; 022423.R05; 022223.R86; 022023.R02; 022123.R33; 022223.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	1665, 585, 1440	1.0722g	N/A	585,1665		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA056673VOL			Reviewed On : 02/28/23 09:39:29		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 02/25/23 17:48:10		
METALAXYL	0.01	ppm	3	PASS	ND	Running on : 02/27/23 14:31:26					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 022223.R86; 040521.11					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-093; DA-094; DA-219					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30225012-003

Harvest/Lot ID: 4473 7559 5963 6116

Batch# : 4473 7559 5963 6116

Sampled : 02/25/23

Ordered : 02/25/23

Sample Size Received : 900 gram

Total Amount : 4302 units

Completed : 03/01/23 **Expires:** 03/01/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.0277g

Extraction date:
 02/28/23 21:53:17

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA056721SOL

Instrument Used : DA-GCMS-002

Running on : 02/28/23 14:05:59

Reviewed On : 03/01/23 08:49:39

Batch Date : 02/27/23 16:33:46

Dilution : 1

Reagent : 030420.09

Consumables : 27296; KF140

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30225012-003

Harvest/Lot ID: 4473 7559 5963 6116

Batch# : 4473 7559 5963 6116

Sampled : 02/25/23

Ordered : 02/25/23

Sample Size Received : 900 gram

Total Amount : 4302 units

Completed : 03/01/23 **Expires:** 03/01/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3702, 3390, 585, 1440 Weight: 1.0561g Extraction date: 02/27/23 10:50:55 Extracted by: 3702 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056680MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/27/23 17:18:10 Dilution : N/A Reagent : 022323.R28; 022323.R04 Consumables : 2112100 Pipette : N/A						Analyzed by: 585, 3379, 1440 Weight: 1.0722g Extraction date: N/A Extracted by: 585,1665 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056672MYC Instrument Used : N/A Running on : 02/27/23 12:35:25 Dilution : 250 Reagent : 022023.R01; 022423.R05; 022223.R86; 022023.R02; 022123.R33; 022223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3390, 585, 1440 Weight: 1.0561g Extraction date: 02/27/23 10:44:47 Extracted by: 3702 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056681TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 02/27/23 15:49:52 Dilution : 10 Reagent : 110822.13; 013123.R21 Consumables : N/A Pipette : N/A						Analyzed by: 1022, 585, 1440 Weight: 0.4126g Extraction date: 02/27/23 09:57:49 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056660HEA Instrument Used : DA-ICPMS-003 Running on : 02/28/23 11:57:35 Dilution : 50 Reagent : 021723.R02; 123022.R14; 022423.R26; 022423.R04; 022423.R24; 022423.R25; 021423.R08; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.05	ppm	ND	PASS	0.5

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30225012-003

Harvest/Lot ID: 4473 7559 5963 6116

Batch# : 4473 7559 5963 6116

Sampled : 02/25/23

Ordered : 02/25/23

Sample Size Received : 900 gram

Total Amount : 4302 units

Completed : 03/01/23 Expires: 03/01/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA056685FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 02/26/23 21:10:35

Reviewed On : 02/26/23 21:27:55

Batch Date : 02/26/23 21:03:21

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.552	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 585, 1440	9.999g	02/28/23 07:08:46	2926

Analysis Method : SOP.T.40.019

Analytical Batch : DA056649WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 02/28/23 07:04:43

Reviewed On : 02/28/23 09:54:07

Batch Date : 02/25/23 14:44:44

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	4.646	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
3335, 585, 1440	6.666g	02/27/23 12:41:28	3335

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA056694HOM

Instrument Used : DA-LC-001 (Homo)

Running on : 02/27/23 13:24:42

Reviewed On : 02/28/23 13:32:46

Batch Date : 02/27/23 07:19:20

Dilution : 40

Reagent : 020123.01; 022123.R13; 071222.46; 022123.R12

Consumables : 947.109; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270

Pipette : N/A

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.