



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30225012-004
Harvest/Lot ID: 6351 9734 8429 9747
Batch#: 6351 9734 8429 9747
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Processing
Seed to Sale# 4322 7990 0187 0161
Batch Date: 01/26/23
Sample Size Received: 15.3 gram
Total Amount: 1385 units
Retail Product Size: .3 gram
Ordered: 02/25/23
Sampled: 02/25/23
Completed: 03/01/23
Sampling Method: SOP.T.20.010









Mar 01, 2023 | FLUENT

82 NE 26th street
 Miami, FL, 33137, US




PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	Filtration PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 93.246% Total THC/Container : 279.738 mg		Total CBD 0.248% Total CBD/Container : 0.744 mg		Total Cannabinoids 96.221% Total Cannabinoids/Container : 288.663 mg
--	--	---	---	---	--

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	93.209	0.043	0.248	ND	0.145	ND	ND	1.162	0.448	ND	0.966
mg/unit	279.627	0.129	0.744	ND	0.435	ND	ND	3.486	1.344	ND	2.898
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by: 3112, 1665, 585, 1440	Weight: 0.1004g	Extraction date: 02/27/23 12:51:20	Extracted by: 3112
Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA056677POT Instrument Used : DA-LC-007 Running on : 02/27/23 13:20:56		Reviewed On : 03/01/23 08:51:16 Batch Date : 02/25/23 20:04:41	
Dilution : 400 Reagent : 022023.R05; 071222.01; 021023.R26 Consumables : 245081; CE123; 12607-302CC-302; 61633-125C6-125E; R1KB45277 Pipette : DA-079; DA-108; DA-078			
Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.			



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30225012-004

Harvest/Lot ID: 6351 9734 8429 9747

Batch# : 6351 9734 8429 9747

Sampled : 02/25/23

Ordered : 02/25/23


Sample Size Received : 15.3 gram

Total Amount : 1385 units

Completed : 03/01/23 **Expires:** 03/01/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	8.349	2.783		FARNESENE	0	0.075	0.025	
TOTAL TERPINEOL	0.007	<0.06	<0.02		ALPHA-HUMULENE	0.007	0.189	0.063	
ALPHA-BISABOLOL	0.007	<0.06	<0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.258	0.086		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	<0.06	<0.02		CARYOPHYLLENE OXIDE	0.007	<0.06	<0.02	
BETA-PINENE	0.007	0.315	0.105		GUAIOL	0.007	<0.06	<0.02	
BETA-MYRCENE	0.007	1.536	0.512		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.423	0.141		<div>Analyzed by: 2076, S&S, 1440Weight: 1.0164gExtraction date: 02/27/23 16:19:44Extracted by: 2076</div>				
3-CARENE	0.007	0.135	0.045		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLAnalytical Batch : DA056696TERInstrument Used : DA-GCMS-005Running on : 03/01/23 07:59:34Reviewed On : 03/01/23 08:51:46Batch Date : 02/27/23 07:30:26</div>				
ALPHA-TERPINENE	0.007	0.12	0.04		<div>Dilution : 10Reagent : 120722.09Consumables : 210414634; MKCN9995; CE0123; R1KB14270Pipette : N/ATerpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
LIMONENE	0.007	0.501	0.167						
EUCALYPTOL	0.007	<0.06	<0.02						
OCIMENE	0.007	0.078	0.026						
GAMMA-TERPINENE	0.007	0.075	0.025						
SABINENE HYDRATE	0.007	<0.06	<0.02						
TERPINOLENE	0.007	3.63	1.21						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.213	0.071						
FENCHYL ALCOHOL	0.007	0.102	0.034						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.12	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	<0.06	<0.02						
BETA-CARYOPHYLLENE	0.007	0.699	0.233						
Total (%)			2.783						



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30225012-004

Harvest/Lot ID: 6351 9734 8429 9747

Batch# : 6351 9734 8429 9747

Sampled : 02/25/23

Ordered : 02/25/23

Sample Size Received : 15.3 gram

Total Amount : 1385 units

Completed : 03/01/23 Expires: 03/01/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 1440	0.2621g	02/27/23 12:37:08	585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056665PES			Reviewed On : 02/28/23 10:54:58		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 02/25/23 17:38:33		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 02/27/23 12:38:11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 022023.R01; 022423.R05; 022223.R86; 022023.R02; 022123.R33; 022223.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	1665, 585, 1440	0.2621g	N/A	585,1665		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056667VOL			Reviewed On : 02/28/23 09:45:26		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 02/25/23 17:40:21		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 02/27/23 14:20:56					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 022223.R86; 040521.11					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30225012-004

Harvest/Lot ID: 6351 9734 8429 9747

Batch# : 6351 9734 8429 9747

Sampled : 02/25/23

Ordered : 02/25/23

Sample Size Received : 15.3 gram

Total Amount : 1385 units

Completed : 03/01/23 **Expires:** 03/01/24

Sample Method : SOP.T.20.010

Page 4 of 8



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.028g

Extraction date:
 02/28/23 21:53:18

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA056721SOL

Instrument Used : DA-GCMS-002

Running on : 02/28/23 14:05:59

Reviewed On : 03/01/23 08:50:18

Batch Date : 02/27/23 16:33:46

Dilution : 1

Reagent : 030420.09

Consumables : 27296; KF140

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30225012-004

Harvest/Lot ID: 6351 9734 8429 9747

Batch# : 6351 9734 8429 9747

Sampled : 02/25/23

Ordered : 02/25/23



Sample Size Received : 15.3 gram

Total Amount : 1385 units

Completed : 03/01/23 **Expires:** 03/01/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3702, 3390, 585, 1440 Weight: 0.915g Extraction date: 02/27/23 10:50:56 Extracted by: 3702 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056680MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/27/23 17:18:10 Dilution : N/A Reagent : 022323.R28; 022323.R04 Consumables : 2112100 Pipette : N/A						Analyzed by: 585, 3379, 1440 Weight: 0.2621g Extraction date: N/A Extracted by: 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056666MYC Instrument Used : N/A Running on : 02/27/23 12:35:30 Dilution : 250 Reagent : 022023.R01; 022423.R05; 022223.R86; 022023.R02; 022123.R33; 022223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Reviewed On : 02/28/23 18:16:17 Batch Date : 02/26/23 08:29:42						Reviewed On : 02/28/23 10:52:57 Batch Date : 02/25/23 17:40:19					
Analyzed by: 3390, 585, 1440 Weight: 0.915g Extraction date: 02/27/23 10:44:48 Extracted by: 3702 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056681TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 02/27/23 15:49:52 Dilution : 10 Reagent : 110822.13; 013123.R21 Consumables : N/A Pipette : N/A						Analyzed by: 1022, 585, 1440 Weight: 0.4894g Extraction date: 02/27/23 12:11:25 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056683HEA Instrument Used : N/A Running on : 02/28/23 11:55:57 Dilution : 50 Reagent : 021723.R02; 123022.R14; 022423.R26; 022423.R04; 022423.R24; 022423.R25; 021423.R08; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216					
Reviewed On : 02/28/23 18:19:18 Batch Date : 02/26/23 14:09:56						Reviewed On : 03/01/23 08:49:43 Batch Date : 02/26/23 19:11:39					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					


Heavy Metals
PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.4894g Extraction date: 02/27/23 12:11:25 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056683HEA Instrument Used : N/A Running on : 02/28/23 11:55:57 Dilution : 50 Reagent : 021723.R02; 123022.R14; 022423.R26; 022423.R04; 022423.R24; 022423.R25; 021423.R08; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216					
Reviewed On : 03/01/23 08:49:43 Batch Date : 02/26/23 19:11:39					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30225012-004

Harvest/Lot ID: 6351 9734 8429 9747

Batch# : 6351 9734 8429 9747

Sampled : 02/25/23

Ordered : 02/25/23

Sample Size Received : 15.3 gram

Total Amount : 1385 units

Completed : 03/01/23 **Expires:** 03/01/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA056686FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 02/26/23 21:10:39

Reviewed On : 02/26/23 21:28:19

Batch Date : 02/26/23 21:03:38

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.499	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.1541g	Extraction date: 02/28/23 14:00:54	Extracted by: 2926
--	---------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA056650WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 02/28/23 13:58:57

Reviewed On : 02/28/23 14:02:40

Batch Date : 02/25/23 14:56:00

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.