



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30228006-005

Harvest/Lot ID: 3740 2955 0503 2360

Batch#: 6262 9233 9427 9884

Cultivation Facility: Tampa Cultivation

Processing Facility: Tampa Processing

Distributor Facility:

Source Facility: Tampa Cultivation

Seed to Sale# 3740 2955 0503 2360

Batch Date: 02/07/23

Sample Size Received: 25.5 gram

Total Amount: 2249 units

Retail Product Size: 0.35 gram

Ordered: 02/27/23

Sampled: 02/27/23

Completed: 03/02/23

Sampling Method: SOP.T.20.010

Mar 02, 2023 | FLUENT

82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

30.314%

Total THC/Container: 106.099 mg



Total CBD

0.064%


Total CBD/Container: 0.224 mg



Total Cannabinoids

35.5%

Total Cannabinoids/Container: 124.25 mg



Analyzed by:
3605, 3112, 585, 1440

Weight:
0.1997g

Extraction date:
02/28/23 12:03:04

Extracted by:
3605

Analysis Method: SOP.T.40.031, SOP.T.30.031
 Analytical Batch: DA056747POT
 Instrument Used: DA-LC-002 (Flower)
 Running on: 02/28/23 12:03:27

Reviewed On: 03/01/23 10:52:47
 Batch Date: 02/28/23 10:28:12

Dilution: 400
 Reagent: 022123.R06; 071222.01; 022123.R09
 Consumables: CE123; 12607-302CC-302; 61633-125C6-125E; R1KB45277
 Pipette: DA-055; DA-063; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30228006-005
Harvest/Lot ID: 3740 2955 0503 2360

Batch# : 6262 9233 9427
9884

Sampled : 02/27/23
Ordered : 02/27/23

Sample Size Received : 25.5 gram
Total Amount : 2249 units
Completed : 03/02/23 Expires: 03/02/24
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	6.307	1.802		FARNESENE	0	0.024	0.007	
TOTAL TERPINEOL	0.007	0.115	0.033		ALPHA-HUMULENE	0.007	0.437	0.125	
ALPHA-BISABOLOL	0.007	0.311	0.089		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.154	0.044		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	<0.07	<0.02		TRANS-NEROLIDOL	0.007	<0.07	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.07	<0.02	
BETA-PINENE	0.007	0.213	0.061		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.241	0.069		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, S&S, 1440 Weight: 0.9031g Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA056736TER Instrument Used: DA-GCMS-004 Running on: 03/01/23 08:40:19 Extraction date: 02/28/23 11:57:15 Reviewed On: 03/01/23 17:29:43 Batch Date: 02/28/23 09:22:25 Dilution: 10 Reagent: 120722.09 Consumables: 210414634; MKCN9995; CE0123; R1KB14270 Pipette: N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	1.232	0.352						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	<0.07	<0.02						
TERPINOLENE	0.007	<0.07	<0.02						
FENCHONE	0.007	<0.07	<0.02						
LINALOOL	0.007	0.539	0.154						
FENCHYL ALCOHOL	0.007	0.168	0.048						
ISOPULEGOL	0.007	ND	ND						
CAMPOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.14	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	<0.07	<0.02						
GERANIOL	0.007	<0.07	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.407	0.402						
Total (%)			1.802						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30228006-005
 Harvest/Lot ID: 3740 2955 0503 2360

 Batch# : 6262 9233 9427 Sample Size Received : 25.5 gram
 9884 Total Amount : 2249 units
 Sampled : 02/27/23 Completed : 03/02/23 Expires: 03/02/24
 Ordered : 02/27/23 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.9334g	02/28/23 11:56:08	1665		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056739PES			Reviewed On : 03/01/23 10:46:29		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : N/A			Batch Date : 02/28/23 09:35:49		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 02/28/23 12:58:53					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 022423.R05; 022723.R03; 022723.R02; 022823.R09; 022123.R33; 022223.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	1665, 585, 1440	0.9334g	N/A	1665		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056741VOL			Reviewed On : 03/01/23 10:44:47		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 02/28/23 09:37:16		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 02/28/23 12:17:47					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 25					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 040521.11; 022523.R01; 022523.R02					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30228006-005

Harvest/Lot ID: 3740 2955 0503 2360

 Batch# : 6262 9233 9427
 9884

 Sampled : 02/27/23
 Ordered : 02/27/23




Sample Size Received : 25.5 gram

Total Amount : 2249 units

Completed : 03/02/23 Expires: 03/02/24

Sample Method : SOP.T.20.010

Page 4 of 5

<div> Microbial</div> <div>PASSED</div>						<div> Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	30	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.9334g	Extraction date: 02/28/23 11:56:08	Extracted by: 1665		
Analyzed by: 3390, 3336, 585, 1440 Weight: 0.9172g Extraction date: 02/28/23 11:43:00 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056731MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/28/23 11:53:28 Reviewed On : 03/02/23 13:17:06 Batch Date : 02/28/23 09:08:50						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056740MYC Instrument Used : N/A Running on : 02/28/23 12:59:19 Reviewed On : 03/01/23 10:47:04 Batch Date : 02/28/23 09:36:52					
Dilution : N/A Reagent : 022323.R28; 022323.R04 Consumables : 2112100 Pipette : N/A						Dilution : 250 Reagent : 022423.R05; 022723.R03; 022723.R02; 022823.R09; 022123.R33; 022223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											
<div> Heavy Metals</div> <div>PASSED</div>											
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30228006-005
Harvest/Lot ID: 3740 2955 0503 2360

Batch# : 6262 9233 9427 9884
Sample Size Received : 25.5 gram
Total Amount : 2249 units
Completed : 03/02/23 **Expires:** 03/02/24
Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
Analysis Method : SOP.T.40.090		Reviewed On : 03/01/23 12:14:05	
Analytical Batch : DA056793FIL		Batch Date : 03/01/23 12:03:41	
Instrument Used : Filth/Foreign Material Microscope			
Running on : 03/01/23 12:07:57			

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	12.37	PASS	15

Analyzed by: 2926, 585, 1440	Weight: 0.493g	Extraction date: 02/28/23 14:23:22	Extracted by: 2926
Analysis Method : SOP.T.40.021		Reviewed On : 02/28/23 15:43:48	
Analytical Batch : DA056749MOI		Batch Date : 02/28/23 10:54:53	
Instrument Used : DA-003 Moisture Analyzer			
Running on : 02/28/23 14:22:10			

Dilution : N/A
Reagent : 101920.06; 020123.02
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.497	PASS	0.65

Analyzed by: 2926, 585, 1440	Weight: 0.872g	Extraction date: 02/28/23 12:44:10	Extracted by: 2926
Analysis Method : SOP.T.40.019		Reviewed On : 02/28/23 15:43:49	
Analytical Batch : DA056698WAT		Batch Date : 02/27/23 10:06:26	
Instrument Used : DA-028 Rotronic HygroPalm			
Running on : 02/28/23 07:01:06			

Dilution : N/A
Reagent : 100522.07
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.