



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30228006-006

Harvest/Lot ID: 2670 0411 9491 2076

Batch#: 5644 3779 1853 7982

Cultivation Facility: Tampa Cultivation

Processing Facility: Tampa Processing

Distributor Facility:

Source Facility: Tampa Cultivation

Seed to Sale# 2670 0411 9491 2076

Batch Date: 02/07/23

Sample Size Received: 25.5 gram

Total Amount: 1500 units

Retail Product Size: 0.35 gram

Ordered: 02/27/23

Sampled: 02/27/23

Completed: 03/02/23

Sampling Method: SOP.T.20.010

Mar 02, 2023 | FLUENT


 82 NE 26th street  
 Miami, FL, 33137, US

**PASSED**

Pages 1 of 5

**PRODUCT IMAGE**

**SAFETY RESULTS**

 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals Solvents  
 NOT TESTED

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
**PASSED**

 Terpenes  
 TESTED

**MISC.**

**Cannabinoid**
**PASSED**


Total THC

**14.144%**

Total THC/Container: 49.504 mg



Total CBD

**0.042%**


Total CBD/Container: 0.147 mg



Total Cannabinoids

**16.437%**

Total Cannabinoids/Container: 57.529 mg


 Analyzed by:  
 3605, 3112, 1665, 3335, 1440

 Weight:  
 0.2011g

 Extraction date:  
 02/28/23 12:03:04

 Extracted by:  
 3605

 Analysis Method: SOP.T.40.031, SOP.T.30.031  
 Analytical Batch: DA056747POT  
 Instrument Used: DA-LC-002 (Flower)  
 Running on: 02/28/23 12:03:27

 Reviewed On: 03/02/23 07:38:19  
 Batch Date: 02/28/23 10:28:12

 Dilution: 400  
 Reagent: 022123.R06; 071222.01; 022123.R09  
 Consumables: CE123; 12607-302CC-302; 61633-125C6-125E; R1KB45277  
 Pipette: DA-055; DA-063; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**


FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30228006-006  
 Harvest/Lot ID: 2670 0411 9491 2076

 Batch# : 5644 3779 1853  
 7982  
 Sampled : 02/27/23  
 Ordered : 02/27/23  
 Sample Size Received : 25.5 gram  
 Total Amount : 1500 units  
 Completed : 03/02/23 Expires: 03/02/24  
 Sample Method : SOP.T.20.010

Page 2 of 5



# Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	2.404	0.687		FARNESENE	0	ND	ND	
TOTAL TERPINEOL	0.007	0.105	0.03		ALPHA-HUMULENE	0.007	0.182	0.052	
ALPHA-BISABOLOL	0.007	0.206	0.059		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	<0.07	<0.02		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<0.07	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.07	<0.02	
BETA-PINENE	0.007	<0.07	<0.02		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.112	0.032		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, S&amp;S, 1440Weight: 0.8655gExtraction date: 02/28/23 11:57:16Extracted by: 2076</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLAnalytical Batch : DA056736TERInstrument Used : DA-GCMS-004Running on : 03/01/23 08:40:19</div> <div>Reviewed On : 03/01/23 17:29:44Batch Date : 02/28/23 09:22:25</div>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	0.259	0.074						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND		Dilution : 10				
GAMMA-TERPINENE	0.007	ND	ND		Reagent : 120722.09				
SABINENE HYDRATE	0.007	<0.07	<0.02		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TERPINOLENE	0.007	<0.07	<0.02		Pipette : N/A				
FENCHONE	0.007	<0.07	<0.02		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.007	0.493	0.141						
FENCHYL ALCOHOL	0.007	0.143	0.041						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.14	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.07	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.514	0.147						
Total (%)			0.687						



# Certificate of Analysis


**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30228006-006  
 Harvest/Lot ID: 2670 0411 9491 2076

 Batch# : 5644 3779 1853  
 Sample Size Received : 25.5 gram  
 Total Amount : 1500 units  
 Completed : 03/02/23 Expires: 03/02/24  
 Sample Method : SOP.T.20.010

Page 3 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.8614g	Extraction date: 02/28/23 11:56:13		Extracted by: 1665	
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056739PES					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used : N/A					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Running on : 02/28/23 12:58:53					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 022423.R05; 022723.R03; 022723.R02; 022823.R09; 022123.R33; 022223.R01; 040521.11					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 1665, 585, 1440	Weight: 0.8614g	Extraction date: N/A		Extracted by: 1665	
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056741VOL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Running on : 02/28/23 12:17:47					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 25					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 040521.11; 022523.R01; 022523.R02					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 6697075-02; 14725401					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						





# Certificate of Analysis




**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30228006-006  
 Harvest/Lot ID: 2670 0411 9491 2076

 Batch# : 5644 3779 1853  
 7982  
 Sampled : 02/27/23  
 Ordered : 02/27/23  
 Sample Size Received : 25.5 gram  
 Total Amount : 1500 units  
 Completed : 03/02/23 Expires: 03/02/24  
 Sample Method : SOP.T.20.010

Page 4 of 5

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000						
Analyzed by: 3390, 3336, 585, 1440 Weight: 0.8664g Extraction date: 02/28/23 11:43:00 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056731MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/28/23 11:53:28 Dilution : N/A Reagent : 022323.R28; 022323.R04 Consumables : 2112100 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.8614g Extraction date: 02/28/23 11:56:13 Extracted by: 1665 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056740MYC Instrument Used : N/A Running on : 02/28/23 12:59:19 Dilution : 250 Reagent : 022423.R05; 022723.R03; 022723.R02; 022823.R09; 022123.R33; 022223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3390, 585, 1440 Weight: 0.8377g Extraction date: 02/28/23 11:51:58 Extracted by: 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056750TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 02/28/23 12:14:17 Dilution : 10 Reagent : 110822.13; 013123.R21 Consumables : N/A Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 <b>Heavy Metals</b> <b>PASSED</b>											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.4631g Extraction date: 02/28/23 10:41:56 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056728HEA Instrument Used : DA-ICPMS-003 Running on : 02/28/23 11:56:09 Dilution : 50 Reagent : 021723.R02; 123022.R14; 022423.R26; 022423.R04; 022423.R24; 022423.R25; 021423.R08; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30228006-006  
**Harvest/Lot ID:** 2670 0411 9491 2076

**Batch# :** 5644 3779 1853  
**Sample Size Received :** 25.5 gram  
**Total Amount :** 1500 units  
**Completed :** 03/02/23 **Expires:** 03/02/24  
**Sample Method :** SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**

**PASSED**


**Moisture**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.5	%	ND	<b>PASS</b>	1

<b>Analyzed by:</b> 1879, 1440	<b>Weight:</b> NA	<b>Extraction date:</b> N/A	<b>Extracted by:</b> N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

<b>Analysis Method :</b> SOP.T.40.090 <b>Analytical Batch :</b> DA056793FIL <b>Instrument Used :</b> Filth/Foreign Material Microscope <b>Running on :</b> 03/01/23 12:07:57	<b>Reviewed On :</b> 03/01/23 12:14:54 <b>Batch Date :</b> 03/01/23 12:03:41
---	---

**Dilution :** N/A  
**Reagent :** N/A  
**Consumables :** N/A  
**Pipette :** N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.1	aw	0.482	<b>PASS</b>	0.65

<b>Analyzed by:</b> 2926, 585, 1440	<b>Weight:</b> 0.629g	<b>Extraction date:</b> 02/28/23 12:44:15	<b>Extracted by:</b> 2926
--	--------------------------	--	------------------------------

<b>Analysis Method :</b> SOP.T.40.019 <b>Analytical Batch :</b> DA056698WAT <b>Instrument Used :</b> DA-028 Rotronic HygroPalm <b>Running on :</b> 02/28/23 07:01:06	<b>Reviewed On :</b> 02/28/23 15:43:51 <b>Batch Date :</b> 02/27/23 10:06:26
---	---

**Dilution :** N/A  
**Reagent :** 100522.07  
**Consumables :** PS-14  
**Pipette :** N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
<b>Moisture Content</b>	1	%	8.45	<b>PASS</b>	15

<b>Analyzed by:</b> 2926, 585, 1440	<b>Weight:</b> 0.489g	<b>Extraction date:</b> 02/28/23 14:23:22	<b>Extracted by:</b> 2926
--	--------------------------	--	------------------------------

<b>Analysis Method :</b> SOP.T.40.021 <b>Analytical Batch :</b> DA056749MOI <b>Instrument Used :</b> DA-003 Moisture Analyzer <b>Running on :</b> 02/28/23 14:22:10	<b>Reviewed On :</b> 02/28/23 15:43:50 <b>Batch Date :</b> 02/28/23 10:54:53
--	---

**Dilution :** N/A  
**Reagent :** 101920.06; 020123.02  
**Consumables :** N/A  
**Pipette :** DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.