



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30228006-007
Harvest/Lot ID: SA-COM-021423-A097
Batch#: 0897 1481 2060 2124
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 5860 2784 6842 3488
Batch Date: 02/08/23
Sample Size Received: 35 gram
Total Amount: 2533 units
Retail Product Size: 3.5 gram
Ordered: 02/27/23
Sampled: 02/27/23
Completed: 03/02/23
Sampling Method: SOP.T.20.010

Mar 02, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
17.113%

Total THC/Container : 598.955 mg


Total CBD
0.049%

Total CBD/Container : 1.715 mg


Total Cannabinoids
19.972%

Total Cannabinoids/Container : 699.02 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.38	19.08	ND	0.057	<0.01	0.053	0.381	<0.01	ND	ND	0.021	0.053	18.666	21.784
mg/unit	13.3	667.8	ND	1.995	<0.35	1.855	13.335	<0.35	ND	ND	0.735	1.855	653.31	762.44
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3605, 3112, 585, 1440

Weight:
0.2052g

Extraction date:
02/28/23 12:03:05

Extracted by:
3605

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA056747POT
Instrument Used: DA-LC-002 (Flower)
Running on: 02/28/23 12:03:27

Reviewed On: 03/01/23 10:52:52
Batch Date: 02/28/23 10:28:12

Dilution: 400
Reagent: 022123.R06; 071222.01; 022123.R09
Consumables: CE123; 12607-302CC-302; 61633-125C6-125E; R1KB45277
Pipette: DA-055; DA-063; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30228006-007
Harvest/Lot ID: SA-COM-021423-A097

Batch# : 0897 1481 2060
Sample Size Received : 35 gram
Total Amount : 2533 units
Completed : 03/02/23 Expires: 03/02/24
Ordered : 02/27/23
Sample Method : SOP.T.20.010

Page 2 of 5

Analysis by:	2076, 585, 1440	Weight:	0.837g	Extraction date:	02/28/23 11:57:16	Extracted by:	2076
Analysis Method:	SOP.T.30.061A.FL, SOP.T.40.061A.FL						
Analytical Batch:	DA056736TER						
Instrument Used:	DA-GCMS-004						
Running on:	03/01/23 08:40:19						
Dilution:	10						
Reagent:	120722.09						
Consumables:	210414634; MKCN9995; CE0123; R1KB14270						
Pipette:	N/A						
Reviewed On : 03/01/23 17:29:45							
Batch Date : 02/28/23 09:22:25							
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.							



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30228006-007
 Harvest/Lot ID: SA-COM-021423-A097

 Batch# : 0897 1481 2060
 Sample Size Received : 35 gram
 Total Amount : 2533 units
 Completed : 03/02/23 Expires: 03/02/24
 Ordered : 02/27/23
 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	1.0647g	02/28/23 11:56:16	1665		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056739PES				Reviewed On : 03/01/23 10:46:31	
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : N/A				Batch Date : 02/28/23 09:35:49	
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 02/28/23 12:58:53					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 022423.R05; 022723.R03; 022723.R02; 022823.R09; 022123.R33; 022223.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	1665, 585, 1440	1.0647g	N/A	1665		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056741VOL				Reviewed On : 03/01/23 10:44:49	
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 02/28/23 09:37:16	
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 02/28/23 12:17:47					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 25					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 040521.11; 022523.R01; 022523.R02					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30228006-007
Harvest/Lot ID: SA-COM-021423-A097

Batch# : 0897 1481 2060 **Sample Size Received :** 35 gram
2124 **Total Amount :** 2533 units
Sampled : 02/27/23 **Completed :** 03/02/23 **Expires:** 03/02/24
Ordered : 02/27/23 **Sample Method :** SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	45000	PASS	100000
Analyzed by: 3390, 3336, 585, 1440 Weight: 0.8893g Extraction date: 02/28/23 11:43:00 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On : 03/02/23 13:17:09 Analytical Batch : DA056731MIC Batch Date : 02/28/23 09:08:50 Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/28/23 11:53:28 Dilution : N/A Reagent : 022323.R28; 022323.R04 Consumables : 2112100 Pipette : N/A					

Analyzed by: 3390, 585, 1440	Weight: 0.9047g	Extraction date: 02/28/23 11:51:55	Extracted by: 3390
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056750TYM Reviewed On : 03/02/23 16:41:09 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 02/28/23 11:49:16 Running on : 02/28/23 12:14:17 Dilution : 10 Reagent : 110822.13; 013123.R21 Consumables : N/A Pipette : N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440 Weight: 1.0647g Extraction date: 02/28/23 11:56:16 Extracted by: 1665 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056740MYC Reviewed On : 03/01/23 10:47:07 Instrument Used : N/A Batch Date : 02/28/23 09:36:52 Running on : 02/28/23 12:59:19 Dilution : 250 Reagent : 022423.R05; 022723.R03; 022723.R02; 022823.R09; 022123.R33; 022223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.4558g Extraction date: 02/28/23 10:00:58 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056728HEA Reviewed On : 03/01/23 15:27:07 Instrument Used : DA-ICPMS-003 Batch Date : 02/28/23 08:33:22 Running on : 02/28/23 11:56:09 Dilution : 50 Reagent : 021723.R02; 123022.R14; 022423.R26; 022423.R04; 022423.R24; 022423.R25; 021423.R08; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30228006-007
Harvest/Lot ID: SA-COM-021423-A097

Batch# : 0897 1481 2060
Sample Size Received : 35 gram
Total Amount : 2533 units
Completed : 03/02/23 **Expires:** 03/02/24
Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090 Analytical Batch : DA056793FIL Instrument Used : Filth/Foreign Material Microscope Running on : 03/01/23 12:07:57	Reviewed On : 03/01/23 12:14:55 Batch Date : 03/01/23 12:03:41
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.425	PASS	0.65

Analyzed by: 2926, 585, 1440	Weight: 0.595g	Extraction date: 02/28/23 12:44:20	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019 Analytical Batch : DA056698WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 02/28/23 07:01:06	Reviewed On : 02/28/23 15:43:53 Batch Date : 02/27/23 10:06:26
---	---

Dilution : N/A
Reagent : 100522.07
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	8.32	PASS	15

Analyzed by: 2926, 585, 1440	Weight: 0.506g	Extraction date: 02/28/23 14:23:23	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.021 Analytical Batch : DA056749MOI Instrument Used : DA-003 Moisture Analyzer Running on : 02/28/23 14:22:10	Reviewed On : 02/28/23 15:43:51 Batch Date : 02/28/23 10:54:53
--	---

Dilution : N/A
Reagent : 101920.06; 020123.02
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.