



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30301003-002
Harvest/Lot ID: 0749 0190 5249 1888
Batch#: 1000 4200 1262 1275
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 0749 0190 5249 1888
Batch Date: 01/26/23
Sample Size Received: 51 gram
Total Amount: 1365 units
Retail Product Size: 0.3 gram
Ordered: 02/28/23
Sampled: 02/28/23
Completed: 03/03/23
Sampling Method: SOP.T.20.010

Mar 03, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	FiltH PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------


Analyzed by:
3112, 1665, 585, 1440

Weight:
0.1077g

Extraction date:
03/01/23 10:27:58

Extracted by:
3112,3335

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA056761POT
Instrument Used: DA-LC-007
Running on: 03/01/23 10:22:51

Reviewed On: 03/02/23 08:53:10
Batch Date: 03/01/23 08:43:28

Dilution: 400
Reagent: 022123.R06; 021023.R26
Consumables: 245081; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30301003-002
Harvest/Lot ID: 0749 0190 5249 1888

Batch# : 1000 4200 1262 Sample Size Received : 51 gram
1275 Total Amount : 1365 units
Sampled : 02/28/23 Completed : 03/03/23 Expires: 03/03/24
Ordered : 02/28/23 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	9.255	3.085		FARNESENE	0	0.054	0.018	
TOTAL TERPINEOL	0.007	0.099	0.033		ALPHA-HUMULENE	0.007	0.264	0.088	
ALPHA-BISABOLOL	0.007	<0.06	<0.02		VALENCENE	0.007	<0.06	<0.02	
ALPHA-PINENE	0.007	0.471	0.157		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.06	<0.02		TRANS-NEROLIDOL	0.007	<0.06	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.06	<0.02	
BETA-PINENE	0.007	0.414	0.138		GUAIOL	0.007	<0.06	<0.02	
BETA-MYRCENE	0.007	3.006	1.002		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, S&S, 1440Weight: 0.8376gExtraction date: 03/01/23 11:26:25Extracted by: 2076</div>				
3-CARENE	0.007	ND	ND		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLReviewed On : 03/03/23 12:23:57</div>				
ALPHA-TERPINENE	0.007	<0.06	<0.02		<div>Analytical Batch : DA056774TERBatch Date : 03/01/23 09:47:19</div>				
LIMONENE	0.007	2.298	0.766		<div>Instrument Used : DA-GCMS-004</div>				
EUCALYPTOL	0.007	<0.06	<0.02		<div>Running on : 03/03/23 09:02:31</div>				
OCIMENE	0.007	0.594	0.198		<div>Dilution : 10</div>				
GAMMA-TERPINENE	0.007	<0.06	<0.02		<div>Reagent : N/A</div>				
SABINENE HYDRATE	0.007	<0.06	<0.02		<div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div>				
TERPINOLENE	0.007	0.099	0.033		<div>Pipette : N/A</div>				
FENCHONE	0.007	<0.06	<0.02		<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
LINALOOL	0.007	0.702	0.234						
FENCHYL ALCOHOL	0.007	0.252	0.084						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	<0.12	<0.04						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.12	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.06	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	<0.06	<0.02						
BETA-CARYOPHYLLENE	0.007	1.002	0.334						
Total (%)			3.085						



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30301003-002
 Harvest/Lot ID: 0749 0190 5249 1888

 Batch# : 1000 4200 1262 Sample Size Received : 51 gram
 1275 Total Amount : 1365 units
 Sampled : 02/28/23 Completed : 03/03/23 Expires: 03/03/24
 Ordered : 02/28/23 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.229g	03/01/23 11:31:17	1665,3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056763PES			Reviewed On :03/02/23 13:57:41		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used :N/A			Batch Date :03/01/23 09:04:41		
FENHEXAMID	0.01	ppm	3	PASS	ND	Running on :03/01/23 13:06:52					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 022423.R05; 022723.R03; 030123.R03; 022823.R09; 022123.R33; 030123.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	1665, 585, 1440	0.229g	03/01/23 11:31:17	1665,3379		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA056765VOL			Reviewed On :03/02/23 08:43:00		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used :DA-GCMS-001			Batch Date :03/01/23 09:06:39		
METALAXYL	0.01	ppm	3	PASS	ND	Running on :03/01/23 11:35:34					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 022523.R01; 022523.R02					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30301003-002
Harvest/Lot ID: 0749 0190 5249 1888

Batch# : 1000 4200 1262
Sample Size Received : 51 gram
Total Amount : 1365 units
Completed : 03/03/23 **Expires:** 03/03/24
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.0281g

Extraction date:
 03/02/23 11:33:03

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA056802SOL
Instrument Used : DA-GCMS-003
Running on : 03/02/23 12:25:03

Reviewed On : 03/02/23 14:05:13
Batch Date : 03/01/23 13:40:17

Dilution : 1
Reagent : 030420.09
Consumables : 27296; KF140
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30301003-002

Harvest/Lot ID: 0749 0190 5249 1888

 Batch# : 1000 4200 1262
 1275

Sampled : 02/28/23

Ordered : 02/28/23




Sample Size Received : 51 gram

Total Amount : 1365 units

Completed : 03/03/23 Expires: 03/03/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3621, 585, 1440 Weight: 1.038g Extraction date: 03/01/23 11:20:50 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056771MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 03/01/23 11:34:38 Dilution : N/A Reagent : 022323.R28; 022323.R04 Consumables : 2112100 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.229g Extraction date: 03/01/23 11:31:17 Extracted by: 1665,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056764MYC Instrument Used : N/A Running on : 03/01/23 13:06:55 Dilution : 250 Reagent : 022423.R05; 022723.R03; 030123.R03; 022823.R09; 022123.R33; 030123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3390, 3336, 585, 1440 Weight: 1.175g Extraction date: 03/01/23 11:23:55 Extracted by: 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056790TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 03/01/23 12:06:01 Dilution : 10 Reagent : 110822.10; 013123.R21 Consumables : N/A Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5						
ARSENIC	0.02	ppm	ND	PASS	1.5						
CADMIUM	0.02	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	3						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.5864g Extraction date: 03/01/23 11:04:46 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056762HEA Instrument Used : DA-ICPMS-003 Running on : 03/01/23 13:57:47 Dilution : 50 Reagent : 021723.R02; 123022.R14; 022423.R26; 022423.R04; 022423.R24; 022423.R25; 021423.R08; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30301003-002
Harvest/Lot ID: 0749 0190 5249 1888

Batch# : 1000 4200 1262 1275
Sample Size Received : 51 gram
Total Amount : 1365 units
Completed : 03/03/23 **Expires:** 03/03/24
Ordered : 02/28/23 **Sample Method :** SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA056871FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/02/23 16:12:39

Reviewed On : 03/02/23 16:19:03

Batch Date : 03/02/23 15:31:03

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.458	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.251g	Extraction date: 03/01/23 11:32:42	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA056775WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/01/23 10:57:28

Reviewed On : 03/01/23 12:07:15

Batch Date : 03/01/23 10:12:53

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.