



Certificate of Analysis

COMPLIANCE FOR RETAIL









Sample: DA30302006-009
Harvest/Lot ID: 9009 7096 3134 1180
Batch#: 7463 2407 5901 2878
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 9009 7096 3134 1180
Batch Date: 02/02/23
Sample Size Received: 15.5 gram
Total Amount: 2819 units
Retail Product Size: 0.5 gram
Ordered: 03/01/23
Sampled: 03/01/23
Completed: 03/05/23
Sampling Method: SOP.T.20.010

Mar 05, 2023 | FLUENT



82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	FiltH PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 88.547% Total THC/Container : 442.735 mg		Total CBD 0.265% Total CBD/Container : 1.325 mg		Total Cannabinoids 93.121% Total Cannabinoids/Container : 465.605 mg
--	--	---	---	---	--

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.479	0.078	0.265	ND	0.221	1.535	ND	0.996	0.619	ND	0.928
mg/unit	442.395	0.39	1.325	ND	1.105	7.675	ND	4.98	3.095	ND	4.64
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analized by: 3112, 1665, 585, 1440	Weight: 0.1091g	Extraction date: 03/02/23 12:28:59	Extracted by: 3335
Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA056839POT Instrument Used: DA-LC-007 Running on: 03/02/23 13:48:20	Reviewed On: 03/03/23 09:10:13 Batch Date: 03/02/23 11:41:22		
Dilution: 400 Reagent: 022123.R14; 071222.01; 022123.R12 Consumables: 280670723; CE0123; 61633-125C6-125E; R1KB14270 Pipette: DA-079; DA-108; DA-078			

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30302006-009
Harvest/Lot ID: 9009 7096 3134 1180

Batch# : 7463 2407 5901
Sample Size Received : 15.5 gram
Total Amount : 2819 units
Sampled : 03/01/23
Completed : 03/05/23 Expires: 03/05/24
Ordered : 03/01/23
Sample Method : SOP.T.20.010

Page 2 of 6



Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30302006-009
Harvest/Lot ID: 9009 7096 3134 1180

Batch# : 7463 2407 5901 2878
Sample Size Received : 15.5 gram
Total Amount : 2819 units
Completed : 03/05/23 **Expires:** 03/05/24
Ordered : 03/01/23 **Sample Method :** SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.271g Extraction date: 03/02/23 13:17:42 Extracted by: 1665,3379					
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA056831PES Reviewed On :03/03/23 09:58:54					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES) Batch Date :03/02/23 10:54:05					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Running on :03/02/23 14:54:09					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 022723.R03; 030223.R02; 030123.R03; 022823.R09; 022123.R33; 030123.R01; 040521.11					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 1665, 585, 1440 Weight: 0.271g Extraction date: 03/02/23 13:17:42 Extracted by: 1665,3379					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville)					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA056833VOL Reviewed On :03/03/23 09:57:45					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-006 Batch Date :03/02/23 10:55:15					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Running on :03/02/23 14:22:33					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 022523.R01; 022523.R02					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 6697075-02; 14725401					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30302006-009

Harvest/Lot ID: 9009 7096 3134 1180

Batch# : 7463 2407 5901
 2878

Sampled : 03/01/23

Ordered : 03/01/23

Sample Size Received : 15.5 gram

Total Amount : 2819 units

Completed : 03/05/23 **Expires:** 03/05/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.0278g

Extraction date:
 03/03/23 12:28:04

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA05686850L

Instrument Used : DA-GCMS-002

Running on : 03/03/23 12:34:58

Reviewed On : 03/03/23 13:42:12

Batch Date : 03/02/23 15:08:11

Dilution : 1

Reagent : 030420.09

Consumables : G201.062; KF140

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30302006-009

Harvest/Lot ID: 9009 7096 3134 1180

 Batch#: 7463 2407 5901
 2878

 Sampled : 03/01/23
 Ordered : 03/01/23




Sample Size Received : 15.5 gram

Total Amount : 2819 units

Completed : 03/05/23 Expires: 03/05/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3621, 585, 1440 Weight: 1.099g Extraction date: 03/02/23 13:10:34 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056820MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 03/02/23 13:22:36 Dilution : N/A Reagent : 022323.R28; 022323.R04 Consumables : 2112100 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.271g Extraction date: 03/02/23 13:17:42 Extracted by: 1665,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056832MYC Instrument Used : N/A Running on : 03/02/23 14:54:17 Dilution : 250 Reagent : 022723.R03; 030223.R02; 030123.R03; 022823.R09; 022123.R33; 030123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3390, 3336, 585, 1440 Weight: 0.806g Extraction date: 03/02/23 13:27:42 Extracted by: 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056848TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 03/02/23 15:13:21 Dilution : 10 Reagent : 011223.32; 013123.R21 Consumables : N/A Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.4128g Extraction date: 03/02/23 15:30:40 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056845HEA Instrument Used : DA-ICPMS-003 Running on : N/A Dilution : 50 Reagent : 021723.R02; 123022.R14; 022423.R26; 022423.R04; 022423.R24; 022423.R25; 030123.R46; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30302006-009

Harvest/Lot ID: 9009 7096 3134 1180

Batch# : 7463 2407 5901 2878

Sampled : 03/01/23

Ordered : 03/01/23

Sample Size Received : 15.5 gram

Total Amount : 2819 units

Completed : 03/05/23 **Expires:** 03/05/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA056872FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/02/23 16:12:36

Reviewed On : 03/02/23 16:18:55

Batch Date : 03/02/23 15:31:18

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.457	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.323g	Extraction date: 03/02/23 13:35:56	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA056837WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/02/23 13:34:54

Reviewed On : 03/03/23 09:10:13

Batch Date : 03/02/23 11:16:19

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.