



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30303002-005
Harvest/Lot ID: 2347 1574 5482 7149
Batch#: 7514 4766 4804 1953
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 2347 1574 5482 7149
Batch Date: 01/26/23
Sample Size Received: 78.75 gram
Total Amount: 1572 units
Retail Product Size: 11.25 gram
Ordered: 03/02/23
Sampled: 03/02/23
Completed: 03/06/23
Sampling Method: SOP.T.20.010











Mar 06, 2023 | FLUENT

82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 4.05% Total THC/Container : 455.625 mg		Total CBD 0.013% Total CBD/Container : 1.463 mg		Total Cannabinoids 4.284% Total Cannabinoids/Container : 481.95 mg
--	--	---	---	---	--

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	4.05	ND	0.013	ND	0.008	0.078	ND	0.06	0.031	ND	0.044
mg/unit	455.625	ND	1.462	ND	0.9	8.775	ND	6.75	3.487	ND	4.95
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by: 3112, 1665, 585, 3963	Weight: 3.0169g	Extraction date: 03/03/23 11:13:22	Extracted by: 3112
Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA056888POT Instrument Used : DA-LC-007 Running on : 03/03/23 11:15:07		Reviewed On : 03/06/23 12:18:00 Batch Date : 03/03/23 09:17:15	
Dilution : 400 Reagent : 030223.R11; 071222.01; 030223.R09 Consumables : 245081; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270 Pipette : DA-079; DA-108; DA-078			
Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.			



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30303002-005
Harvest/Lot ID: 2347 1574 5482 7149

Batch# : 7514 4766 4804 1953
Sample Size Received : 78.75 gram
Total Amount : 1572 units
Completed : 03/06/23 Expires: 03/06/24
Ordered : 03/02/23 Sample Method : SOP.T.20.010

Page 2 of 6

<



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30303002-005

Harvest/Lot ID: 2347 1574 5482 7149

Batch# : 7514 4766 4804
 1953

Sampled : 03/02/23

Ordered : 03/02/23

Sample Size Received : 78.75 gram

Total Amount : 1572 units

Completed : 03/06/23 **Expires:** 03/06/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	1.5	PASS	ND						
FENHEXAMID	0.01	ppm	3	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	2	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	2	PASS	ND						
FLUDIOXONIL	0.01	ppm	3	PASS	ND						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.01	ppm	2	PASS	ND						
METALAXYL	0.01	ppm	3	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

Analyzed by: 3379, 585, 3963 **Weight:** 0.2728g **Extraction date:** 03/03/23 11:34:22 **Extracted by:** 1665,3379,585

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)

Analytical Batch : DA056879PES

Instrument Used : DA-LCMS-003 (PES)

Running on : 03/03/23 12:28:54

Reviewed On : 03/06/23 12:13:45

Batch Date : 03/03/23 08:20:36

Dilution : 250

Reagent : 022723.R03; 030223.R02; 030123.R03; 022823.R09; 022123.R33; 030123.R01; 040521.11

Consumables : 6697075-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 1665, 585, 3963 **Weight:** 0.2728g **Extraction date:** 03/03/23 11:34:22 **Extracted by:** 1665,3379,585

Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL

Analytical Batch : DA056881VOL

Instrument Used : DA-GCMS-001

Running on : 03/03/23 11:37:09

Reviewed On : 03/06/23 12:00:24

Batch Date : 03/03/23 08:22:27

Dilution : 250

Reagent : 030123.R03; 022823.R09; 040521.11; 022523.R01; 030323.R02

Consumables : 6697075-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30303002-005

Harvest/Lot ID: 2347 1574 5482 7149

 Batch# : 7514 4766 4804
 1953

Sampled : 03/02/23

Ordered : 03/02/23

Sample Size Received : 78.75 gram

Total Amount : 1572 units

Completed : 03/06/23 Expires: 03/06/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 3963

 Weight:
 0.028g

 Extraction date:
 03/06/23 17:28:55

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA056920SOL

Instrument Used : DA-GCMS-002

Running on : 03/06/23 13:02:44

Reviewed On : 03/06/23 17:49:32

Batch Date : 03/03/23 14:36:01

Dilution : 1

Reagent : 030420.09

Consumables : 27296; KF140

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30303002-005

Harvest/Lot ID: 2347 1574 5482 7149

Batch#: 7514 4766 4804 1953

Sampled : 03/02/23

Ordered : 03/02/23




Sample Size Received : 78.75 gram

Total Amount : 1572 units

Completed : 03/06/23 Expires: 03/06/24

Sample Method : SOP.T.20.010

Page 5 of 6

<div> Microbial</div> <div>PASSED</div>						<div><div></div> Mycotoxins</div> <div>PASSED</div>																																			
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level																														
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																														
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																														
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																														
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																														
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																														
ASPERGILLUS NIGER			Not Present	PASS																																					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 585, 3379, 3963	Weight: 0.2728g	Extraction date: 03/03/23 11:34:22	Extracted by: 1665,3379,585																																
Analyzed by: 3336, 3390, 585, 3963 Weight: 0.8105g Extraction date: 03/03/23 10:31:41 Extracted by: 3621						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056880MYC Instrument Used : N/A Running on : N/A																																			
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056885MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 03/03/23 10:57:23 Dilution : N/A Reagent : 022323.R28; 022323.R04 Consumables : 2112100 Pipette : N/A						Reviewed On : 03/06/23 12:17:28 Batch Date : 03/03/23 08:22:22																																			
Analyzed by: 3336, 3621, 585, 3963 Weight: 0.8794g Extraction date: 03/03/23 10:40:53 Extracted by: 3621,3336						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																			
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056898TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 03/03/23 11:25:00 Dilution : 10 Reagent : 011223.34; 013123.R21 Consumables : N/A Pipette : N/A						<div><div></div> Heavy Metals</div> <div>PASSED</div>																																			
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.11</td><td>ppm</td><td>ND</td><td>PASS</td><td>5</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.5</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>3</td></tr></table>						Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5	ARSENIC	0.02	ppm	ND	PASS	1.5	CADMIUM	0.02	ppm	ND	PASS	0.5	MERCURY	0.02	ppm	ND	PASS	3
Metal	LOD	Units	Result	Pass / Fail	Action Level																																				
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5																																				
ARSENIC	0.02	ppm	ND	PASS	1.5																																				
CADMIUM	0.02	ppm	ND	PASS	0.5																																				
MERCURY	0.02	ppm	ND	PASS	3																																				
Analyzed by: 1022, 585, 3963 Weight: 0.4367g Extraction date: 03/03/23 11:23:23 Extracted by: 1022						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056893HEA Instrument Used : DA-ICPMS-003 Running on : 03/03/23 15:42:04																																			
Dilution : 50 Reagent : 021723.R02; 123022.R14; 022423.R26; 022423.R04; 022423.R24; 022423.R25; 030123.R46; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-216																																									



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30303002-005

Harvest/Lot ID: 2347 1574 5482 7149

Batch# : 7514 4766 4804 1953

Sampled : 03/02/23

Ordered : 03/02/23

Sample Size Received : 78.75 gram

Total Amount : 1572 units

Completed : 03/06/23 **Expires:** 03/06/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA056914FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/06/23 09:24:45

Reviewed On : 03/06/23 09:32:06

Batch Date : 03/03/23 11:43:47

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.461	TESTED	

Analyzed by: 2926, 585, 3963	Weight: 2.032g	Extraction date: 03/03/23 11:19:38	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA056837WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/02/23 13:34:54

Reviewed On : 03/03/23 11:37:21

Batch Date : 03/02/23 11:16:19

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.