




# Certificate of Analysis

**COMPLIANCE FOR RETAIL**
**Sample: DA30303002-006**
**Harvest/Lot ID: 3094 8164 0231 5774**
**Batch#: 4016 1445 9061 7481**
**Cultivation Facility: Tampa Cultivation**
**Processing Facility: Tampa Processing**
**Distributor Facility:**
**Source Facility: Tampa Cultivation**
**Seed to Sale# 3094 8164 0231 5774**
**Batch Date: 02/02/23**
**Sample Size Received: 16 gram**
**Total Amount: 1455 units**
**Retail Product Size: 1 gram**
**Ordered: 03/02/23**
**Sampled: 03/02/23**
**Completed: 03/06/23**
**Sampling Method: SOP.T.20.010**
**Mar 06, 2023 | FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US

**PASSED**
**Pages 1 of 6**
**PRODUCT IMAGE**

**SAFETY RESULTS**

**Pesticides  
PASSED**

**Heavy Metals  
PASSED**

**Microbials  
PASSED**

**Mycotoxins  
PASSED**

**Residuals Solvents  
PASSED**

**Filth  
PASSED**

**Water Activity  
PASSED**

**Moisture  
NOT TESTED**

**Terpenes  
TESTED**
**MISC.**


**Cannabinoid**
**PASSED**

**Total THC**
**90.046%**
**Total THC/Container: 900.46 mg**


**Total CBD**
**0.246%**
**Total CBD/Container: 2.46 mg**

**Total Cannabinoids**
**94.907%**
**Total Cannabinoids/Container: 949.07 mg**



	D9-THC
%	90.046
mg/unit	900.46
LOD	0.001
%	



	THCA
%	ND
mg/unit	ND
LOD	0.001
%	



	CBD
%	0.246
mg/unit	2.46
LOD	0.001
%	



	CBDA
%	ND
mg/unit	ND
LOD	0.001
%	



	D8-THC
%	0.211
mg/unit	2.11
LOD	0.001
%	



	CBG
%	1.573
mg/unit	15.73
LOD	0.001
%	



	CBGA
%	ND
mg/unit	ND
LOD	0.001
%	



	CBN
%	1.322
mg/unit	13.22
LOD	0.001
%	



	THCV
%	0.627
mg/unit	6.27
LOD	0.001
%	



	CBDV
%	ND
mg/unit	ND
LOD	0.001
%	



	CBC
%	0.882
mg/unit	8.82
LOD	0.001
%	

**Analyzed by:**  
 3112, 1665, 53, 3963

**Weight:**  
 0.1026g

**Extraction date:**  
 03/03/23 11:13:22

**Extracted by:**  
 3112

**Analysis Method:** SOP.T.40.031, SOP.T.30.031  
**Analytical Batch:** DA056888POT  
**Instrument Used:** DA-LC-007  
**Running on:** 03/03/23 11:15:07

**Reviewed On:** 03/06/23 12:13:31  
**Batch Date:** 03/03/23 09:17:15

**Dilution:** 400  
**Reagent:** 030223.R11; 071222.01; 030223.R09  
**Consumables:** 245081; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270  
**Pipette:** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30303002-006  
Harvest/Lot ID: 3094 8164 0231 5774

Batch# : 4016 1445 9061 Sample Size Received : 16 gram  
7481 Total Amount : 1455 units  
Sampled : 03/02/23 Completed : 03/06/23 Expires: 03/06/24  
Ordered : 03/02/23 Sample Method : SOP.T.20.010

Page 2 of 6

</



# Certificate of Analysis

**PASSED**


FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30303002-006  
 Harvest/Lot ID: 3094 8164 0231 5774

 Batch# : 4016 1445 9061 Sample Size Received : 16 gram  
 7481 Total Amount : 1455 units  
 Sampled : 03/02/23 Completed : 03/06/23 Expires: 03/06/24  
 Ordered : 03/02/23 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 3963	Weight: 0.2067g	Extraction date: 03/03/23 11:34:25	Extracted by: 1665,3379,585		
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056879PES					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Running on : 03/03/23 12:28:54					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 022723.R03; 030223.R02; 030123.R03; 022823.R09; 022123.R33; 030123.R01; 040521.11					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 1665, 585, 3963	Weight: 0.2067g	Extraction date: 03/03/23 11:34:25	Extracted by: 1665,3379,585		
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056881VOL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Running on : 03/03/23 11:37:09					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 030123.R03; 022823.R09; 040521.11; 022523.R01; 030323.R02					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 6697075-02					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30303002-006

**Harvest/Lot ID:** 3094 8164 0231 5774

**Batch# :** 4016 1445 9061 7481

**Sampled :** 03/02/23

**Ordered :** 03/02/23

**Sample Size Received :** 16 gram

**Total Amount :** 1455 units

**Completed :** 03/06/23 **Expires:** 03/06/24

**Sample Method :** SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

**Analyzed by:**  
 850, 585, 3963

**Weight:**  
 0.0234g

**Extraction date:**  
 03/06/23 17:28:55

**Extracted by:**  
 850

**Analysis Method :** SOP.T.40.041.FL

**Analytical Batch :** DA056920SOL

**Instrument Used :** DA-GCMS-002

**Running on :** 03/06/23 13:02:44

**Reviewed On :** 03/06/23 17:49:35

**Batch Date :** 03/03/23 14:36:01

**Dilution :** 1

**Reagent :** 030420.09

**Consumables :** 27296; KF140

**Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

Sample : DA30303002-006

Harvest/Lot ID: 3094 8164 0231 5774

 Batch# : 4016 1445 9061  
 7481

Sampled : 03/02/23

Ordered : 03/02/23



Sample Size Received : 16 gram

Total Amount : 1455 units

Completed : 03/06/23 Expires: 03/06/24

Sample Method : SOP.T.20.010

Page 5 of 6

<div>  <b>Microbial</b> <b>PASSED</b> </div>						<div>  <b>Mycotoxins</b> <b>PASSED</b> </div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 3390, 585, 3963 Weight: 0.896g Extraction date: 03/03/23 10:31:42 Extracted by: 3621						Analyzed by: 585, 3379, 3963 Weight: 0.2067g Extraction date: 03/03/23 11:34:25 Extracted by: 1665, 3379, 585					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056885MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 03/03/23 10:57:23 Dilution : N/A Reagent : 022323.R28; 022323.R04 Consumables : 2112100 Pipette : N/A						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056880MYC Instrument Used : N/A Running on : N/A Dilution : 250 Reagent : 022723.R03; 030223.R02; 030123.R03; 022823.R09; 022123.R33; 030123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3336, 3621, 585, 3963 Weight: 0.8080g Extraction date: 03/03/23 10:40:50 Extracted by: 3621, 3336						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056893HEA Instrument Used : DA-ICPMS-003 Running on : 03/03/23 15:42:04					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056898TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 03/03/23 11:25:00 Dilution : 10 Reagent : 011223.34; 013123.R21 Consumables : N/A Pipette : N/A						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056893HEA Instrument Used : DA-ICPMS-003 Running on : 03/03/23 15:42:04					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



## Heavy Metals

**PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 3963 Weight: 0.4253g Extraction date: 03/03/23 11:55:39 Extracted by: 1022					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056893HEA Instrument Used : DA-ICPMS-003 Running on : 03/03/23 15:42:04					
Dilution : 50 Reagent : 021723.R02; 123022.R14; 022423.R26; 022423.R04; 022423.R24; 022423.R25; 030123.R46; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30303002-006

**Harvest/Lot ID:** 3094 8164 0231 5774

**Batch# :** 4016 1445 9061 7481

**Sampled :** 03/02/23

**Ordered :** 03/02/23

**Sample Size Received :** 16 gram

**Total Amount :** 1455 units

**Completed :** 03/06/23 **Expires:** 03/06/24

**Sample Method :** SOP.T.20.010

Page 6 of 6


**Filth/Foreign Material**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.5	%	ND	<b>PASS</b>	1

<b>Analyzed by:</b> 1879, 3963	<b>Weight:</b> NA	<b>Extraction date:</b> N/A	<b>Extracted by:</b> N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

**Analysis Method :** SOP.T.40.090

**Analytical Batch :** DA056914FIL

**Instrument Used :** Filth/Foreign Material Microscope

**Running on :** 03/06/23 09:24:45

**Reviewed On :** 03/06/23 09:32:07

**Batch Date :** 03/03/23 11:43:47

**Dilution :** N/A

**Reagent :** N/A

**Consumables :** N/A

**Pipette :** N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.1	aw	0.513	<b>PASS</b>	0.85

<b>Analyzed by:</b> 2926, 585, 3963	<b>Weight:</b> 0.467g	<b>Extraction date:</b> 03/03/23 11:19:43	<b>Extracted by:</b> 2926
--	--------------------------	--	------------------------------

**Analysis Method :** SOP.T.40.019

**Analytical Batch :** DA056837WAT

**Instrument Used :** DA-028 Rotronic HygroPalm

**Running on :** 03/02/23 13:34:54

**Reviewed On :** 03/03/23 11:37:22

**Batch Date :** 03/02/23 11:16:19

**Dilution :** N/A

**Reagent :** 100522.07

**Consumables :** PS-14

**Pipette :** N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.