



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30304005-003
Harvest/Lot ID: 0079 1608 1532 1072
Batch#: 0079 1608 1532 1072
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 1989 0092 2335 3956
Batch Date: 01/19/23
Sample Size Received: 15.3 gram
Total Amount: 1350 units
Retail Product Size: .3 gram
Ordered: 03/03/23
Sampled: 03/03/23
Completed: 03/07/23
Sampling Method: SOP.T.20.010

Mar 07, 2023 | FLUENT
82 NE 26th street
Miami, FL, 33137, US




PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	FiltH PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 1665, 585, 3963 Weight: 0.1013g Extraction date: 03/06/23 09:43:22 Extracted by: 1665
 Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA056954POT Reviewed On : 03/06/23 17:43:21
 Instrument Used : DA-LC-007 Batch Date : 03/05/23 15:41:55
 Running on : 03/06/23 09:45:49
 Dilution : 400
 Reagent : 030223.R11; 011723.02; 030223.R09
 Consumables : 280670723; CE0123; 61633-125C6-125E; 0000185478
 Pipette : DA-079; DA-108; DA-078
 Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30304005-003
Harvest/Lot ID: 0079 1608 1532 1072

Batch# : 0079 1608 1532 1072
Sample Size Received : 15.3 gram
Total Amount : 1350 units
Completed : 03/07/23 Expires: 03/07/24
Ordered : 03/03/23 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	12.006	4.002		FARNESENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	0.327	0.109		ALPHA-HUMULENE	0.007	0.213	0.071	
ALPHA-BISABOLOL	0.007	1.494	0.498		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.315	0.105		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	0.066	0.022		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.081	0.027	
BETA-PINENE	0.007	0.444	0.148		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.63	0.21		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	<0.06	<0.02		<div>Analyzed by: 2076, S&S, 3963Weight: 0.9339gExtraction date: 03/06/23 13:40:04Extracted by: 2076</div>				
3-CARENE	0.007	ND	ND		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div>				
ALPHA-TERPINENE	0.007	ND	ND		<div>Analytical Batch : DA056978TERReviewed On : 03/07/23 16:23:58</div>				
LIMONENE	0.007	2.304	0.768		<div>Instrument Used : DA-GCMS-008Batch Date : 03/06/23 09:12:56</div>				
EUCALYPTOL	0.007	ND	ND		<div>Running on : 03/06/23 16:38:24</div>				
OCIMENE	0.007	ND	ND		<div>Dilution : 10</div>				
GAMMA-TERPINENE	0.007	ND	ND		<div>Reagent : 111622.12</div>				
SABINENE HYDRATE	0.007	ND	ND		<div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div>				
TERPINOLENE	0.007	0.069	0.023		<div>Pipette : N/A</div>				
FENCHONE	0.007	ND	ND		<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
LINALOOL	0.007	0.939	0.313						
FENCHYL ALCOHOL	0.007	0.444	0.148						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	<0.06	<0.02						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	0.063	0.021						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	4.617	1.539						
Total (%)			4.002						



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30304005-003
 Harvest/Lot ID: 0079 1608 1532 1072

 Batch# : 0079 1608 1532 1072
 Sample Size Received : 15.3 gram
 Total Amount : 1350 units
 Completed : 03/07/23 Expires: 03/07/24
 Ordered : 03/03/23 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 3379, 3963	Weight: 0.2759g	Extraction date: 03/06/23 13:25:48	Extracted by: 585,450		
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056959PES					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Running on : 03/06/23 12:14:52					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 022723.R03; 030223.R02; 030123.R03; 022823.R09; 022123.R33; 030123.R01; 040521.11					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 3963	Weight: 0.2759g	Extraction date: 03/06/23 13:25:48	Extracted by: 585,450		
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056961VOL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Running on : 03/06/23 13:39:37					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 030123.R03; 040521.11; 022523.R01; 030323.R02					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 6697075-02; 14725401					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30304005-003

Harvest/Lot ID: 0079 1608 1532 1072

Batch# : 0079 1608 1532 1072

Sampled : 03/03/23

Ordered : 03/03/23

Sample Size Received : 15.3 gram

Total Amount : 1350 units

Completed : 03/07/23 **Expires:** 03/07/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 3963

Weight:
 0.0217g

Extraction date:
 03/07/23 15:38:00

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA057004SOL

Instrument Used : DA-GCMS-002

Running on : 03/07/23 15:51:53

Reviewed On : 03/07/23 16:23:52

Batch Date : 03/06/23 12:49:21

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; KF140

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30304005-003

Harvest/Lot ID: 0079 1608 1532 1072

Batch# : 0079 1608 1532 1072

Sampled : 03/03/23

Ordered : 03/03/23

Sample Size Received : 15.3 gram

Total Amount : 1350 units

Completed : 03/07/23 **Expires:** 03/07/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621, 3390, 53, 3963 Weight: 1.046g Extraction date: 03/04/23 16:45:41 Extracted by: 3336					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056929MIC Reviewed On : 03/07/23 11:29:12 Instrument Used : PathogenDx Scanner DA-111 Batch Date : 03/04/23 09:32:09 Running on : 03/05/23 10:05:22					
Dilution : N/A Reagent : 011223.34; 020123.R55; 072122.22 Consumables : N/A Pipette : N/A					

Analyzed by: 3336, 3390, 585, 3963 Weight: 1.046g Extraction date: N/A Extracted by: 3336, 3390					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056937TYM Reviewed On : 03/06/23 17:41:27 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 03/04/23 11:51:42 Running on : 03/04/23 16:42:49					
Dilution : 10 Reagent : 011223.34; 013123.R21 Consumables : N/A Pipette : N/A					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 585, 3379, 3963 Weight: 0.2759g Extraction date: 03/06/23 13:25:48 Extracted by: 585, 450					
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056960MYC Reviewed On : 03/07/23 09:33:29 Instrument Used : N/A Batch Date : 03/05/23 17:17:49 Running on : 03/06/23 12:15:03					
Dilution : 250 Reagent : 022723.R03; 030223.R02; 030123.R03; 022823.R09; 022123.R33; 030123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 3963, 585 Weight: 0.4543g Extraction date: 03/06/23 08:44:39 Extracted by: 1022, 3619					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056947HEA Reviewed On : 03/07/23 11:40:40 Instrument Used : DA-ICPMS-003 Batch Date : 03/05/23 10:24:54 Running on : 03/07/23 08:49:51					
Dilution : 50 Reagent : 021723.R02; 123022.R14; 030323.R46; 022423.R04; 030323.R44; 030323.R45; 030123.R46; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30304005-003

Harvest/Lot ID: 0079 1608 1532 1072

Batch# : 0079 1608 1532 1072

Sampled : 03/03/23

Ordered : 03/03/23

Sample Size Received : 15.3 gram

Total Amount : 1350 units

Completed : 03/07/23 **Expires:** 03/07/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA056981FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/06/23 09:24:53

Reviewed On : 03/06/23 09:35:04

Batch Date : 03/06/23 09:22:15

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.455	PASS	0.85

Analyzed by: 3807, 53, 3963	Weight: 0.538g	Extraction date: 03/07/23 07:14:04	Extracted by: 3807
---------------------------------------	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA056974WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/06/23 12:00:10

Reviewed On : 03/07/23 08:53:41

Batch Date : 03/06/23 07:40:58

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.