

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** 

### **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes



Matrix: Derivative

# **Certificate of Analysis**

**COMPLIANCE FOR RETAIL** 

Sample: DA30304005-004 Harvest/Lot ID: 4933 5435 7772 7431

Batch#: 4933 5435 7772 7431

**Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing** 

**Distributor Facility:** 

**Source Facility: Tampa Cultivation** Seed to Sale# 1819 3829 9412 8512

Batch Date: 01/05/23

Sample Size Received: 16 gram

Total Amount: 1447 units Retail Product Size: 1 gram

> Ordered: 03/03/23 Sampled: 03/03/23

Completed: 03/07/23 Sampling Method: SOP.T.20.010

PASSED

Mar 07, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



PRODUCT IMAGE

SAFETY RESULTS



Pesticides





Heavy Metals PASSED



Mycotoxins



Residuals Solvents PASSED



Filth



Pages 1 of 6

Water Activity PASSED



Moisture NOT TESTED



MISC.

**PASSED** 



### Cannabinoid

**Total THC** 

Total THC/Container: 873.91 mg

0.045

0.001

0.45



Microbials

**Total CBD** 

D8-THC

0.31

0.001

3.1

0.233% Total CBD/Container: 2.33 mg

CBGA

ND

ND

0.001



**Total Cannabinoids** 

Total Cannabinoids/Container: 923.77



	D9-THC	
%	87.352	
ma/unit	873.52	

Analyzed by: 1665, 585, 3963	
Analysis Method	: SOP.T.40.031, SOP.T.30.0

Extraction date: 03/06/23 09:43:25

1.164

11.64

0.001

%

8.73 0.001 %

0.873 1.226 12.26

0.001

THCV

0.001

CBDV

ND

ND

СВС

1.174

11.74

0.001

%

0.001

Analytical Batch: DA056954POT Instrument Used : DA-LC-007 Running on : 03/06/23 09:45:49

CBDA

ND

ND

%

0.001

Reviewed On: 03/06/23 17:43:25

Dilution: 400

LOD

Dilution: 400
Reagent: 030223.R11; 011723.02; 030223.R09
Consumables: 280670723; CE0123; 61633-125C6-125E; 0000185478
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.233

0.001

2.33

%

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/07/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** 

### **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative



# **Certificate of Analysis**

**PASSED** 

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266

Sample : DA30304005-004 Harvest/Lot ID: 4933 5435 7772 7431

Batch#: 4933 5435 7772

**Sampled:** 03/03/23 Ordered: 03/03/23

Sample Size Received: 16 gram Total Amount: 1447 units Completed: 03/07/23 Expires: 03/07/24 Sample Method: SOP.T.20.010

Page 2 of 6



# **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/uni	t % Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	13	1.3	FARNESENE		0.007	ND	ND		
OTAL TERPINEOL	0.007	ND	ND	ALPHA-HUMULENE		0.007	0.26	0.026		
LPHA-BISABOLOL	0.007	0.23	0.023	VALENCENE		0.007	<2	< 0.02		
LPHA-PINENE	0.007	0.26	0.026	CIS-NEROLIDOL		0.007	ND	ND		
AMPHENE	0.007	ND	ND	TRANS-NEROLIDOL		0.007	ND	ND		
ABINENE	0.007	ND	ND	CARYOPHYLLENE OXIDE		0.007	ND	ND		
BETA-PINENE	0.007	0.31	0.031	GUAIOL		0.007	ND	ND		
ETA-MYRCENE	0.007	1.77	0.177	CEDROL		0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	0.6	0.06	Analyzed by:	Weight:		Extraction da			Extracted by:
-CARENE	0.007	< 0.2	<0.02	2076, 585, 3963	1.0985g		03/06/23 13:	:40:04		2076
LPHA-TERPINENE	0.007	< 0.2	<0.02	Analysis Method : SOP.T.30.061A. Analytical Batch : DA056978TER	FL, SOP.T.40.061A.FL				03/07/23 16:24:03	
IMONENE	0.007	0.78	0.078	Instrument Used : DA-GCMS-008					/06/23 09:12:56	
UCALYPTOL	0.007	ND	ND	Running on: 03/06/23 16:38:24						
CIMENE	0.007	1.58	0.158	Dilution: 10						
AMMA-TERPINENE	0.007	ND	ND	Reagent: 111622.12 Consumables: 210414634: MKCN						
ABINENE HYDRATE	0.007	ND	ND	Pipette : N/A	19995; CE0123; RIKB.	14270				
ERPINOLENE	0.007	6.59	0.659	Terpenoid testing is performed utilizin	a Gas Chromatography I	Mass Snor	trometry For all F	Flower came	nlos the Total Ternenes	% is dry-weight correct
ENCHONE	0.007	ND	ND	Tel periora cesting is perioritied utilizati	g das emoniatography i	nuss spec	dometry. For all f	nower sum	ores, the rotal respents	70 13 dry weight confect
NALOOL	0.007	< 0.2	<0.02							
NCHYL ALCOHOL	0.007	< 0.2	<0.02							
OPULEGOL	0.007	ND	ND							
AMPHOR	0.013	ND	ND							
SOBORNEOL	0.007	ND	ND							
ORNEOL	0.013	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
IEROL	0.007	ND	ND							
ULEGONE	0.007	ND	ND							
ERANIOL	0.007	< 0.2	<0.02							
ERANYL ACETATE	0.007	ND	ND							
LPHA-CEDRENE	0.007	ND	ND							
ETA-CARYOPHYLLENE	0.007	0.62	0.062							

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/07/23

Signed On

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** 

#### **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative



# **Certificate of Analysis**

**PASSED** 

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266

Sample : DA30304005-004 Harvest/Lot ID: 4933 5435 7772 7431

Batch#: 4933 5435 7772

**Sampled:** 03/03/23 Ordered: 03/03/23

Sample Size Received: 16 gram Total Amount: 1447 units Completed: 03/07/23 Expires: 03/07/24 Sample Method: SOP.T.20.010

Page 3 of 6



#### **Pesticides**

**PASSED** 

esticide	LOD	Units	Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
TAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN		0.01	ppm	0.1	PASS	ND
TAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
AMECTIN B1A	0.01	ppm	0.1	PASS	ND					0.1	PASS	ND
EPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm			
EQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
ETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
OXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
DSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
RBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
RBOFURAN	0.01	ppm	0.1	PASS	ND		NE (DCND) *	0.01	PPM	0.15	PASS	ND
ILORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZEI	NE (PCNB) *					
LORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
LORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
UMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
MINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Evtract	ion date:		Extracted	hv:
METHOATE	0.01	ppm	0.1	PASS	ND	585, 3379, 3963	0.2337g		3 13:25:48		585,450	Sy.
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.1	01.FL (Gainesv	ille), SOP.T	.30.102.FL	(Davie), SOP	.T.40.101.FL (	Gainesvi
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
OXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056959F				I On: 03/07/2		
NHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-0			Batch Da	te:03/05/23	17:15:00	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Running on: 03/06/23 12:14:5	52					
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 022723.R03; 03022	22 002- 020123	2 002 022	22 PUO: U	22122 022. 0	20122 001: 04	0521 11
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02	23.802, 030123	J.NUJ, UZZ	323.NU9, U	22123.N33, U	30123.NO1, 04	10321.11
ONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA	-219					
UDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is	s performed util	lizing Liquid	Chromatog	graphy Triple-	Quadrupole Ma	SS
XYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance wit						
AZALIL	0.01	ppm	0.1	PASS	ND		Weight:		on date:		Extracted	by:
IDACLOPRID	0.01	ppm	0.4	PASS	ND		0.2337g		3 13:25:48		585,450	
ESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.1						
LATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA056961\ Instrument Used : DA-GCMS-0				n:03/07/23 ( :03/05/23 17:		
TALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 03/06/23 13:39:3		В	accii bate i	03/03/23 17.	17.31	
THIOCARB	0.01	ppm	0.1	PASS	ND	<b>Dilution</b> : 250						
THOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 030123.R03; 04052	21.11; 022523.	R01; 03032	23.R02			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6697075-02; 1						
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA	-218					
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is	s performed util	izing Gas C	hromatogra	nhy Trinle-Ou	adrunole Mass	Spectron

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/07/23



**Kaycha Labs** 

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative



**Certificate of Analysis** 

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

**DAVIE, FL, 33314, US** 

Sample : DA30304005-004 Harvest/Lot ID: 4933 5435 7772 7431

Batch#: 4933 5435 7772

**Sampled:** 03/03/23 Ordered: 03/03/23

Sample Size Received: 16 gram Total Amount: 1447 units Completed: 03/07/23 Expires: 03/07/24 Sample Method: SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 3963	<b>Weight:</b> 0.0201g	Extraction date: 03/07/23 15:38:		//	Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA057004SOL Instrument Used : DA-GCMS-002 **Running on :** 03/07/23 15:51:53

Reagent: 030420.09
Consumables: R2017.167; KF140
Pipette: DA-309 25 uL Syringe 35028

Reviewed On: 03/07/23 16:24:08 Batch Date: 03/06/23 12:49:21

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/07/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative



# **Certificate of Analysis**

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30304005-004 Harvest/Lot ID: 4933 5435 7772 7431

Reviewed On: 03/07/23 11:29:21

Batch Date: 03/04/23 09:32:09

Batch#: 4933 5435 7772

Sampled: 03/03/23 Ordered: 03/03/23

Sample Size Received: 16 gram Total Amount: 1447 units Completed: 03/07/23 Expires: 03/07/24 Sample Method: SOP.T.20.010

Page 5 of 6



### **Microbial**

## PASSED



Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
	ight:	Extraction d		Extracte	d by:
<b>3621, 3390, 53, 3963</b> 0.88	oou	03/04/23 16	1:40:42	3336	

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA056929MIC Reviewed On

Instrument Used: PathogenDx Scanner DA-111

**Running on :** 03/05/23 10:05:22

Reagent: 011223.34; 020123.R55; 072122.22

Consumables: N/A Pipette: N/A

Analyzed by: 3336, 3390, 585, 3963	<b>Weight:</b> 0.888g	N/A	3336,3390			
Analysis Method : SOP.T.40.20	8 (Gainesville),	SOP.T.40.209.FL				
Analytical Batch : DA056937T\	/M	Reviewed On: 03/06/23 17:41:28				
Instrument Used: Incubator (2 Running on: 03/04/23 16:42:4		Batch Date: 03	3/04/23 11:51:42			

Dilution: 10

Reagent: 011223.34; 013123.R21

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Consumables : N/A

Му

## cotoxins

### **PASSED**

Analyte		LOD	Units	Result	Pass / Fail	Action	
AFLATOXIN B2 AFLATOXIN B1 OCHRATOXIN A AFLATOXIN G1 AFLATOXIN G2		0.002	ppm	ND	PASS	0.02	
	0.002	0.002 ppm N			0.02		
		0.002	0.002 ppm ND 0.002 ppm ND	ND	PASS PASS	0.02	
		0.002		ND			
		0.002	ppm	ND	PASS	0.02	
Analyzed by:	Weight:	Extraction date:			Extracted by:		
585, 3379, 3963	0.2337g	03/06/23 13:2	25:48		585,450		

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch: DA056960MYC

Reviewed On: 03/07/23 09:33:30 Batch Date: 03/05/23 17:17:49

Instrument Used: N/A Running on: 03/06/23 12:15:03

Dilution: 250 Reagent: 022723.R03; 030223.R02; 030123.R03; 022823.R09; 022123.R33; 030123.R01; 040521.11

Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# **Heavy Metals**

# **PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD MET	<b>ALS</b> 0.11	ppm	ND	PASS	1.1	
ARSENIC	0.02	ppm	ND	PASS	0.2	
CADMIUM	0.02	ppm	ND	PASS	0.2	
MERCURY	0.02	ppm	ND	PASS	0.2	
LEAD	0.05	ppm	ND	PASS	0.5	
Analyzed by: Weight			Extracted by:			
<b>1022, 53, 3963, 585</b> 0.4634	g 03/06/23 0	8:43:02		1022,361	9	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA056947HEA Instrument Used : DA-ICPMS-003 Running on: 03/07/23 08:49:51

Reviewed On: 03/07/23 11:41:13 Batch Date: 03/05/23 10:24:54

Reagent: 021723.R02; 123022.R14; 030323.R46; 022423.R04; 030323.R44; 030323.R45;

030123.R46; 022323.R22; 020123.02

Consumables: 179436; 210508058; 12608-302CD-302C

**Pipette**: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/07/23



**Kaycha Labs** 

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative



**Certificate of Analysis** 

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266

**DAVIE, FL, 33314, US** 

Sample: DA30304005-004 Harvest/Lot ID: 4933 5435 7772 7431

Batch#: 4933 5435 7772

**Sampled:** 03/03/23 Ordered: 03/03/23

Sample Size Received: 16 gram Total Amount: 1447 units Completed: 03/07/23 Expires: 03/07/24 Sample Method: SOP.T.20.010

Page 6 of 6



### Filth/Foreign **Material**

Reviewed On: 03/06/23 09:32:56

Batch Date: 03/06/23 09:22:15

**Reviewed On:** 03/07/23 11:48:16 **Batch Date:** 03/06/23 07:39:26

Analyte Units **Action Level** Filth and Foreign Material PASS 0.5 % ND

Analyzed by: Weight: **Extraction date:** Extracted by: 1879, 3963

Analysis Method: SOP.T.40.090 Analytical Batch : DA056981FIL

Instrument Used: Filth/Foreign Material Microscope

Running on: 03/06/23 09:24:53

Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



# **Water Activity**

Analyte	LOD	Units	Result	P/F	Action Leve
Water Activity	0.1	aw	0.455	PASS	0.85

Extraction date: Extracted by: Analyzed by: 3807, 585, 3963 0.547g 03/07/23 07:21:51

Analysis Method: SOP.T.40.019 Analytical Batch : DA056973WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on: 03/06/23 12:00:08

Reagent: 100522.07 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/07/23