

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Certificate of Analysis

COMPLIANCE FOR RETAIL

Mar 08, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Kaycha Labs

Golden Hour Drops 11.25g Golden Hour Matrix: Derivative



Sample: DA30304015-005

Harvest/Lot ID: 1184 9652 1027 4683 Batch#: 1184 9652 1027 4683

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Distributor Facility:

Source Facility: Tampa Cultivation Seed to Sale# 4840 0158 9780 0810

Batch Date: 02/14/23

Sample Size Received: 78.75 gram

Total Amount: 1534 units Retail Product Size: 11.25 gram

Ordered: 03/04/23 Sampled: 03/04/23 Completed: 03/08/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS





Pesticides





Heavy Metals PASSED



Microbials



Mycotoxins



PASSED



Filth





Water Activity

PASSED



NOT TESTED



MISC.

Cannabinoid

PASSED



Total THC 4.02%

Total THC/Container: 452.25 mg



Total CBD 0.287%

Total CBD/Container: 32.287 mg



Total Cannabinoids .601%

Total Cannabinoids/Container: 517.612



| | D9-THC |
|---|--------|
| | |
| % | 4.018 |
| | |

| % | 4.018 | 0.003 |
|---------|---------|-------|
| mg/unit | 452.025 | 0.337 |
| LOD | 0.001 | 0.001 |
| | % | % |

Analyzed by: 1665, 585, 1440

CBDA

ND

ND

%

0.001

0.114

0.001

12.825

D8-THC

0.008

0.001

0.9

%

CBGA

0.003

0.337

0.001

Reviewed On: 03/07/23 14:00:18

0.087 0.022 9.787 2.475 0.001 0.001

THCV

ND 0.001 %

Extracted by: 1665

CBDV

ND

0.059 6.637 0.001 %

СВС

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA056954POT Instrument Used : DA-LC-007 Running on : 03/06/23 09:45:49

Dilution: 400 Reagent: 030223.R11; 011723.02; 030223.R09

Consumables: 280670723; CE0123; 61633-125C6-125E; 0000185478 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.287

32.287

0.001

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/08/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Golden Hour Drops 11.25g Golden Hour Matrix : Derivative



PASSED

Certificate of Analysis Sample: DA30304015-005

Harvest/Lot ID: 1184 9652 1027 4683 Batch#: 1184 9652 1027

Sampled: 03/04/23 Ordered: 03/04/23

Sample Size Received: 78.75 gram Total Amount: 1534 units Completed: 03/08/23 Expires: 03/08/24

Sample Method: SOP.T.20.010

Page 2 of 6




82 NE 26th street

Miami, FL, 33137, US

Telephone: (305) 900-6266

Terpenes

TESTED



Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/08/23



DAVIE, FL, 33314, US

Kaycha Labs

Golden Hour Drops 11.25g Golden Hour Matrix : Derivative



PASSED

Certificate of Analysis FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266

Sample : DA30304015-005 Harvest/Lot ID: 1184 9652 1027 4683

Batch#: 1184 9652 1027

Sampled: 03/04/23 Ordered: 03/04/23

Sample Size Received: 78.75 gram Total Amount: 1534 units Completed: 03/08/23 Expires: 03/08/24

Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

| | | A | S | S | E | D |
|--|--|---|---|---|---|---|
|--|--|---|---|---|---|---|

| Pesticide | LOD | Units | Action Level | Pass/Fail | | Pesticide | | LOD | Units | Action Level | Pass/Fail | Result |
|------------------------------------|------|-------|-----------------|-----------|----|----------------------------------------------------|----------------------|--------------|--------------|----------------------------------------|----------------|-----------|
| OTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 30 | PASS | ND | OXAMYL | | 0.01 | ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.01 | ppm | 3 | PASS | ND | PACLOBUTRAZOL | | 0.01 | ppm | 0.1 | PASS | ND |
| TAL PERMETHRIN | 0.01 | ppm | 1 | PASS | ND | PHOSMET | | 0.01 | ppm | 0.2 | PASS | ND |
| OTAL PYRETHRINS | 0.01 | ppm | 1 | PASS | ND | PIPERONYL BUTOXIDE | | 0.01 | ppm | 3 | PASS | ND |
| OTAL SPINETORAM | 0.01 | ppm | 3 | PASS | ND | PRALLETHRIN | | 0.01 | ppm | 0.4 | PASS | ND |
| OTAL SPINOSAD | 0.01 | ppm | 3 | PASS | ND | | | 0.01 | | 1 | PASS | ND |
| SAMECTIN B1A | 0.01 | ppm | 0.3 | PASS | ND | PROPICONAZOLE | | | ppm | _ | | |
| EPHATE | 0.01 | ppm | 3 | PASS | ND | PROPOXUR | | 0.01 | ppm | 0.1 | PASS | ND |
| EQUINOCYL | 0.01 | ppm | 2 | PASS | ND | PYRIDABEN | | 0.01 | ppm | 3 | PASS | ND |
| ETAMIPRID | 0.01 | ppm | 3 | PASS | ND | SPIROMESIFEN | | 0.01 | ppm | 3 | PASS | ND |
| DICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | | 0.01 | ppm | 3 | PASS | ND |
| OXYSTROBIN | 0.01 | ppm | 3 | PASS | ND | SPIROXAMINE | | 0.01 | ppm | 0.1 | PASS | ND |
| FENAZATE | 0.01 | ppm | 3 | PASS | ND | TEBUCONAZOLE | | 0.01 | ppm | 1 | PASS | ND |
| FENTHRIN | 0.01 | ppm | 0.5 | PASS | ND | THIACLOPRID | | 0.01 | ppm | 0.1 | PASS | ND |
| DSCALID | 0.01 | ppm | 3 | PASS | ND | THIAMETHOXAM | | 0.01 | ppm | 1 | PASS | ND |
| RBARYL | 0.01 | ppm | 0.5 | PASS | ND | TRIFLOXYSTROBIN | | 0.01 | ppm | 3 | PASS | ND |
| RBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | | IZENE (DCND) * | 0.01 | PPM | 0.2 | PASS | ND |
| LORANTRANILIPROLE | 0.01 | ppm | 3 | PASS | ND | PENTACHLORONITROBEN | IZENE (PCNB) * | | PPM | 0.2 | | ND |
| LORMEQUAT CHLORIDE | 0.01 | ppm | 3 | PASS | ND | PARATHION-METHYL * | | 0.01 | | | PASS | |
| LORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CAPTAN * | | 0.07 | PPM | 3 | PASS | ND |
| OFENTEZINE | 0.01 | ppm | 0.5 | PASS | ND | CHLORDANE * | | 0.01 | PPM | 0.1 | PASS | ND |
| UMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | | 0.01 | PPM | 0.1 | PASS | ND |
| MINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * | | 0.05 | PPM | 1 | PASS | ND |
| AZINON | 0.01 | ppm | 3 | PASS | ND | CYPERMETHRIN * | | 0.05 | PPM | 1 | PASS | ND |
| CHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extract | ion date: | | Extracted | hv: |
| METHOATE | 0.01 | ppm | 0.1 | PASS | ND | 585, 3379, 1440 | 0.2554g | | 3 13:24:19 | | 585,450 | ٠,٠ |
| HOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method: SOP.T.3 | 0.101.FL (Gaines) | ille), SOP.T | .30.102.FL | (Davie), SOP | .T.40.101.FL (| Gainesvil |
| OFENPROX | 0.01 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | | |
| OXAZOLE | 0.01 | ppm | 1.5 | PASS | ND | Analytical Batch : DA0569 | | | | On:03/07/2 | | |
| NHEXAMID | 0.01 | ppm | 3 | PASS | ND | Instrument Used : DA-LCM | | | Batch Dat | te:03/05/23 | 17:20:45 | |
| NOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Running on: 03/06/23 12: Dilution: 250 | 14.J1 | | | | | |
| NPYROXIMATE | 0.01 | ppm | 2 | PASS | ND | Reagent: 022723.R03; 03 | 80223 R02- 03012 | 3 R03· 0228 | 323 R09· 02 | 2123 R33· N | 30123 R01· 04 | 10521 11 |
| PRONIL | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 6697075-0 | | 505, 0220 | ,_5,1105, 02 | | 55125.1101, 0 | . 5521.11 |
| ONICAMID | 0.01 | ppm | 2 | PASS | ND | Pipette: DA-093; DA-094; | DA-219 | | | | | |
| UDIOXONIL | 0.01 | ppm | 3 | PASS | ND | Testing for agricultural ager | | | Chromatog | raphy Triple-0 | Quadrupole Ma | SS |
| XYTHIAZOX | 0.01 | ppm | 2 | PASS | ND | Spectrometry in accordance | | | | | | |
| AZALIL | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | | on date: | | Extracted | by: |
| IDACLOPRID | 0.01 | ppm | 1 | PASS | ND | 450, 585, 1440 | 0.2554g | | 3 13:24:19 | (D-:::-) CO | 585,450 | |
| ESOXIM-METHYL | 0.01 | ppm | 1 | PASS | ND | Analysis Method: SOP.T.3 Analytical Batch: DA0569 | | | | L (Davie), SO 1 : 03/07/23 1 | | |
| LATHION | 0.01 | ppm | 2 | PASS | ND | Instrument Used : DAUS09 | | | | 03/05/23 17: | | |
| TALAXYL | 0.01 | ppm | 3 | PASS | ND | Running on : 03/06/23 13: | | 1 | Dute i | 55,05,25 17. | | |
| THIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 250 | | | | | | |
| THOMYL | 0.01 | ppm | 0.1 | PASS | ND | Reagent: 030123.R03; 04 | | R01; 03032 | 23.R02 | | | |
| EVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Consumables: 6697075-0 | | | | | | |
| YCLOBUTANIL | 0.01 | ppm | 3 | PASS | ND | Pipette: DA-080; DA-146; | | | | | | |
| ALED | 0.01 | ppm | 0.5 | PASS | ND | Testing for agricultural ager | nts is performed uti | lizing Gas C | hromatogra | phy Triple-Qu | adrupole Mass | Spectron |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/08/23



DAVIE, FL, 33314, US

Kaycha Labs

Golden Hour Drops 11.25g Golden Hour Matrix : Derivative



PASSED

Page 4 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample : DA30304015-005 Harvest/Lot ID: 1184 9652 1027 4683

Batch#: 1184 9652 1027

Sampled: 03/04/23 Ordered: 03/04/23

Sample Size Received: 78.75 gram Total Amount: 1534 units Completed: 03/08/23 Expires: 03/08/24 Sample Method: SOP.T.20.010

Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|--------------------------------|------------------------|----------------------------------|--------------|-----------|----------------------|
| 1,1-DICHLOROETHENE | 8.0 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.2 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50 | ppm | 500 | PASS | ND |
| ACETONE | 75 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6 | ppm | 60 | PASS | ND |
| BENZENE | 0.1 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.2 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.5 | ppm | 125 | PASS | ND |
| ETHANOL | 500 | ppm | | TESTED | ND |
| ETHYL ACETATE | 40 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.5 | ppm | 5 | PASS | ND |
| HEPTANE | 500 | ppm | 5000 | PASS | ND |
| METHANOL | 25 | ppm | 250 | PASS | ND |
| N-HEXANE | 25 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75 | ppm | 750 | PASS | ND |
| PROPANE | 500 | ppm | 5000 | PASS | ND |
| TOLUENE | 15 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.5 | ppm | 25 | PASS | ND |
| Analyzed by: 850, 585, 1440 | Weight: 0.0277g | Extraction date: 03/08/23 09:00: | | // // \ | Extracted by: 850 |

Reviewed On: 03/08/23 10:01:14

Batch Date: 03/06/23 15:30:00

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA057008SOL Instrument Used : DA-GCMS-002 Running on: 03/08/23 09:29:52

Reagent: 030420.09
Consumables: R2017.167; KF140
Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/08/23



Kaycha Labs

Golden Hour Drops 11.25g Golden Hour

Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30304015-005 Harvest/Lot ID: 1184 9652 1027 4683

Batch Date: 03/05/23 08:22:19

Batch#: 1184 9652 1027

Sampled: 03/04/23 Ordered: 03/04/23

Sample Size Received: 78.75 gram Total Amount: 1534 units Completed: 03/08/23 Expires: 03/08/24 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



AFLATOXIN G2

Mycotoxins

PASSED

PASS

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|------------------------------------------------|-----|--------------|-------------|------------------|-----------------|
| ESCHERICHIA COLI SHIGELLA SPP | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 |
| Analyzed by: Weig 3390, 3621, 53, 1440 0.90 | | Extraction d | | Extracte 3621 | d by: |

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA056944MIC Reviewed On Reviewed On: 03/07/23 13:37:02

Instrument Used: PathogenDx Scanner DA-111

Running on: 03/06/23 10:02:17

Dilution : N/A

Reagent: 011223.31; 020123.R55; 072122.22

Consumables: N/A Pipette: N/A

| Analyzed by: 3621, 3390, 585, 1440 | weight: 0.908g | N/A | 3621,3390 |
|----------------------------------------------------------------|--------------------------|----------------|-------------------|
| Analysis Method : SOP.T.40.208 | (Gainesville), | | |
| Analytical Batch: DA056951TY | M | Reviewed On: | 03/07/23 14:55:34 |
| Instrument Used : Incubator (25 Running on : 03/05/23 14:19:32 | | Batch Date: 03 | 3/05/23 14:01:00 |

Dilution: 10 Reagent: 011223.31; 013123.R21

Consumables : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| 200 | 720 | | | | 7 | |
|---------------------|-----|-------|-------|--------|----------------|-----------------|
| Analyte | | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN B2 | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | | 0.002 | nnm | ND | PASS | 0.02 |

0.002

ppm

ND

Analyzed by: 585, 3379, 1440 Extracted by: Extraction date: 0.2554g 03/06/23 13:24:19 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch: DA056963MYC Reviewed On: 03/07/23 13:40:53 Batch Date: 03/05/23 17:24:09

Instrument Used: N/A Running on: 03/06/23 12:14:58

Reagent: 022723.R03; 030223.R02; 030123.R03; 022823.R09; 022123.R33; 030123.R01; 040521.11 Dilution: 250

Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|--------------------------------------------------|------------------------------|-------|--------|----------------------|-----------------|
| TOTAL CONTAMINANT LOAD METALS | 0.11 | ppm | ND | PASS | 5 |
| ARSENIC | 0.02 | ppm | ND | PASS | 1.5 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.02 | ppm | ND | PASS | 3 |
| LEAD | 0.05 | ppm | ND | PASS | 0.5 |
| Analyzed by: Weight: 1022, 53, 1440, 585 0.4207g | Extraction 03/06/23 0 | | | xtracted 1022,361 | |

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA056946HEA Instrument Used : DA-ICPMS-003 Running on: 03/06/23 13:30:33

Reviewed On: 03/07/23 12:42:25 Batch Date: 03/05/23 10:09:54

Reagent: 021723.R02; 123022.R14; 030323.R46; 022423.R04; 030323.R45; 030123.R46;

022323.R22; 020123.02 Consumables: 179436; 210508058; 12608-302CD-302C

Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/08/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30304015-005

Batch#: 1184 9652 1027

Sampled: 03/04/23 Ordered: 03/04/23

Harvest/Lot ID: 1184 9652 1027 4683

Total Amount: 1534 units Completed: 03/08/23 Expires: 03/08/24 Sample Method: SOP.T.20.010

Sample Size Received: 78.75 gram

PASSED

Page 6 of 6

Kaycha Labs

Golden Hour Matrix : Derivative

Golden Hour Drops 11.25g



Filth/Foreign **Material**

PASSED

Reviewed On: 03/06/23 09:34:59

Batch Date: 03/06/23 09:22:39

Reviewed On: 03/07/23 14:00:19 **Batch Date:** 03/06/23 07:39:26

Analyte Units **Action Level** Filth and Foreign Material PASS 0.5 % ND Analyzed by: Weight: **Extraction date:** Extracted by: 1879, 1440

Analysis Method: SOP.T.40.090 Analytical Batch : DA056982FIL

Instrument Used: Filth/Foreign Material Microscope

Running on: 03/06/23 09:24:54

Dilution: N/A Reagent: N/A Consumables: N/A

Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity



| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-----|-------|--------|--------|--------------|
| Water Activity | 0.1 | aw | 0.464 | TESTED | |

Extraction date Extracted by: Analyzed by: 3807, 585, 1440 0.693q 03/07/23 07:21:57

Analysis Method: SOP.T.40.019 Analytical Batch : DA056973WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on: 03/06/23 12:00:08

Reagent: 100522.07 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Jorge Segredo

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Lab Director



03/08/23