



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30307005-003

Harvest/Lot ID: ID-BIS-021423-A097

Batch#: 2139 4363 9617 7756

Cultivation Facility: Tampa Cultivation

Processing Facility: Tampa Processing

Distributor Facility:

Source Facility: Tampa Processing

Seed to Sale# 0218 4435 8912 8611

Batch Date: 02/09/23

Sample Size Received: 52.5 gram

Total Amount: 3893 units

Retail Product Size: 3.5 gram

Ordered: 03/06/23

Sampled: 03/06/23

Completed: 03/09/23

Sampling Method: SOP.T.20.010

Mar 09, 2023 | FLUENT

82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

23.622%

Total THC/Container: 826.77 mg



Total CBD

0.055%

Total CBD/Container: 1.925 mg



Total Cannabinoids

27.772%

Total Cannabinoids/Container: 972.02 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.527	26.335	ND	0.063	0.032	0.162	0.585	<0.01	ND	ND	0.068	0.062	26.996	31.739
mg/unit	18.445	921.725	ND	2.205	1.12	5.67	20.475	<0.35	ND	ND	2.38	2.17	944.86	1110.865
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 3379

Weight:
0.2146g

Extraction date:
03/07/23 11:13:31

Extracted by:
3112

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA057026POT

Instrument Used: DA-LC-002

Running on: 03/07/23 11:26:28

Reviewed On: 03/08/23 10:21:46

Batch Date: 03/07/23 10:03:53

Dilution: 400

Reagent: 030723.R04; 071222.01; 030723.R02

Consumables: 245081; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30307005-003
Harvest/Lot ID: ID-BIS-021423-A097

Batch# : 2139 4363 9617
Sample Size Received : 52.5 gram
Total Amount : 3893 units
Sampled : 03/06/23
Completed : 03/09/23 Expires: 03/09/24
Ordered : 03/06/23
Sample Method : SOP.T.20.010

Page 2 of 5

<



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30307005-003
 Harvest/Lot ID: ID-BIS-021423-A097

 Batch# : 2139 4363 9617 Sample Size Received : 52.5 gram
 7756 Total Amount : 3893 units
 Sampled : 03/06/23 Completed : 03/09/23 Expires: 03/09/24
 Ordered : 03/06/23 Sample Method : SOP.T.20.010

Page 3 of 5

<div>  Pesticides </div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 3379 Weight: 0.9861g Extraction date: 03/07/23 13:31:45 Extracted by: 585,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA057030PES Reviewed On : 03/08/23 10:34:12 Instrument Used : DA-LCMS-003 (PES) Batch Date : 03/07/23 10:06:57 Running on : 03/07/23 14:06:51 Dilution : 250 Reagent : 030223.R02; 030623.R01; 030123.R03; 022823.R09; 022123.R33; 030123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 3379 Weight: 0.9861g Extraction date: 03/07/23 13:31:45 Extracted by: 585,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA057033VOL Reviewed On : 03/08/23 10:33:21 Instrument Used : DA-GCMS-006 Batch Date : 03/07/23 10:11:05 Running on : 03/07/23 13:39:52 Dilution : 250 Reagent : 030123.R03; 040521.11; 022523.R01; 030323.R02 Consumables : 6697075-02; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30307005-003
Harvest/Lot ID: ID-BIS-021423-A097

Batch# : 2139 4363 9617 **Sample Size Received :** 52.5 gram
7756 **Total Amount :** 3893 units
Sampled : 03/06/23 **Completed :** 03/09/23 **Expires:** 03/09/24
Ordered : 03/06/23 **Sample Method :** SOP.T.20.010

Page 4 of 5

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	20	PASS	100000						
Analyzed by: 3336, 3621, 585, 3379 Weight: 0.9618g Extraction date: 03/07/23 11:49:23 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057014MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 03/07/23 12:16:08 Dilution : N/A Reagent : 022323.R28; 030323.R47 Consumables : 2112100 Pipette : N/A						Analyzed by: 585, 3379 Weight: 0.9861g Extraction date: 03/07/23 13:31:45 Extracted by: 585,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA057032MYC Instrument Used : N/A Running on : 03/07/23 14:06:52 Dilution : 250 Reagent : 030223.R02; 030623.R01; 030123.R03; 022823.R09; 022123.R33; 030123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3621, 3336, 585, 3379 Weight: 1.0226g Extraction date: 03/07/23 11:54:14 Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA057041TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 03/07/23 12:32:43 Dilution : 10 Reagent : 011223.31; 013123.R21 Consumables : N/A Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Heavy Metals						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 3379 Weight: 0.4351g Extraction date: 03/07/23 10:26:36 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057015HEA Instrument Used : DA-ICPMS-003 Running on : 03/07/23 14:04:29 Dilution : 50 Reagent : 021723.R02; 123022.R14; 030323.R46; 030623.R30; 030323.R44; 030323.R45; 030123.R46; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30307005-003
Harvest/Lot ID: ID-BIS-021423-A097

Batch# : 2139 4363 9617
Sample Size Received : 52.5 gram
Total Amount : 3893 units
Completed : 03/09/23 **Expires:** 03/09/24
Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 3379	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090 Analytical Batch : DA057103FIL Instrument Used : Filth/Foreign Material Microscope Running on : 03/08/23 20:58:11	Reviewed On : 03/08/23 21:06:33 Batch Date : 03/08/23 20:55:43
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.537	PASS	0.65

Analyzed by: 2926, 3379	Weight: 0.988g	Extraction date: 03/07/23 11:58:23	Extracted by: 2926
-----------------------------------	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019 Analytical Batch : DA057036WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 03/07/23 11:50:31	Reviewed On : 03/07/23 13:36:49 Batch Date : 03/07/23 10:37:59
---	---

Dilution : N/A
Reagent : 100522.07
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	12.5	PASS	15

Analyzed by: 2926, 3379	Weight: 0.496g	Extraction date: 03/07/23 12:13:51	Extracted by: 2926
-----------------------------------	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.021 Analytical Batch : DA057039MOI Instrument Used : DA-003 Moisture Analyzer Running on : 03/07/23 12:13:14	Reviewed On : 03/07/23 13:34:17 Batch Date : 03/07/23 10:46:58
--	---

Dilution : N/A
Reagent : 101920.06; 020123.02
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.