



Certificate of Analysis

COMPLIANCE FOR RETAIL









Sample: DA30308002-001
Harvest/Lot ID: 8784 3155 2900 6300
Batch#: 8551 3894 3876 2185
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 8784 3155 2900 6300
Batch Date: 02/02/23
Sample Size Received: 16 gram
Total Amount: 1439 units
Retail Product Size: 1 gram
Ordered: 03/07/23
Sampled: 03/07/23
Completed: 03/10/23
Sampling Method: SOP.T.20.010

Mar 10, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	Filtration PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes TESTED

	Cannabinoid	PASSED
--	-------------	---------------

	Total THC 88.369% Total THC/Container : 883.69 mg		Total CBD 0.206% Total CBD/Container : 2.06 mg		Total Cannabinoids 92.633% Total Cannabinoids/Container : 926.33 mg
--	---	---	--	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.308	0.07	0.206	ND	0.245	1.435	ND	0.988	0.578	ND	0.803
mg/unit	883.08	0.7	2.06	ND	2.45	14.35	ND	9.88	5.78	ND	8.03
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by: 2076, 3112, 585, 1440	Weight: 0.105g	Extraction date: 03/08/23 10:31:15	Extracted by: 2076,1665
Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA057061POT Instrument Used: DA-LC-007 Running on: 03/08/23 10:33:24	Reviewed On: 03/09/23 10:07:46 Batch Date: 03/08/23 07:31:21		
Dilution: 400 Reagent: 071222.01; 030223.R11; 030223.R09 Consumables: 245081; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270 Pipette: DA-079; DA-108; DA-078	Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.		



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30308002-001
Harvest/Lot ID: 8784 3155 2900 6300

Batch# : 8551 3894 3876
Sample Size Received : 16 gram
Total Amount : 1439 units
Sampled : 03/07/23
Completed : 03/10/23 Expires: 03/10/24
Ordered : 03/07/23
Sample Method : SOP.T.20.010

Page 2 of 6



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30308002-001
 Harvest/Lot ID: 8784 3155 2900 6300

 Batch# : 8551 3894 3876 Sample Size Received : 16 gram
 2185 Total Amount : 1439 units
 Sampled : 03/07/23 Completed : 03/10/23 Expires: 03/10/24
 Ordered : 03/07/23 Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 3379, 1440 Weight: 0.2885g Extraction date: 03/08/23 12:50:57 Extracted by: 3379					
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057048PES Reviewed On : 03/09/23 11:38:01					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES) Batch Date : 03/08/23 07:17:43					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Running on : 03/08/23 13:30:23					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 030223.R02; 030623.R01; 030123.R03; 022823.R09; 022123.R33; 030823.R01; 040521.11					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2885g Extraction date: 03/08/23 12:50:57 Extracted by: 3379					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057050VOL Reviewed On : 03/09/23 11:38:44					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006 Batch Date : 03/08/23 07:20:57					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 030123.R03; 040521.11; 022523.R01; 030323.R02					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 6697075-02; 14725401					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30308002-001

Harvest/Lot ID: 8784 3155 2900 6300

Batch# : 8551 3894 3876
 2185

Sampled : 03/07/23

Ordered : 03/07/23

Sample Size Received : 16 gram

Total Amount : 1439 units

Completed : 03/10/23 **Expires:** 03/10/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.0212g

Extraction date:
 03/09/23 13:32:05

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA057097SQL

Instrument Used : DA-GCMS-003

Running on : 03/09/23 13:51:40

Reviewed On : 03/09/23 14:05:55

Batch Date : 03/08/23 15:22:51

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.062

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30308002-001

Harvest/Lot ID: 8784 3155 2900 6300

Batch# : 8551 3894 3876
 2185

Sampled : 03/07/23

Ordered : 03/07/23



Sample Size Received : 16 gram

Total Amount : 1439 units

Completed : 03/10/23 **Expires:** 03/10/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3621, 585, 1440 Weight: 0.82g Extraction date: 03/08/23 10:33:38 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057068MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 03/08/23 10:44:45 Dilution : N/A Reagent : 022323.R28; 030323.R47 Consumables : 2112100 Pipette : N/A						Analyzed by: 585, 3379, 1440 Weight: 0.2885g Extraction date: 03/08/23 12:50:57 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA057049MYC Instrument Used : N/A Running on : 03/08/23 13:30:33 Dilution : 250 Reagent : 030223.R02; 030623.R01; 030123.R03; 022823.R09; 022123.R33; 030823.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3621, 3336, 585, 1440 Weight: 0.915g Extraction date: 03/08/23 10:35:14 Extracted by: 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA057070TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 03/08/23 12:30:00 Dilution : 10 Reagent : 011223.35; 013123.R21 Consumables : N/A Pipette : N/A						Analyzed by: 1022, 585, 1440 Weight: 0.4493g Extraction date: 03/08/23 12:09:46 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057073HEA Instrument Used : DA-ICPMS-003 Running on : 03/08/23 16:14:53 Dilution : 50 Reagent : 021723.R02; 123022.R14; 030323.R46; 030623.R30; 030323.R44; 030323.R45; 030123.R46; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					


Heavy Metals
PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.4493g Extraction date: 03/08/23 12:09:46 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057073HEA Instrument Used : DA-ICPMS-003 Running on : 03/08/23 16:14:53 Dilution : 50 Reagent : 021723.R02; 123022.R14; 030323.R46; 030623.R30; 030323.R44; 030323.R45; 030123.R46; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30308002-001

Harvest/Lot ID: 8784 3155 2900 6300

Batch# : 8551 3894 3876 2185

Sampled : 03/07/23

Ordered : 03/07/23

Sample Size Received : 16 gram

Total Amount : 1439 units

Completed : 03/10/23 **Expires:** 03/10/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA057102FIL

Instrument Used : Filth/Foreign Material

Microscope: Filth/Foreign Material Microscope

Running on : 03/08/23 20:58:12

Reviewed On : 03/08/23 21:05:50

Batch Date : 03/08/23 20:54:18

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.478	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.278g	Extraction date: 03/08/23 14:21:28	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA057078WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/08/23 12:15:14

Reviewed On : 03/09/23 11:55:12

Batch Date : 03/08/23 10:43:35

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.