



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30309007-005

Harvest/Lot ID: 6018 3897 8446 1864

Batch#: 8088 2554 5769 0121

Cultivation Facility: Tampa Cultivation

Processing Facility: Tampa Processing

Distributor Facility:

Source Facility: Tampa Cultivation

Seed to Sale# 6018 3897 8446 1864

Batch Date: 01/05/23

Sample Size Received: 16 gram

Total Amount: 956 units

Retail Product Size: 1 gram

Ordered: 03/08/23

Sampled: 03/08/23

Completed: 03/11/23

Sampling Method: SOP.T.20.010

Mar 11, 2023 | FLUENT

82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

74.364%

Total THC/Container: 743.64 mg



Total CBD

0.283%

Total CBD/Container: 2.83 mg



Total Cannabinoids

79.299%

Total Cannabinoids/Container: 792.99 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	74.268	0.11	0.283	ND	0.424	2.345	ND	0.871	0.458	ND	0.54
mg/unit	742.68	1.1	2.83	ND	4.24	23.45	ND	8.71	4.58	ND	5.4
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analized by:
3112, 1665, 585, 1440

Weight:
0.0997g

Extraction date:
03/09/23 10:56:08

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA057125POT
 Instrument Used : DA-LC-007
 Running on : 03/09/23 11:48:05

Reviewed On : 03/10/23 13:32:57
 Batch Date : 03/09/23 10:10:18

Dilution : 400
 Reagent : 071222.01; 022823.R11; 030223.R09
 Consumables : 245081; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30309007-005
Harvest/Lot ID: 6018 3897 8446 1864

Batch# : 8088 2554 5769
Sample Size Received : 16 gram
Total Amount : 956 units
Completed : 03/11/23 **Expires:** 03/11/24
Ordered : 03/08/23
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	18.44	1.844		FARNESENE	0	0.46	0.046	
TOTAL TERPINEOL	0.007	<0.2	<0.02		ALPHA-HUMULENE	0.007	1.84	0.184	
ALPHA-BISABOLOL	0.007	1.81	0.181		VALENCENE	0.007	<2	<0.02	
ALPHA-PINENE	0.007	<0.2	<0.02		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	0.85	0.085	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<2	<0.02	
BETA-PINENE	0.007	0.23	0.023		GUAIOL	0.007	2.77	0.277	
BETA-MYRCENE	0.007	2.18	0.218		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, S&S, 1440Weight: 0.9203gExtraction date: 03/10/23 09:50:08Extracted by: 2076</div>				
3-CARENE	0.007	ND	ND		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLReviewed On : 03/11/23 12:38:39</div>				
ALPHA-TERPINENE	0.007	ND	ND		<div>Analytical Batch : DA057123TERBatch Date : 03/09/23 09:50:46</div>				
LIMONENE	0.007	2.18	0.218		<div>Instrument Used : DA-GCMS-004</div>				
EUCALYPTOL	0.007	ND	ND		<div>Running on : 03/10/23 09:51:47</div>				
OCIMENE	0.007	ND	ND		<div>Dilution : 10</div>				
GAMMA-TERPINENE	0.007	ND	ND		<div>Reagent : N/A</div>				
SABINENE HYDRATE	0.007	ND	ND		<div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div>				
TERPINOLENE	0.007	ND	ND		<div>Pipette : N/A</div>				
FENCHONE	0.007	ND	ND		<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
LINALOOL	0.007	0.68	0.068						
FENCHYL ALCOHOL	0.007	0.27	0.027						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	5.17	0.517						
Total (%)			1.844						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30309007-005

Harvest/Lot ID: 6018 3897 8446 1864

Batch# : 8088 2554 5769
 0121

Sampled : 03/08/23

Ordered : 03/08/23

Sample Size Received : 16 gram

Total Amount : 956 units

Completed : 03/11/23 **Expires:** 03/11/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 1440	0.2821g	03/09/23 13:09:29	585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA057117PES			Reviewed On :03/10/23 13:33:08		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date :03/09/23 09:40:47		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on :03/09/23 13:53:21					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 030623.R01; 030823.R28; 030823.R27; 022823.R09; 022123.R33; 030823.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.2821g	N/A	450,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057119VOL			Reviewed On :03/11/23 14:52:01		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used :DA-GCMS-006			Batch Date :03/09/23 09:43:47		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on :03/09/23 15:58:58					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 25					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 030823.R27; 040521.11; 022523.R01; 030323.R02					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30309007-005

Harvest/Lot ID: 6018 3897 8446 1864

 Batch# : 8088 2554 5769
 0121

Sampled : 03/08/23

Ordered : 03/08/23

Sample Size Received : 16 gram

Total Amount : 956 units

Completed : 03/11/23 Expires: 03/11/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0212g

 Extraction date:
 03/10/23 13:25:42

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA05714050L

Instrument Used : DA-GCMS-003

Running on : 03/10/23 13:41:31

Reviewed On : 03/10/23 14:10:52

Batch Date : 03/09/23 11:06:44

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.062

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30309007-005

Harvest/Lot ID: 6018 3897 8446 1864

Batch# : 8088 2554 5769
 0121

Sampled : 03/08/23

Ordered : 03/08/23

Sample Size Received : 16 gram

Total Amount : 956 units

Completed : 03/11/23 **Expires:** 03/11/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 585, 1440	Weight: 0.9761g	Extraction date: 03/09/23 11:18:31	Extracted by: 3336,3390		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA057109MIC			Reviewed On : 03/10/23 14:12:03		
Instrument Used : PathogenDx Scanner DA-111			Batch Date : 03/09/23 09:21:52		
Running on : 03/09/23 13:43:12					
Dilution : N/A					
Reagent : 011223.35; 072122.22; 030723.R28					
Consumables : N/A					
Pipette : N/A					

Analyzed by: 3621, 585, 1440	Weight: 0.9761g	Extraction date: N/A	Extracted by: 3336,3390,3621
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			
Analytical Batch : DA057131TYM		Reviewed On : 03/11/23 12:29:34	
Instrument Used : Incubator (25-27C) DA-096		Batch Date : 03/09/23 10:29:44	
Running on : 03/09/23 12:24:32			
Dilution : 10			
Reagent : 011223.42; 013123.R21			
Consumables : N/A			
Pipette : N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 585, 3379, 1440	Weight: 0.2821g	Extraction date: N/A	Extracted by: 585		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA057118MYC			Reviewed On : 03/10/23 12:26:36		
Instrument Used : N/A			Batch Date : 03/09/23 09:43:46		
Running on : 03/09/23 13:53:31					
Dilution : 250					
Reagent : 030623.R01; 030823.R28; 030823.R27; 022823.R09; 022123.R33; 030823.R01; 040521.11					
Consumables : 6697075-02					
Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.5831g	Extraction date: 03/09/23 10:23:01		Extracted by: 1022,3619	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA057120HEA			Reviewed On : 03/10/23 13:24:02		
Instrument Used : DA-ICPMS-003			Batch Date : 03/09/23 09:47:29		
Running on : 03/09/23 13:58:19					
Dilution : 50					
Reagent : 021723.R02; 123022.R14; 030323.R46; 030623.R30; 030323.R44; 030323.R45; 030123.R46; 022323.R22; 020123.02					
Consumables : 179436; 210508058; 12607-302CC-302					
Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30309007-005

Harvest/Lot ID: 6018 3897 8446 1864

Batch# : 8088 2554 5769 0121

Sampled : 03/08/23

Ordered : 03/08/23

Sample Size Received : 16 gram

Total Amount : 956 units

Completed : 03/11/23 **Expires:** 03/11/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA057213FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/10/23 20:26:32

Reviewed On : 03/10/23 20:54:14

Batch Date : 03/10/23 15:19:53

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.443	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.41g	Extraction date: 03/09/23 14:07:42	Extracted by: 2926
--	-------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA057129WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/09/23 12:42:38

Reviewed On : 03/09/23 16:16:40

Batch Date : 03/09/23 10:16:53

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.