



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30309007-006
Harvest/Lot ID: 6122 9438 8542 3460
Batch#: 2568 4665 2444 6260
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 6122 9438 8542 3460
Batch Date: 01/19/23
Sample Size Received: 31 gram
Total Amount: 2872 units
Retail Product Size: 0.5 gram
Ordered: 03/08/23
Sampled: 03/08/23
Completed: 03/11/23
Sampling Method: SOP.T.20.010

Mar 11, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US






PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	Filtration PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 89.458% Total THC/Container : 447.29 mg		Total CBD 0.25% Total CBD/Container : 1.25 mg		Total Cannabinoids 94.502% Total Cannabinoids/Container : 472.51 mg
--	---	---	---	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	89.413	0.052	0.25	ND	0.233	1.818	ND	0.908	0.962	ND	0.866
mg/unit	447.065	0.26	1.25	ND	1.165	9.09	ND	4.54	4.81	ND	4.33
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by: 3112, 1665, 585, 1440 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA057125POT Instrument Used : DA-LC-007 Running on : 03/09/23 11:48:05 Dilution : 400 Reagent : 071222.01; 022823.R11; 030223.R09 Consumables : 245081; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270 Pipette : DA-079; DA-108; DA-078	Weight: 0.1007g	Extraction date: 03/09/23 10:56:08 Reviewed On : 03/10/23 13:33:03 Batch Date : 03/09/23 10:10:18	Extracted by: 3112
--	---------------------------	---	------------------------------

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30309007-006
Harvest/Lot ID: 6122 9438 8542 3460

Batch# : 2568 4665 2444 **Sample Size Received :** 31 gram
6260 **Total Amount :** 2872 units
Sampled : 03/08/23 **Completed :** 03/11/23 **Expires:** 03/11/24
Ordered : 03/08/23 **Sample Method :** SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	11.455	2.291		FARNESENE	0	ND	ND	
TOTAL TERPINEOL	0.007	0.315	0.063		ALPHA-HUMULENE	0.007	0.21	0.042	
ALPHA-BISABOLOL	0.007	1.44	0.288		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.32	0.064		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.1	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.1	<0.02	
BETA-PINENE	0.007	0.46	0.092		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.665	0.133		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	<0.1	<0.02		<div>Analyzed by: 2076, S&S, 1440Weight: 1.0842gExtraction date: 03/10/23 09:50:08Extracted by: 2076</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div> <div>Analytical Batch : DA057123TER</div> <div>Instrument Used : DA-GCMS-004</div> <div>Running on : 03/10/23 09:51:47</div> <div>Dilution : 10</div> <div>Reagent : N/A</div> <div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div> <div>Pipette : N/A</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	2.29	0.458			<div>Reviewed On : 03/11/23 12:38:43</div> <div>Batch Date : 03/09/23 09:50:46</div>			
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	<0.1	<0.02						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.955	0.191						
FENCHYL ALCOHOL	0.007	0.41	0.082						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	<0.1	<0.02						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.1	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	4.39	0.878						
Total (%)			2.291						



Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30309007-006
Harvest/Lot ID: 6122 9438 8542 3460

Batch# : 2568 4665 2444 **Sample Size Received :** 31 gram
 6260 **Total Amount :** 2872 units
Sampled : 03/08/23 **Completed :** 03/11/23 **Expires:** 03/11/24
Ordered : 03/08/23 **Sample Method :** SOP.T.20.010

Page 3 of 6

<div>  Pesticides </div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 3379, 1440 Weight: 0.2377g Extraction date: 03/09/23 13:09:29 Extracted by: 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA057117PES Reviewed On : 03/10/23 13:33:11 Instrument Used : DA-LCMS-003 (PES) Batch Date : 03/09/23 09:40:47 Running on : 03/09/23 13:53:21					
DIAZINON	0.01	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 030623.R01; 030823.R28; 030823.R27; 022823.R09; 022123.R33; 030823.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2377g Extraction date: N/A Extracted by: 450,585 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA057119VOL Reviewed On : 03/11/23 14:52:02 Instrument Used : DA-GCMS-006 Batch Date : 03/09/23 09:43:47 Running on : 03/09/23 15:58:58					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 25 Reagent : 030823.R27; 040521.11; 022523.R01; 030323.R02 Consumables : 6697075-02; 14725401 Pipette : DA-080; DA-146; DA-218					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30309007-006

Harvest/Lot ID: 6122 9438 8542 3460

 Batch# : 2568 4665 2444
 6260

Sampled : 03/08/23

Ordered : 03/08/23

Sample Size Received : 31 gram

Total Amount : 2872 units

Completed : 03/11/23 Expires: 03/11/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0232g

 Extraction date:
 03/10/23 13:25:42

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA05714050L

Instrument Used : DA-GCMS-003

Running on : 03/10/23 13:41:31

Reviewed On : 03/10/23 14:10:53

Batch Date : 03/09/23 11:06:44

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.062

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30309007-006

Harvest/Lot ID: 6122 9438 8542 3460

 Batch# : 2568 4665 2444
 6260

Sampled : 03/08/23

Ordered : 03/08/23

Sample Size Received : 31 gram

Total Amount : 2872 units

Completed : 03/11/23 Expires: 03/11/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 585, 1440	Weight: 0.804g	Extraction date: 03/09/23 10:47:18	Extracted by: 3336,3390		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA057109MIC			Reviewed On : 03/10/23 14:12:04		
Instrument Used : PathogenDx Scanner DA-111			Batch Date : 03/09/23 09:21:52		
Running on : 03/09/23 13:43:12					
Dilution : N/A					
Reagent : 011223.35; 072122.22; 030723.R28					
Consumables : N/A					
Pipette : N/A					

Analyzed by: 3621, 585, 1440	Weight: 0.804g	Extraction date: N/A	Extracted by: 3336,3390,3621
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			
Analytical Batch : DA057131TYM		Reviewed On : 03/11/23 12:32:45	
Instrument Used : Incubator (25-27C) DA-096		Batch Date : 03/09/23 10:29:44	
Running on : 03/09/23 12:24:32			
Dilution : 10			
Reagent : 011223.42; 013123.R21			
Consumables : N/A			
Pipette : N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 585, 3379, 1440	Weight: 0.2377g	Extraction date: N/A	Extracted by: 585		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA057118MYC			Reviewed On : 03/10/23 12:26:37		
Instrument Used : N/A			Batch Date : 03/09/23 09:43:46		
Running on : 03/09/23 13:53:31					
Dilution : 250					
Reagent : 030623.R01; 030823.R28; 030823.R27; 022823.R09; 022123.R33; 030823.R01; 040521.11					
Consumables : 6697075-02					
Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.5784g	Extraction date: 03/09/23 10:47:36		Extracted by: 1022,3619	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA057120HEA			Reviewed On : 03/10/23 13:24:04		
Instrument Used : DA-ICPMS-003			Batch Date : 03/09/23 09:47:29		
Running on : 03/09/23 13:58:19					
Dilution : 50					
Reagent : 021723.R02; 123022.R14; 030323.R46; 030623.R30; 030323.R44; 030323.R45; 030123.R46; 022323.R22; 020123.02					
Consumables : 179436; 210508058; 12607-302CC-302					
Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30309007-006

Harvest/Lot ID: 6122 9438 8542 3460

Batch# : 2568 4665 2444 6260

Sampled : 03/08/23

Ordered : 03/08/23

Sample Size Received : 31 gram

Total Amount : 2872 units

Completed : 03/11/23 **Expires:** 03/11/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA057213FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/10/23 20:26:32

Reviewed On : 03/10/23 20:54:14

Batch Date : 03/10/23 15:19:53

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.43	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 1.356g	Extraction date: 03/09/23 14:07:48	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA057129WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/09/23 12:42:38

Reviewed On : 03/09/23 16:16:42

Batch Date : 03/09/23 10:16:53

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.