



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30310003-012

Harvest/Lot ID: 7588 4849 4018 0669

Batch#: 3171 1773 3847 9543

Cultivation Facility: Tampa Cultivation

Processing Facility: Tampa Processing

Distributor Facility:

Source Facility: Tampa Cultivation

Seed to Sale#: 7588 4849 4018 0669

Batch Date: 12/29/22

Sample Size Received: 16 gram

Total Amount: 1471 units

Retail Product Size: 1 gram

Ordered: 03/09/23

Sampled: 03/09/23

Completed: 03/13/23

Sampling Method: SOP.T.20.010

Mar 13, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

89%

Total THC/Container : 890 mg



Total CBD

0.272%

Total CBD/Container : 2.72 mg



Total Cannabinoids

93.968%

Total Cannabinoids/Container : 939.68 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.963	0.043	0.272	ND	0.161	1.413	ND	1.234	0.684	ND	1.198
mg/unit	889.63	0.43	2.72	ND	1.61	14.13	ND	12.34	6.84	ND	11.98
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.0975g

Extraction date:
03/10/23 11:28:45

Extracted by:
3112,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA057167POT
Instrument Used : DA-LC-007
Running on : 03/10/23 11:38:23

Reviewed On : 03/11/23 01:46:59
Batch Date : 03/10/23 08:59:49

Dilution : 400
Reagent : 030223.R11; 071222.01; 030223.R09
Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30310003-012
Harvest/Lot ID: 7588 4849 4018 0669

Batch# : 3171 1773 3847
9543

Sampled : 03/09/23
Ordered : 03/09/23

Sample Size Received : 16 gram

Total Amount : 1471 units

Completed : 03/13/23 Expires: 03/13/24

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	8.41	0.841		FARNESENE	0	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE	0.007	0.38	0.038	
ALPHA-BISABOLOL	0.007	0.42	0.042		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.76	0.076		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<2	<0.02	
BETA-PINENE	0.007	0.32	0.032		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	2.47	0.247		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.4	0.04						
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	<0.2	<0.02						
LIMONENE	0.007	0.48	0.048						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	0.43	0.043						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	1.52	0.152						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.53	0.053						
FENCHYL ALCOHOL	0.007	<0.2	<0.02						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.2	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.7	0.07						
Total (%)			0.841						

Terpenes

TESTED

ANALYSIS

TERPENES

ANALYZED BY:
2076, S&S, 1440

ANALYSIS METHOD : SOP.T.30.061A.FL, SOP.T.40.061A.FL

ANALYTICAL BATCH : DA057183TER

INSTRUMENT USED : DA-GCMS-005

RUNNING ON : 03/10/23 16:23:30

WEIGHT:
1.0298g

DILUTION : 10

REAGENT : N/A

CONSUMABLES : 210414634; MKCN9995; CE0123; R1KB14270

PIPETTE : N/A

EXTRACTION DATE:
03/10/23 12:33:08

REVIEWED ON : 03/13/23 10:24:07

BATCH DATE : 03/10/23 10:04:42

EXTRACTED BY:
2076

TERPENOID TESTING IS PERFORMED UTILIZING GAS CHROMATOGRAPHY MASS SPECTROMETRY. FOR ALL FLOWER SAMPLES, THE TOTAL TERPENES % IS DRY-WEIGHT CORRECTED.



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30310003-012
 Harvest/Lot ID: 7588 4849 4018 0669

 Batch# : 3171 1773 3847
 9543
 Sampled : 03/09/23
 Ordered : 03/09/23
 Sample Size Received : 16 gram
 Total Amount : 1471 units
 Completed : 03/13/23 Expires: 03/13/24
 Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.2174g Extraction date: 03/10/23 13:17:52 Extracted by: 3379					
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057175PES Reviewed On : 03/13/23 08:48:02					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES) Batch Date : 03/10/23 09:25:02					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Running on : 03/10/23 13:19:03					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 030623.R01; 030823.R28; 030823.R27; 030923.R14; 022123.R33; 030823.R01; 040521.11					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2174g Extraction date: 03/10/23 13:17:52 Extracted by: 3379					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057177VOL Reviewed On : 03/13/23 10:24:09					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006 Batch Date : 03/10/23 09:28:35					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Running on : 03/10/23 13:54:18					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 040521.11; 031023.R02; 030923.R23; 030923.R24					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 6697075-02; 14725401					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30310003-012
Harvest/Lot ID: 7588 4849 4018 0669

Batch# : 3171 1773 3847
Sample Size Received : 16 gram
Total Amount : 1471 units
Completed : 03/13/23 **Expires:** 03/13/24
Ordered : 03/09/23 **Sample Method :** SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.0205g

Extraction date:
 03/10/23 16:06:02

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA05721550L
Instrument Used : DA-GCMS-002
Running on : 03/13/23 12:18:32

Reviewed On : 03/13/23 12:30:13
Batch Date : 03/10/23 15:50:47

Dilution : 1
Reagent : 030420.09
Consumables : R2017.167; G201.062
Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis



PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30310003-012
Harvest/Lot ID: 7588 4849 4018 0669

Batch# : 3171 1773 3847 **Sample Size Received :** 16 gram
 9543 **Total Amount :** 1471 units
Sampled : 03/09/23 **Completed :** 03/13/23 **Expires:** 03/13/24
Ordered : 03/09/23 **Sample Method :** SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 3336, 585, 3390, 1440 Weight: 0.81g Extraction date: 03/10/23 10:53:53 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057162MIC Instrument Used : PathogenDx Scanner DA-111 Running on : 03/10/23 12:10:31 Dilution : N/A Reagent : 011223.42; 072122.22; 030723.R28 Consumables : N/A Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.2174g Extraction date: 03/10/23 13:17:52 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA057176MYC Instrument Used : N/A Running on : 03/10/23 13:19:30 Dilution : 250 Reagent : 030623.R01; 030823.R28; 030823.R27; 030923.R14; 022123.R33; 030823.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Reviewed On : 03/12/23 17:51:45 Batch Date : 03/10/23 08:04:44						Reviewed On : 03/13/23 08:49:48 Batch Date : 03/10/23 09:28:33					
Analyzed by: 3621, 585, 1440 Weight: 0.81g Extraction date: 03/10/23 10:51:33 Extracted by: 3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA057172TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 03/10/23 11:56:31 Dilution : 10 Reagent : 011223.42; 013123.R21 Consumables : N/A Pipette : N/A						Analyzed by: 1022, 585, 1440 Weight: 0.5026g Extraction date: 03/10/23 10:28:39 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057174HEA Instrument Used : DA-ICPMS-003 Running on : 03/11/23 09:31:07 Dilution : 50 Reagent : 021723.R02; 123022.R14; 030323.R46; 030623.R30; 030323.R44; 030323.R45; 030123.R46; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.


Heavy Metals
PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.5026g Extraction date: 03/10/23 10:28:39 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057174HEA Instrument Used : DA-ICPMS-003 Running on : 03/11/23 09:31:07 Dilution : 50 Reagent : 021723.R02; 123022.R14; 030323.R46; 030623.R30; 030323.R44; 030323.R45; 030123.R46; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30310003-012

Harvest/Lot ID: 7588 4849 4018 0669

Batch# : 3171 1773 3847 9543

Sampled : 03/09/23

Ordered : 03/09/23

Sample Size Received : 16 gram

Total Amount : 1471 units

Completed : 03/13/23 **Expires:** 03/13/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA057213FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/10/23 20:26:32

Reviewed On : 03/10/23 20:54:09

Batch Date : 03/10/23 15:19:53

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.452	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.312g	Extraction date: 03/10/23 12:51:46	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA057191WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/10/23 12:51:12

Reviewed On : 03/10/23 14:14:13

Batch Date : 03/10/23 10:54:01

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.